Length of Stay by Diagnosis, Canada, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada
January-December 1982

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	24	9.9	3,434	426	12.4
25-49	194	76	39.2	6,680	2,572	38.5
50-99	174	47	27.0	12,300	3,224	26.2
100-199	120	36	30.0	16,507	5,183	31.4
200-299	74	14	18.9	17,869	3,279	18.4
300-399	58	11	19.0	20,119	3,775	18.8
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	6,985	27.4
Total	919	220	23.9	111,371	26,411	23.7
Province or Territory						
Alberta	125	111	88.8	11,653	11,322	97.2
British Columbia	111	41	36.9	12,355	4,632	37.5
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,864	98.5
Newfoundland	35	8	22.9	2,588	1,522	58.8
Nova Scotia	48	16	33.3	4,833	3,357	69.5
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	9	6.8	6,260	1,079	17.2
Northwest Territories	3	2	66.6	151	101	66.9
Yukon	0	0	–	0	0	–
Total	919	220	23.9	111,371	26,411	23.7

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

[1] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1982* or *Length of Stay by Operation, Canada, 1982.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99614	4.3	14	1	1	4	5	7	9	18
20-34	54852	4.4	26	<1	1	4	5	7	11	27
35-49	18786	6.0	48	1	1	4	7	13	18	35
50-64	18612	7.4	63	1	1	5	9	16	22	41
65+	22265	8.9	90	1	2	6	11	19	27	60
B. *Operated*										
0-19 YRS	33343	3.5	15	<1	1	2	4	7	9	19
20-34	63845	4.2	13	<1	1	4	5	8	9	17
35-49	25210	5.2	23	<1	1	4	7	10	13	24
50-64	20255	6.6	40	1	1	5	8	13	18	30
65+	17289	8.1	64	1	2	6	10	17	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85976	5.6	36	1	2	4	6	10	14	32
20-34	36060	5.9	61	1	1	4	6	12	19	45
35-49	22342	7.7	79	1	1	5	9	17	24	47
50-64	35679	9.3	93	1	2	7	12	19	27	56
65+	67101	12.2	156	2	3	9	15	27	39	99+
B. *Operated*										
0-19 YRS	21742	6.3	90	1	1	3	7	13	22	60
20-34	62925	6.4	46	1	2	5	7	11	16	38
35-49	29755	8.2	73	1	2	7	10	16	23	49
50-64	31860	11.0	125	1	2	8	14	24	33	65
65+	38027	14.7	208	2	3	11	19	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214129	5.2	35	1	1	4	6	10	14	31
B. *Operated*	159942	4.9	26	<1	1	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	247158	8.2	92	1	2	5	9	17	26	61
B. *Operated*	184309	9.2	113	1	2	6	11	20	30	68
1. SINGLE DX	374071	5.1	31	1	1	4	6	10	14	28
2. MULTIPLE DX	431467	8.6	101	1	2	6	10	19	28	64
A. NOT OPERATED	461287	6.8	67	1	1	4	8	14	21	48
B. OPERATED	344251	7.2	77	1	1	5	8	15	23	52
TOTAL 0-19 YRS	240675	4.9	30	1	1	4	6	8	12	28
20-34	217682	5.1	35	<1	1	4	6	9	13	32
35-49	96093	6.9	58	1	1	5	8	14	20	41
50-64	106406	9.0	90	1	2	6	11	19	26	53
65+	144682	11.8	153	2	2	8	15	26	39	95
GRAND TOTAL	**805538**	**7.0**	**72**	**1**	**1**	**5**	**8**	**15**	**22**	**50**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58738	4.2	21	1	1	3	5	8	11	22
20-34	54852	4.4	26	<1	1	4	5	7	11	27
35-49	18786	6.0	48	1	1	4	7	13	18	35
50-64	18612	7.4	63	1	1	5	9	16	22	41
65+	22265	8.9	90	1	2	6	11	19	27	60
B. *Operated*										
0-19 YRS	33335	3.5	15	<1	1	2	4	7	9	19
20-34	63845	4.2	13	<1	1	4	5	8	9	17
35-49	25210	5.2	23	<1	1	4	7	10	13	24
50-64	20255	6.6	40	1	1	5	8	13	18	30
65+	17289	8.1	64	1	2	6	10	17	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43788	5.6	45	1	1	4	7	11	16	35
20-34	36060	5.9	61	1	1	4	6	12	19	45
35-49	22342	7.7	79	1	1	5	9	17	24	47
50-64	35679	9.3	93	1	2	7	12	19	27	56
65+	67101	12.2	156	2	3	9	15	27	39	99+
B. *Operated*										
0-19 YRS	21254	6.0	75	1	1	3	7	13	21	51
20-34	62925	6.4	46	1	2	5	7	11	16	38
35-49	29755	8.2	73	1	2	7	10	16	23	49
50-64	31860	11.0	125	1	2	8	14	24	33	65
65+	38027	14.7	208	2	3	11	19	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173253	5.4	42	1	1	4	6	11	16	34
B. *Operated*	159934	4.9	26	<1	1	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	204970	8.7	104	1	1	6	11	19	28	66
B. *Operated*	183821	9.1	112	1	2	6	11	20	30	67
1. SINGLE DX	333187	5.2	34	<1	1	4	6	10	15	30
2. MULTIPLE DX	388791	8.9	107	1	2	6	11	19	29	67
A. NOT OPERATED	378223	7.2	78	1	1	5	8	15	23	53
B. OPERATED	343755	7.2	76	1	1	5	8	15	23	51
TOTAL 0-19 YRS	157115	4.7	34	1	1	3	5	9	13	31
20-34	217682	5.1	35	<1	1	4	6	9	13	32
35-49	96093	6.9	58	1	1	5	8	14	20	41
50-64	106406	9.0	90	1	2	6	11	19	26	53
65+	144682	11.8	153	2	2	8	15	26	39	95
GRAND TOTAL	**721978**	**7.2**	**77**	**1**	**1**	**5**	**8**	**15**	**23**	**52**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1803	4.4	14	1	1	3	5	8	11	18
20-34	387	3.2	7	<1	1	2	4	6	9	14
35-49	168	3.8	10	<1	1	3	5	8	10	18
50-64	121	4.4	15	1	1	3	5	9	12	23
65+	128	5.4	19	1	1	4	7	12	14	21
B. *Operated*										
0-19 YRS	11	6.2	12	2	3	5	9	11	13	13
20-34	16	5.3	10	2	2	4	7	10	12	13
35-49	5	7.2	6	3	3	8	9	9	9	9
50-64	7	15.6	118	5	5	12	22	33	35	35
65+	5	9.6	9	6	6	9	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1069	6.6	37	1	2	5	8	13	17	33
20-34	197	3.8	10	1	1	3	5	7	10	20
35-49	104	4.6	10	1	2	4	6	10	12	14
50-64	118	6.5	24	1	2	5	8	13	14	26
65+	238	7.6	64	1	2	6	10	15	21	71
B. *Operated*										
0-19 YRS	28	11.6	85	3	4	9	14	24	34	42
20-34	20	[illegible]	40	1	2	5	10	14	21	27
35-49	15	[illegible]	23	4	6	8	11	14	21	23
50-64	7	[illegible]	65	4	5	9	20	25	26	26
65+	19	14.5	132	4	5	10	15	34	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2607	4.2	13	1	1	3	5	8	11	18
B. *Operated*	44	7.9	37	2	3	6	10	13	19	35
2. MULTIPLE DX										
A. *Not Operated*	1726	6.3	36	1	2	5	8	12	17	30
B. *Operated*	89	11.0	77	3	3	9	13	24	32	41
1. SINGLE DX	2651	4.3	14	1	1	3	5	8	11	19
2. MULTIPLE DX	1815	6.5	39	1	2	5	8	13	18	33
A. NOT OPERATED	4333	5.0	23	1	1	4	6	10	14	24
B. OPERATED	133	10.0	66	2	3	8	12	21	31	40
TOTAL 0-19 YRS	2911	5.3	25	1	1	4	6	11	14	26
20-34	620	3.6	10	1	1	3	4	7	10	15
35-49	292	4.4	12	1	1	3	6	10	11	17
50-64	253	6.0	29	1	1	4	8	12	16	27
65+	390	7.2	55	1	2	5	9	14	21	38
GRAND TOTAL	**4466**	**5.2**	**25**	**1**	**1**	**4**	**6**	**11**	**14**	**25**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	19.1	386	3	3	13	22	57	63	69
20-34	19	21.7	348	3	4	18	23	52	68	75
35-49	9	16.4	203	5	5	13	20	41	47	47
50-64	12	22.4	664	3	3	16	24	53	92	99
65+	20	12.7	164	1	2	8	15	38	41	42
B. *Operated*										
0-19 YRS	2	12.0	200	2	2	12	22	22	22	22
20-34	10	12.6	87	4	5	10	13	28	36	36
35-49	5	16.0	34	10	10	13	21	24	24	24
50-64	6	18.0	83	2	3	20	25	25	25	25
65+	4	15.5	216	1	1	14	27	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	26.8	468	3	3	30	57	99+	99+	99+
20-34	14	12.9	84	2	3	13	18	25	30	32
35-49	11	31.7	635	3	5	28	48	66	82	83
50-64	24	22.1	405	5	5	18	33	82	99+	99+
65+	43	24.1	524	4	5	19	36	79	99+	99+
B. *Operated*										
0-19 YRS	2	31.0	2	30	30	31	32	32	32	32
20-34	14	27.9	365	5	7	27	48	63	91	99+
35-49	13	25.2	275	8	10	22	45	58	91	99+
50-64	23	30.5	596	4	5	34	57	99+	99+	99+
65+	15	19.8	210	3	4	16	29	52	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	[illegible]	339	3	3	14	21	41	59	92
B. *Operated*	27	14.8	89	2	3	13	22	25	33	36
2. MULTIPLE DX										
A. *Not Operated*	105	23.3	451	3	4	18	36	74	99+	99+
B. *Operated*	67	26.6	382	4	7	25	49	97	99+	99+
1. SINGLE DX	107	17.4	277	2	3	13	22	36	56	85
2. MULTIPLE DX	172	24.6	424	4	5	20	43	79	99+	99+
A. NOT OPERATED	185	21.1	407	3	4	15	32	60	84	99+
B. OPERATED	94	23.2	325	3	5	18	39	60	99+	99+
TOTAL 0-19 YRS	37	22.0	389	3	3	17	34	60	86	99+
20-34	57	19.5	269	3	4	15	24	48	62	98
35-49	38	23.8	349	5	6	16	42	52	70	99+
50-64	65	24.9	491	3	5	20	39	98	99+	99+
65+	82	20.1	378	3	4	14	33	61	96	99+
GRAND TOTAL	**279**	**21.8**	**379**	**3**	**4**	**16**	**33**	**60**	**99**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	20.3	371	2	2	19	39	46	47	47
20-34	5	7.2	11	5	5	6	8	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	9.5	152	3	3	4	16	28	28	28
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	8	6.5	51	1	1	3	9	18	22	22
20-34	10	7.6	48	<1	1	5	9	19	24	24
35-49	5	6.2	35	1	1	3	12	14	14	14
50-64	5	30.6	914	12	12	16	40	84	84	84
65+	3	33.7	2054	7	7	8	66	86	86	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	20.8	1001	1	1	7	38	68	68	68
20-34	5	9.0	50	3	3	6	16	18	18	18
35-49	9	12.1	69	1	3	10	16	25	28	28
50-64	8	16.1	210	3	3	15	22	40	45	45
65+	5	8.2	35	3	3	13	79	99+	99+	99+
B. *Operated*										
0-19 YRS	4	12.8	74	3	3	14	20	20	20	20
20-34	12	7.9	15	3	3	8	11	13	14	14
35-49	9	12.8	113	<1	1	12	20	29	32	32
50-64	12	18.7	429	3	4	13	26	82	97	99+
65+	7	43.6	926	2	6	41	56	91	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	12.7	202	2	3	6	19	39	46	47
B. *Operated*	31	13.3	412	1	1	8	14	24	81	86
2. MULTIPLE DX										
A. *Not Operated*	31	13.1	196	1	3	10	17	50	95	99+
B. *Operated*	44	18.0	412	2	3	12	23	44	83	99+
1. SINGLE DX	49	13.1	329	1	2	7	15	27	49	86
2. MULTIPLE DX	75	16.0	325	2	3	12	20	45	91	99+
A. NOT OPERATED	49	13.0	194	2	3	8	18	44	67	99+
B. OPERATED	75	16.0	412	1	2	9	20	40	82	99+
TOTAL 0-19 YRS	23	14.3	305	1	2	8	20	45	54	68
20-34	32	7.9	27	2	3	6	11	14	18	24
35-49	24	10.8	79	1	1	9	15	25	29	32
50-64	29	18.8	407	3	3	15	25	61	84	99+
65+	16	28.5	928	2	3	19	60	99+	99+	99+
GRAND TOTAL	**124**	**14.8**	**326**	**2**	**3**	**9**	**19**	**43**	**79**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.4	5	1	1	3	4	6	8	14
20-34	39	3.5	2	1	2	3	5	5	6	7
35-49	7	4.1	6	1	1	3	5	8	9	9
50-64	5	5.0	12	1	1	6	7	9	9	9
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	3	8.7	97	2	2	4	16	20	20	20
20-34	4	2.8		2	2	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	4.4	13	1	2	3	6	8	11	19
20-34	32	3.6	3	1	2	3	5	5	6	9
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64	5	6.8	76	3	3	5	12	24	24	24
65+	2	20.5	365	7	7	20	34	34	34	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.5	5	1	1	3	4	6	7	11
B. *Operated*	7	5.3	43	2	2	3	4	17	20	20
2. MULTIPLE DX										
A. *Not Operated*	208	4.6	17	1	2	3	6	8	11	26
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	239	3.5	6	1	1	3	4	6	8	15
2. MULTIPLE DX	209	4.6	17	1	2	3	6	8	11	26
A. NOT OPERATED	440	4.0	11	1	1	3	5	7	9	16
B. OPERATED	8	5.9	39	2	2	3	7	17	20	20
TOTAL 0-19 YRS	347	3.9	10	1	1	3	5	7	9	15
20-34	75	3.5	2	1	2	3	4	5	6	8
35-49	11	4.2	4	1	2	4	5	7	9	9
50-64	10	6.9	43	1	1	5	8	16	24	24
65+	5	11.2	165	4	4	7	14	34	34	34
GRAND TOTAL	**448**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	6.1	24	2	2	5	7	12	16	27
20-34	11	7.4	72	1	1	7	8	18	30	31
35-49	5	7.6	13	4	4	8	10	12	12	12
50-64	10	8.3	18	4	4	6	13	14	15	15
65+	11	12.2	156	3	3	7	13	32	44	45
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49										
50-64	2	27.5	1105	4	4	27	51	51	51	51
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	9.2	56	1	2	7	11	18	27	36
20-34	16	9.6	69	2	2	6	15	22	28	30
35-49	16	13.8	170	4	4	8	16	41	44	44
50-64	43	12.7	91	3	4	9	14	30	34	41
65+	117	16.6	262	3	5	13	18	34	46	95
B. *Operated*										
0-19 YRS	3	11.7	2	10	10	12	13	13	13	13
20-34	5	38.4	437	8	8	34	56	61	61	61
35-49	9	16.7	170	2	4	11	24	38	42	42
50-64	13	21.9	169	9	11	16	29	44	45	45
65+	24	26.1	216	6	8	29	37	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	7.3	45	2	2	5	8	13	22	39
B. *Operated*	3	24.7	576	4	4	19	43	51	51	51
2. MULTIPLE DX										
A. *Not Operated*	257	13.4	172	2	4	9	16	29	38	83
B. *Operated*	54	23.9	231	6	8	21	35	45	56	98
1. SINGLE DX	97	7.8	65	2	2	5	8	14	24	48
2. MULTIPLE DX	311	15.3	197	3	4	11	19	35	44	88
A. NOT OPERATED	351	11.8	145	2	3	8	14	25	36	57
B. OPERATED	57	23.9	239	5	8	20	35	47	55	97
TOTAL 0-19 YRS	125	7.8	42	2	2	6	10	15	20	36
20-34	33	13.5	227	1	2	8	19	34	52	61
35-49	30	13.6	146	4	4	10	13	37	43	44
50-64	68	14.2	130	4	4	11	16	32	41	50
65+	152	17.8	259	3	5	13	22	39	49	96
GRAND TOTAL	**408**	**13.5**	**175**	**2**	**3**	**9**	**16**	**33**	**41**	**71**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	7.7	59	1	2	6	9	15	25	39
20-34	25	6.6	15	2	3	5	10	13	14	15
35-49	10	5.6	13	3	3	4	5	12	14	14
50-64	15	10.4	280	3	3	6	7	14	56	70
65+	13	12.4	168	3	4	8	11	38	44	45
B. *Operated*										
0-19 YRS	4	12.3	75	6	6	9	17	25	25	25
20-34	3	30.7	364	9	9	38	43	45	45	45
35-49										
50-64	2	15.5	41	11	11	15	20	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	10.2	110	2	2	8	13	16	23	69
20-34	14	7.0	21	2	2	5	11	13	16	17
35-49	7	10.3	59	1	2	7	18	21	21	21
50-64	21	10.7	206	2	3	6	10	26	50	63
65+	28	16.3	261	3	3	13	19	38	48	76
B. *Operated*										
0-19 YRS	2	16.5	265	5	5	16	28	28	28	28
20-34	5	18.2	842	3	3	6	23	70	70	70
35-49	4	13.0	35	7	7	13	18	19	19	19
50-64	3	15.7	124	3	3	20	23	24	24	24
65+	4	18.5	23	14	14	18	22	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	7.9	71	2	2	6	9	15	24	45
B. *Operated*	9	19.1	201	6	7	11	28	42	45	45
2. MULTIPLE DX										
A. *Not Operated*	147	11.1	145	2	2	8	13	20	33	76
B. *Operated*	18	16.5	243	3	3	14	21	27	53	70
1. SINGLE DX	264	8.3	79	2	2	6	9	15	27	45
2. MULTIPLE DX	165	11.7	158	2	2	8	14	21	34	75
A. NOT OPERATED	402	9.1	100	2	2	6	11	17	27	61
B. OPERATED	27	17.4	223	3	4	14	23	36	49	70
TOTAL 0-19 YRS	275	8.5	75	2	2	6	11	15	26	47
20-34	47	9.5	147	2	3	6	10	15	39	70
35-49	21	8.6	38	2	3	6	12	19	20	21
50-64	41	11.2	211	2	3	6	10	22	50	70
65+	45	15.4	212	3	4	11	19	36	45	76
GRAND TOTAL	**429**	**9.6**	**112**	**2**	**2**	**7**	**11**	**18**	**28**	**64**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.7	8	1	2	4	6	9	11	14
20-34	83	4.8	7	1	2	4	6	8	10	13
35-49	13	5.3	11	1	2	4	7	10	12	13
50-64	5	7.8	21	4	4	7	10	15	15	15
65+	3	12.0	169	4	4	5	21	27	27	27
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.7	9	1	2	4	6	8	12	14
20-34	23	4.9	4	2	3	5	6	7	8	9
35-49	6	5.7	10	3	3	4	8	11	11	11
50-64	2	8.5	1	8	8	8	9	9	9	9
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	4.9	10	1	2	4	6	9	11	15
B. *Operated*	4	6.5	8	3	3	6	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	69	5.0	8	2	2	4	7	9	11	14
B. *Operated*	2	10.5	1	10	10	10	11	11	11	11
1. SINGLE DX	284	4.9	10	1	2	4	6	9	11	15
2. MULTIPLE DX	71	5.2	8	2	2	4	7	9	11	14
A. NOT OPERATED	349	4.9	9	1	2	4	6	9	11	14
B. OPERATED	6	7.8	9	3	3	8	10	11	11	11
TOTAL 0-19 YRS	214	4.7	8	1	2	4	6	9	11	14
20-34	110	4.9	6	2	2	5	6	8	9	13
35-49	19	5.4	10	1	2	4	8	10	12	13
50-64	8	8.4	13	4	4	8	10	14	15	15
65+	4	12.0	113	4	4	8	19	27	27	27
GRAND TOTAL	**355**	**5.0**	**10**	**1**	**2**	**4**	**6**	**9**	**11**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	321	3.6	6	1	1	3	4	6	9	12
20-34	29	5.9	12	1	3	5	7	11	13	16
35-49	15	6.3	8	1	3	6	8	10	11	12
50-64	38	7.3	35	1	2	5	9	15	22	25
65+	102	10.6	130	2	3	8	12	20	26	70
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	4	20.8	1358	1	1	3	40	76	76	76
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	16.5	221	6	6	16	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.8	11	1	2	4	6	10	11	17
20-34	25	5.1	10	1	2	4	6	11	12	12
35-49	13	8.8	21	3	4	8	11	17	17	17
50-64	44	11.4	89	2	3	9	14	21	32	46
65+	186	13.6	150	2	3	10	17	26	39	75
B. *Operated*										
0-19 YRS	9	15.8	623	2	3	6	15	55	81	81
20-34	6	13.5	173	5	5	9	11	37	40	40
35-49	5	11.6	22	6	6	10	16	17	17	17
50-64	4	16.5	100	8	8	14	24	30	30	30
65+	20	24.6	434	2	5	21	34	44	69	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	5.5	41	1	1	4	6	11	14	26
B. *Operated*	12	13.1	438	1	2	6	9	42	71	76
2. MULTIPLE DX										
A. *Not Operated*	525	8.6	84	2	2	6	11	18	24	54
B. *Operated*	44	19.1	365	3	4	12	24	40	56	93
1. SINGLE DX	517	5.7	51	1	1	4	6	11	15	29
2. MULTIPLE DX	569	9.4	113	2	2	6	11	20	29	58
A. NOT OPERATED	1030	7.1	65	1	2	5	8	15	20	48
B. OPERATED	56	17.8	379	2	4	10	23	40	67	92
TOTAL 0-19 YRS	589	4.3	19	1	1	3	5	8	10	17
20-34	63	6.4	29	2	2	5	8	11	13	37
35-49	37	9.4	145	2	3	7	10	17	17	76
50-64	87	9.8	69	2	3	8	13	20	25	45
65+	310	13.4	170	2	3	9	17	26	39	85
GRAND TOTAL	**1086**	**7.6**	**87**	**1**	**2**	**5**	**9**	**16**	**22**	**53**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	7.2	19	2	3	6	9	13	16	21
20-34	66	7.7	23	2	3	7	9	13	14	30
35-49	17	10.1	48	2	3	9	13	19	25	28
50-64	16	10.3	27	3	4	10	14	18	20	21
65+	1	45.0		45	45	45	45	45	45	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.3	46	1	1	6	12	16	16	16
35-49	7	9.7	67	1	1	7	13	23	25	25
50-64	3	12.3	34	8	8	10	17	19	19	19
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.0	85	1	1	4	7	17	32	35
20-34	27	8.2	35	2	3	7	10	17	22	27
35-49	10	7.0	9	4	4	6	8	12	14	14
50-64	8	8.4	34	4	4	7	9	18	22	22
65+	9	16.9	123	6	6	17	26	69	99+	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	8	17.8	198	6	7	11	24	41	48	48
50-64	2	17.0	242	6	6	17	28	28	28	28
65+	3	10.3	70	5	5	6	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	8.3	35	2	3	7	10	14	18	33
B. *Operated*	16	8.6	51	1	1	7	13	19	23	25
2. MULTIPLE DX										
A. *Not Operated*	66	9.0	58	2	3	6	10	22	28	90
B. *Operated*	16	14.6	143	2	5	10	21	28	42	48
1. SINGLE DX	162	8.4	36	2	3	7	11	15	19	32
2. MULTIPLE DX	82	10.1	78	2	3	7	12	23	30	83
A. NOT OPERATED	212	8.5	42	2	3	7	10	15	21	41
B. OPERATED	32	11.6	103	1	1	9	16	25	28	48
TOTAL 0-19 YRS	60	7.1	31	2	2	6	9	13	17	34
20-34	99	7.8	27	2	3	7	10	14	17	30
35-49	42	10.7	78	2	3	8	12	24	26	48
50-64	29	10.4	39	4	4	8	13	20	22	28
65+	14	16.4	176	2	5	13	25	45	86	99+
GRAND TOTAL	**244**	**8.9**	**51**	**2**	**3**	**7**	**11**	**18**	**23**	**45**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.6	8	1	2	4	6	8	10	17
20-34	64	5.1	8	1	2	5	7	9	10	12
35-49	6	3.8	6	1	1	3	5	8	8	8
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	3	6.7	32	2	2	5	11	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	5.5	12	1	2	5	7	9	13	17
20-34	56	4.8	10	1	2	4	6	8	11	17
35-49	11	6.5	8	2	3	6	8	11	11	11
50-64	5	5.6	14	3	3	3	9	11	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	9.3	10	7	7	8	12	13	13	13
20-34	4	12.0	74	1	1	12	17	22	22	22
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	4.8	8	1	2	4	6	9	10	15
B. *Operated*	5	6.6	16	2	2	6	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	196	5.4	11	1	2	5	7	9	13	17
B. *Operated*	8	10.9	36	1	3	11	13	19	22	22
1. SINGLE DX	319	4.8	9	1	2	4	6	9	10	15
2. MULTIPLE DX	204	5.6	13	1	2	5	7	11	13	18
A. NOT OPERATED	510	5.0	9	1	2	4	6	9	11	16
B. OPERATED	13	9.2	31	1	2	8	13	15	21	22
TOTAL 0-19 YRS	368	5.0	10	1	2	4	6	9	11	17
20-34	127	5.2	12	1	2	5	7	9	12	18
35-49	18	5.9	10	1	2	6	8	11	11	11
50-64	7	5.6	13	2	2	3	9	11	11	11
65+	3	8.3	26	4	4	7	12	14	14	14
GRAND TOTAL	**523**	**5.1**	**10**	**1**	**2**	**4**	**7**	**9**	**12**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	11	1	1	3	5	9	9	9
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	214	1.6	4	<1	<1	1	1	2	4	14
20-34	281	1.9	2	<1	<1	1	2	4	5	6
35-49	48	2.8	10	<1	<1	2	3	5	6	21
50-64	19	3.4	21	<1	<1	1	3	10	15	19
65+	5	7.4	109	<1	<1	1	13	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	8	<1	<1	2	4	8	8	8
20-34	7	4.1	45	<1	<1	<1	4	16	19	19
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	26	2.5	6	<1	<1	2	3	6	9	11
20-34	76	4.7	119	<1	<1	2	4	8	12	76
35-49	11	2.6	3	1	1	2	4	5	6	6
50-64	6	5.2	27	1	1	4	6	14	15	15
65+	4	3.0	4	2	2	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	7	1	1	3	4	8	9	9
B. *Operated*	567	2.0	5	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	17	4.5	30	<1	<1	2	6	14	18	19
B. *Operated*	123	4.0	77	<1	<1	2	4	6	11	47
1. SINGLE DX	576	2.0	5	<1	<1	1	2	4	5	13
2. MULTIPLE DX	140	4.1	71	<1	<1	2	4	7	11	36
A. NOT OPERATED	26	4.0	22	<1	<1	2	5	9	17	19
B. OPERATED	690	2.3	18	<1	<1	1	2	5	6	14
TOTAL 0-19 YRS	251	1.8	4	<1	<1	1	2	3	4	14
20-34	367	2.5	28	<1	<1	1	3	5	6	12
35-49	62	2.8	8	<1	<1	2	3	5	6	19
50-64	26	4.3	27	<1	<1	2	5	14	17	19
65+	10	5.6	55	<1	<1	2	7	17	25	25
GRAND TOTAL	**716**	**2.4**	**18**	**<1**	**<1**	**1**	**2**	**5**	**6**	**15**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	552	3.0	5	1	1	3	4	5	7	9
20-34	129	3.8	8	1	1	3	4	8	9	14
35-49	50	4.1	10	1	2	3	5	7	13	17
50-64	31	3.9	10	1	1	2	6	7	7	17
65+	33	5.8	22	1	1	4	7	14	15	21
B. *Operated*										
0-19 YRS	23	3.6	28	<1	<1	1	5	8	15	25
20-34	8	5.5	26	<1	<1	4	6	14	17	17
35-49	4	9.5	44	5	5	7	14	19	19	19
50-64	3	8.7	58	2	2	7	14	17	17	17
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	4.4	19	1	1	3	5	8	12	21
20-34	90	5.5	60	1	2	4	6	9	11	52
35-49	60	4.4	4	2	2	4	6	7	8	12
50-64	53	6.2	23	1	2	5	8	13	16	23
65+	88	9.0	107	2	2	6	11	19	20	68
B. *Operated*										
0-19 YRS	10	10.4	79	1	2	7	12	25	30	30
20-34	10	16.6	295	3	3	11	17	46	57	57
35-49	4	9.3	21	4	4	9	13	14	14	14
50-64	7	23.9	241	9	9	24	27	49	55	55
65+	6	21.7	697	7	7	10	18	69	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	795	3.4	7	1	1	3	4	6	8	15
B. *Operated*	39	5.1	32	<1	1	4	6	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	619	5.3	38	1	2	4	6	10	16	24
B. *Operated*	37	16.3	264	3	4	11	19	35	56	75
1. SINGLE DX	834	3.4	8	1	1	3	4	6	8	17
2. MULTIPLE DX	656	6.0	57	1	2	4	7	12	17	37
A. NOT OPERATED	1414	4.2	22	1	1	3	5	8	11	20
B. OPERATED	76	10.5	175	1	1	6	13	25	34	70
TOTAL 0-19 YRS	913	3.6	12	1	1	3	4	6	9	19
20-34	237	5.0	45	1	1	3	6	9	12	39
35-49	118	4.6	10	2	2	4	5	7	12	18
50-64	94	6.8	58	1	2	4	8	15	22	43
65+	128	8.7	116	1	2	6	10	18	20	75
GRAND TOTAL	**1490**	**4.6**	**31**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	1	2	2	3	4	5	5	5
20-34	7	4.9	14	1	1	4	9	10	10	10
35-49	5	6.8	23	3	3	4	11	13	13	13
50-64	4	7.8	46	1	1	6	12	17	17	17
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	7	3	3	7	8	10	10	10
20-34	4	7.0	54	3	3	4	11	18	18	18
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.7		3	3	4	4	4	4	4
65+	5	5.8	25	1	1	3	10	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	18.0	237	5	5	14	30	35	35	35
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.3	16	1	2	4	6	11	14	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	5.7	19	2	3	4	7	12	16	18
B. *Operated*	3	18.0	237	5	5	14	30	35	35	35
1. SINGLE DX	25	5.3	16	1	2	4	6	11	14	17
2. MULTIPLE DX	21	7.5	59	2	3	4	9	16	26	35
A. NOT OPERATED	43	5.5	17	1	2	4	7	11	15	18
B. OPERATED	3	18.0	237	5	5	14	30	35	35	35
TOTAL 0-19 YRS	13	4.6	5	2	2	4	6	8	10	10
20-34	11	5.6	26	1	1	4	9	13	18	18
35-49	6	6.2	21	3	3	4	11	13	13	13
50-64	10	9.6	105	1	2	5	14	26	35	35
65+	6	5.8	20	1	1	5	9	13	13	13
GRAND TOTAL	**46**	**6.3**	**36**	**1**	**2**	**4**	**8**	**13**	**17**	**35**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	6.1	20	1	2	5	7	10	15	28
20-34	67	6.2	13	2	3	5	8	11	13	20
35-49	8	10.8	80	2	2	7	18	24	26	26
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	5	11.4	36	6	6	10	15	21	21	21
B. *Operated*										
0-19 YRS	9	5.4	19	<1	<1	6	9	11	12	12
20-34	36	3.2	8	<1	<1	2	5	6	10	12
35-49	6	9.7	139	<1	<1	3	21	27	28	28
50-64	2	8.0	2	7	7	8	9	9	9	9
65+	2	17.0	392	3	3	17	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.8	40	2	2	6	8	10	20	32
20-34	52	5.6	17	1	2	4	7	11	14	21
35-49	7	5.1	6	2	2	5	7	9	9	9
50-64	3	9.0	61	4	4	5	15	18	18	18
65+	7	22.4	572	5	6	15	51	92	99+	99+
B. *Operated*										
0-19 YRS	5	5.4	5	3	3	6	7	8	8	8
20-34	14	7.6	81	<1	1	2	12	22	27	29
35-49	8	5.0	22	<1	<1	2	10	11	11	11
50-64	2	14.0	2	13	13	14	15	15	15	15
65+	4	11.5	34	3	3	13	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	6.6	22	2	3	5	8	12	16	26
B. *Operated*	55	4.9	38	<1	<1	3	6	10	19	31
2. MULTIPLE DX										
A. *Not Operated*	90	7.3	79	2	2	5	8	14	21	89
B. *Operated*	33	7.5	49	<1	1	3	12	16	20	29
1. SINGLE DX	189	6.1	27	<1	1	5	7	12	16	28
2. MULTIPLE DX	123	7.3	71	1	2	5	9	15	21	81
A. NOT OPERATED	224	6.9	45	2	3	5	8	13	18	42
B. OPERATED	88	5.9	43	<1	<1	3	9	14	21	30
TOTAL 0-19 YRS	87	6.2	23	1	2	6	7	10	12	31
20-34	169	5.5	20	<1	1	4	7	11	14	21
35-49	29	7.6	59	<1	1	5	10	21	26	28
50-64	9	8.7	30	2	3	7	13	17	18	18
65+	18	16.3	268	3	4	13	20	57	88	99+
GRAND TOTAL	**312**	**6.6**	**44**	**1**	**1**	**5**	**8**	**13**	**18**	**31**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	5.2	14	1	2	4	7	9	13	20
20-34	8	5.0	9	1	1	4	8	9	9	9
35-49	2	12.5	61	7	7	12	18	18	18	18
50-64	4	8.8	44	3	3	7	13	18	18	18
65+	9	4.4	19	1	1	1	9	11	11	11
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	3	20.7	390	3	3	17	36	42	42	42
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	14.0	242	3	3	14	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	7.2	21	1	2	6	10	13	15	23
20-34	8	5.0	9	1	1	5	7	9	9	9
35-49	9	6.8	18	2	2	5	10	13	14	14
50-64	16	12.7	123	2	3	8	17	27	37	42
65+	23	10.9	66	4	5	9	15	32	54	99+
B. *Operated*										
0-19 YRS	4	17.5	396	5	5	9	29	47	47	47
20-34	1	20.0		20	20	20	20	20	20	20
35-49	6	20.8	504	4	4	14	21	61	65	65
50-64	8	15.0	101	2	2	17	23	26	27	27
65+	4	23.8	235	6	7	34	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	5.4	16	1	1	4	7	10	14	20
B. *Operated*	10	11.4	177	1	1	6	17	33	42	42
2. MULTIPLE DX										
A. *Not Operated*	145	8.3	42	1	3	7	10	15	22	44
B. *Operated*	23	18.7	244	2	4	18	26	65	99+	99+
1. SINGLE DX	110	5.9	32	1	1	4	8	11	17	32
2. MULTIPLE DX	168	9.7	81	2	3	7	12	21	32	99+
A. NOT OPERATED	245	7.1	33	1	2	6	9	14	17	34
B. OPERATED	33	16.5	229	2	2	14	25	47	91	99+
TOTAL 0-19 YRS	172	6.5	28	1	2	5	8	12	15	24
20-34	19	5.9	21	1	1	5	9	10	16	20
35-49	20	13.7	231	2	3	9	16	31	53	65
50-64	29	12.6	101	2	2	9	19	26	28	42
65+	38	10.9	97	1	1	9	16	38	99+	99+
GRAND TOTAL	**278**	**8.2**	**65**	**1**	**2**	**6**	**10**	**17**	**26**	**89**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.7	32	2	2	4	6	13	21	22
20-34	4	5.8	41	1	1	3	10	15	15	15
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	6	5.0	9	2	2	4	7	10	10	10
20-34	5	13.0	93	2	2	13	22	24	24	24
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	43	1	1	3	4	15	22	22
20-34	6	5.2	5	3	3	5	6	9	9	9
35-49										
50-64										
65+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
0-19 YRS	3	14.0	9	11	11	14	16	17	17	17
20-34	2	12.0	72	6	6	12	18	18	18	18
35-49	3	12.0	28	8	8	10	16	18	18	18
50-64	5	30.2	294	12	12	22	48	50	50	50
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.1	32	1	1	4	7	15	19	22
B. *Operated*	13	10.7	79	2	2	7	18	25	27	27
2. MULTIPLE DX										
A. *Not Operated*	17	5.2	27	1	2	3	6	11	18	22
B. *Operated*	13	19.5	189	6	8	17	20	48	50	50
1. SINGLE DX	33	7.9	54	1	2	5	11	21	24	27
2. MULTIPLE DX	30	11.4	145	2	2	7	17	22	47	50
A. NOT OPERATED	37	5.6	29	1	2	3	6	14	20	22
B. OPERATED	26	15.1	148	2	3	12	20	27	48	50
TOTAL 0-19 YRS	29	6.1	34	2	2	3	7	16	22	22
20-34	17	8.4	51	1	2	6	13	20	23	24
35-49	5	10.2	26	4	4	10	13	18	18	18
50-64	8	21.5	334	1	2	18	34	49	50	50
65+	4	14.3	107	2	2	14	21	27	27	27
GRAND TOTAL	**63**	**9.5**	**99**	**1**	**2**	**6**	**14**	**22**	**25**	**50**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.6	19	1	2	5	8	10	13	24
20-34	19	5.0	8	2	2	4	6	10	12	12
35-49	11	9.3	38	3	3	7	15	19	21	21
50-64	8	7.1	14	3	3	6	9	13	14	14
65+	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	30	6.0	23	1	1	4	9	13	15	20
35-49	28	7.4	49	1	1	5	11	18	22	29
50-64	5	7.6	35	1	1	5	12	16	16	16
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.3	26	1	2	5	7	9	16	31
20-34	28	7.0	23	1	2	6	9	15	16	20
35-49	14	6.6	22	1	1	6	9	14	15	15
50-64	15	7.2	17	2	2	7	9	11	16	18
65+	9	8.4	27	2	3	8	11	17	19	19
B. *Operated*										
0-19 YRS	4	15.3	232	2	2	11	26	36	36	36
20-34	38	11.2	171	2	2	6	14	22	39	68
35-49	35	9.7	37	1	3	9	14	15	23	24
50-64	22	11.2	54	1	2	10	16	19	25	32
65+	6	15.8	120	3	4	17	30	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	6.1	19	2	2	5	8	12	16	23
B. *Operated*	66	6.6	34	1	1	5	10	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	116	6.8	23	1	2	6	8	13	16	25
B. *Operated*	105	11.1	99	2	2	9	14	22	31	82
1. SINGLE DX	153	6.3	25	1	2	5	8	13	17	24
2. MULTIPLE DX	221	8.8	64	1	2	7	12	17	23	54
A. NOT OPERATED	203	6.5	22	1	2	6	8	12	16	23
B. OPERATED	171	9.4	78	1	2	7	14	19	24	64
TOTAL 0-19 YRS	103	6.3	31	1	2	5	8	10	17	33
20-34	115	7.8	74	1	2	5	11	15	20	56
35-49	88	8.4	39	1	2	7	13	16	21	27
50-64	50	9.0	37	2	2	8	12	17	18	32
65+	18	10.6	65	2	3	9	16	29	69	99+
GRAND TOTAL	**374**	**7.8**	**49**	**1**	**2**	**6**	**10**	**16**	**21**	**35**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	22.0		22	22	22	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.5	145	4	4	12	21	21	21	21
35-49	6	32.3	694	4	4	35	63	93	99+	99+
50-64	2	16.5	25	13	13	16	20	20	20	20
65+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	8.0	13	4	4	9	10	11	11	11
65+	2	4.5	5	3	3	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.0	108	4	4	4	18	22	22	22
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	13	20.4	453	2	4	16	35	67	93	99+
B. *Operated*	6	6.2	10	3	3	5	9	11	11	11
1. SINGLE DX	4	9.0	76	4	4	5	14	22	22	22
2. MULTIPLE DX	19	15.9	351	2	3	8	22	63	82	99+
A. NOT OPERATED	16	18.4	394	3	4	13	26	63	87	99+
B. OPERATED	7	6.1	8	3	3	6	8	11	11	11
TOTAL 0-19 YRS										
20-34	4	8.8	68	4	4	5	13	21	21	21
35-49	7	28.3	693	4	4	29	63	89	99+	99+
50-64	6	10.2	37	4	4	10	13	19	20	20
65+	6	7.3	54	2	2	5	6	20	22	22
GRAND TOTAL	**23**	**14.7**	**304**	**3**	**4**	**6**	**21**	**63**	**74**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	6.7	10	3	3	8	9	9	9	9
50-64	30	9.5	117	2	2	6	10	23	32	52
65+	23	9.7	109	1	2	7	12	22	38	43
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	7	4.3	3	2	2	4	5	7	7	7
35-49	25	6.8	52	<1	1	5	7	17	27	28
50-64	79	8.1	135	1	2	4	8	23	30	96
65+	61	9.2	85	2	2	7	12	22	27	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	761	1	1	20	40	40	40	40
20-34	3	18.0	325	3	3	13	32	38	38	38
35-49	22	12.1	236	2	2	5	11	33	48	61
50-64	42	13.2	236	1	2	6	17	34	45	69
65+	42	14.2	217	1	2	10	20	35	60	99+
B. *Operated*										
0-19 YRS	5	18.8	503	3	3	10	26	58	58	58
20-34	3	13.7	44	8	8	12	19	21	21	21
35-49	32	16.8	304	2	2	10	28	45	65	99+
50-64	96	18.2	381	2	2	11	23	42	59	91
65+	98	15.2	233	2	3	10	21	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	9.2	102	1	2	6	10	18	34	51
B. *Operated*	174	8.1	99	1	2	5	9	21	28	75
2. MULTIPLE DX										
A. *Not Operated*	111	13.6	229	1	2	7	20	38	48	83
B. *Operated*	234	16.7	304	2	2	11	22	42	58	99+
1. SINGLE DX	233	8.4	100	1	2	5	10	20	29	57
2. MULTIPLE DX	345	15.7	281	2	2	10	22	40	57	99+
A. NOT OPERATED	170	12.1	188	1	2	7	13	32	42	71
B. OPERATED	408	13.0	234	2	2	8	17	33	50	95
TOTAL 0-19 YRS	11	14.6	322	1	2	8	15	47	57	58
20-34	14	9.0	99	1	2	5	12	23	35	38
35-49	82	12.1	212	1	2	6	17	34	48	89
50-64	247	13.0	263	2	2	7	15	32	49	90
65+	224	12.8	182	2	2	8	16	33	49	99+
GRAND TOTAL	**578**	**12.8**	**221**	**2**	**2**	**7**	**15**	**33**	**49**	**91**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	5	4	4	4	7	8	8	8
50-64	8	7.9	77	<1	1	5	10	23	27	27
65+	12	15.9	277	3	3	9	22	46	51	52
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	12.3	234	3	3	4	23	30	30	30
50-64	8	10.4	76	2	2	7	16	24	26	26
65+	21	15.7	136	<1	1	14	21	29	40	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	3	8.3	25	3	3	9	12	13	13	13
50-64	6	10.3	194	1	1	6	9	35	38	38
65+	26	11.2	63	2	3	8	18	24	25	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	14.7	110	5	5	10	22	31	33	33
50-64	32	17.9	135	3	6	16	23	35	43	47
65+	43	22.4	429	2	3	15	32	54	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	11.7	184	1	2	6	14	30	47	52
B. *Operated*	33	13.8	124	<1	2	13	21	28	33	48
2. MULTIPLE DX										
A. *Not Operated*	37	10.8	76	1	2	8	16	24	26	38
B. *Operated*	82	20.0	290	2	5	15	27	47	54	97
1. SINGLE DX	56	12.9	147	1	2	8	20	27	41	52
2. MULTIPLE DX	119	17.1	240	2	3	12	24	37	50	94
A. NOT OPERATED	60	11.2	115	1	2	7	15	25	33	51
B. OPERATED	115	18.2	249	2	3	14	25	37	51	95
TOTAL 0-19 YRS										
20-34	3	8.7	66	3	3	5	15	18	18	18
35-49	16	11.3	94	3	3	8	14	29	32	33
50-64	54	14.5	135	2	2	11	20	33	38	47
65+	102	17.4	273	2	3	13	24	45	53	96
GRAND TOTAL	**175**	**15.8**	**213**	**2**	**3**	**12**	**23**	**34**	**49**	**88**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	5.5	27	2	2	4	9	13	13	13
50-64	15	6.0	21	<1	2	4	10	11	16	17
65+	35	11.8	162	1	2	7	15	33	42	53
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	16.8	16	11	11	16	20	21	21	21
50-64	32	18.9	146	1	4	19	24	34	36	58
65+	46	16.9	94	5	6	14	21	32	38	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	11	13.3	39	5	6	13	17	21	26	26
50-64	32	11.4	96	2	3	9	13	28	36	38
65+	84	11.2	164	1	2	7	13	25	34	69
B. *Operated*										
0-19 YRS										
20-34	5	23.0	572	5	5	10	38	62	62	62
35-49	20	20.2	125	9	10	17	31	45	70	99+
50-64	98	22.1	160	9	10	19	25	36	54	64
65+	190	21.6	135	8	10	20	27	38	47	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	9.7	119	1	2	6	11	21	40	53
B. *Operated*	84	17.5	110	3	5	15	22	32	36	54
2. MULTIPLE DX										
A. *Not Operated*	128	11.4	134	2	2	8	14	25	34	68
B. *Operated*	313	21.7	146	8	10	19	27	38	50	70
1. SINGLE DX	138	14.4	127	1	2	12	20	32	37	54
2. MULTIPLE DX	441	18.7	164	3	5	17	24	35	47	68
A. NOT OPERATED	182	10.9	129	1	2	8	13	24	34	63
B. OPERATED	397	20.8	142	6	9	19	25	37	47	66
TOTAL 0-19 YRS										
20-34	7	19.0	444	2	3	10	26	56	62	62
35-49	40	16.4	97	4	6	16	19	32	45	99+
50-64	177	18.2	162	3	4	16	23	34	44	60
65+	355	17.6	160	2	4	15	23	35	44	68
GRAND TOTAL	**579**	**17.7**	**159**	**2**	**4**	**15**	**23**	**35**	**44**	**66**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	6	5.7	58	<1	<1	3	4	19	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.5	61	9	9	14	20	20	20	20
65+	5	10.4	21	4	4	10	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	13	2.9	3	1	1	4	4	5	6	6
65+	3	9.7	86	2	2	7	17	20	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	17.7	2	16	16	18	19	19	19	19
50-64	10	25.9	179	3	9	26	37	44	45	45
65+	10	19.0	272	3	6	15	17	44	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	50	<1	<1	3	4	18	21	21
B. *Operated*	7	11.6	28	4	5	10	15	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	16	4.2	21	1	1	4	4	7	16	20
B. *Operated*	23	21.8	198	3	8	17	27	43	51	63
1. SINGLE DX	14	8.4	47	<1	1	7	11	20	21	21
2. MULTIPLE DX	39	14.6	200	1	1	13	19	34	44	63
A. NOT OPERATED	23	4.5	28	<1	1	4	4	10	20	21
B. OPERATED	30	19.4	176	3	6	16	24	40	45	63
TOTAL 0-19 YRS										
20-34										
35-49	3	17.7	2	16	16	18	19	19	19	19
50-64	26	12.6	193	1	1	4	20	36	43	45
65+	24	12.7	163	1	2	11	17	21	36	63
GRAND TOTAL	**53**	**12.9**	**166**	**1**	**1**	**10**	**18**	**28**	**42**	**62**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	13.9	143	1	2	11	16	34	41	43
50-64	22	3.6	18	<1	<1	1	4	11	14	16
65+	28	9.2	123	<1	1	4	14	26	29	46
B. *Operated*										
0-19 YRS										
20-34	2	36.5	1201	12	12	36	61	61	61	61
35-49	30	15.3	33	9	9	14	18	23	26	33
50-64	93	14.0	62	5	8	13	16	20	22	54
65+	143	18.4	125	9	11	15	22	29	36	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	12	5.8	81	<1	1	3	5	14	31	34
50-64	65	11.0	184	<1	1	8	15	20	28	78
65+	119	11.7	137	2	3	8	15	29	38	75
B. *Operated*										
0-19 YRS										
20-34	12	20.3	37	11	12	20	23	30	31	31
35-49	61	17.5	53	10	11	15	21	28	31	41
50-64	258	21.3	177	9	11	17	25	38	52	79
65+	595	22.3	169	9	11	18	28	41	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	8.2	102	<1	<1	4	11	21	29	46
B. *Operated*	268	16.7	103	8	10	14	19	26	31	71
2. MULTIPLE DX										
A. *Not Operated*	199	11.0	148	1	2	7	15	26	37	75
B. *Operated*	926	21.7	163	9	11	18	27	39	51	86
1. SINGLE DX	331	15.1	114	1	3	13	18	26	31	63
2. MULTIPLE DX	1125	19.8	177	4	7	17	25	37	50	81
A. NOT OPERATED	262	10.4	138	<1	1	6	14	26	35	70
B. OPERATED	1194	20.5	154	9	10	17	25	36	49	80
TOTAL 0-19 YRS										
20-34	17	19.4	178	4	5	18	22	31	50	61
35-49	116	15.3	71	3	5	14	20	28	32	42
50-64	438	17.3	172	1	4	14	20	32	44	74
65+	885	19.8	173	4	7	17	26	37	50	84
GRAND TOTAL	**1456**	**18.7**	**166**	**3**	**5**	**15**	**23**	**35**	**46**	**79**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49	6	7.0	33	1	1	6	7	17	18	18
50-64	47	2.5	8	<1	<1	<1	3	5	10	13
65+	27	14.0	323	1	2	7	18	44	86	99+
B. *Operated*										
0-19 YRS										
20-34	6	11.2	65	2	2	10	18	22	23	23
35-49	17	16.3	70	3	4	15	24	28	29	29
50-64	87	15.7	65	3	4	15	20	25	30	41
65+	123	17.1	180	3	4	15	23	32	39	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.0	6	<1	<1	3	6	7	7	7
35-49	14	8.4	41	<1	1	7	11	18	20	20
50-64	81	8.3	89	<1	<1	4	10	23	32	42
65+	110	11.5	113	2	2	8	17	28	32	74
B. *Operated*										
0-19 YRS										
20-34	9	15.1	43	5	5	17	20	22	23	23
35-49	40	17.1	39	5	11	17	20	25	27	34
50-64	199	21.6	186	8	10	18	25	40	48	78
65+	377	23.5	196	7	10	20	30	42	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.8	139	<1	<1	3	8	17	32	95
B. *Operated*	233	16.4	126	3	4	15	21	29	35	57
2. MULTIPLE DX										
A. *Not Operated*	210	9.9	99	<1	1	6	13	25	32	52
B. *Operated*	625	22.4	183	6	10	19	28	41	50	81
1. SINGLE DX	315	13.9	147	<1	1	13	19	27	35	71
2. MULTIPLE DX	835	19.2	191	2	4	17	25	37	48	76
A. NOT OPERATED	292	9.0	112	<1	<1	5	12	23	32	73
B. OPERATED	858	20.7	175	4	8	18	26	37	48	75
TOTAL 0-19 YRS										
20-34	22	11.2	53	1	3	10	18	22	23	23
35-49	77	14.6	59	2	3	15	19	25	27	33
50-64	414	15.6	168	<1	<1	14	21	31	41	65
65+	637	19.8	206	3	4	17	27	37	50	93
GRAND TOTAL	**1150**	**17.8**	**185**	**1**	**3**	**16**	**24**	**35**	**44**	**75**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	14	7.5	25	2	2	6	12	15	16	16
65+	18	9.2	101	<1	1	6	9	28	34	36
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	5	7.6	24	2	2	9	11	13	13	13
50-64	15	19.3	221	3	4	17	22	48	55	57
65+	14	19.0	151	4	5	16	25	32	48	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	4.0		4	4	4	4	4	4	4
50-64	15	14.7	564	1	2	11	16	22	78	97
65+	41	10.2	81	2	3	8	13	22	37	99+
B. *Operated*										
0-19 YRS	4	30.8	364	13	13	29	47	51	51	51
20-34	9	24.7	308	9	9	18	41	52	55	55
35-49	9	19.9	155	6	8	20	23	40	48	48
50-64	44	25.3	337	6	7	22	33	58	76	99+
65+	61	24.6	206	9	11	21	30	44	60	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	8.5	63	1	2	7	9	16	29	36
B. *Operated*	35	17.3	169	3	4	13	22	30	51	57
2. MULTIPLE DX										
A. *Not Operated*	61	10.8	193	2	2	7	13	21	37	99+
B. *Operated*	127	24.7	254	7	9	21	31	48	60	92
1. SINGLE DX	70	12.9	135	2	2	10	17	25	36	56
2. MULTIPLE DX	188	20.2	275	3	4	15	27	44	58	99
A. NOT OPERATED	96	10.0	146	2	2	7	13	20	29	99
B. OPERATED	162	23.1	244	5	8	19	30	47	57	88
TOTAL 0-19 YRS	5	25.0	439	2	2	16	45	51	51	51
20-34	12	20.9	272	7	8	13	29	49	54	55
35-49	19	12.9	126	2	3	11	19	25	39	48
50-64	88	19.6	341	2	3	15	25	45	60	99
65+	134	17.5	193	3	4	14	23	33	51	75
GRAND TOTAL	**258**	**18.2**	**247**	**2**	**4**	**14**	**23**	**39**	**54**	**96**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	12	7.8	47	1	2	5	11	17	24	25
65+	25	16.6	440	1	2	12	16	28	76	92
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	12.5	221	2	2	12	23	23	23	23
50-64	11	18.8	178	2	7	16	22	36	52	54
65+	12	19.2	31	12	12	20	23	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	6.3	28	1	1	5	10	14	15	15
50-64	52	10.8	216	1	1	6	12	22	33	92
65+	63	10.9	112	2	2	8	14	24	36	94
B. *Operated*										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49	13	18.7	186	1	2	13	33	39	41	41
50-64	69	23.1	151	4	10	21	31	43	45	55
65+	123	22.7	136	7	10	21	29	39	47	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	12.9	308	1	2	8	14	26	50	92
B. *Operated*	25	18.5	101	2	11	19	23	25	35	54
2. MULTIPLE DX										
A. *Not Operated*	124	10.5	149	1	2	7	13	23	30	95
B. *Operated*	206	22.6	143	5	10	21	30	40	46	56
1. SINGLE DX	65	15.1	233	2	2	12	20	25	35	89
2. MULTIPLE DX	330	18.1	179	2	3	15	26	35	45	58
A. NOT OPERATED	164	11.1	188	1	2	8	13	24	30	93
B. OPERATED	231	22.2	140	4	10	20	29	39	46	56
TOTAL 0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49	27	12.4	146	1	1	10	15	34	39	41
50-64	144	17.1	204	2	2	14	23	35	45	59
65+	223	18.5	182	2	4	16	25	32	47	76
GRAND TOTAL	**395**	**17.6**	**189**	**2**	**3**	**15**	**24**	**34**	**45**	**67**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	14	6.3	27	1	2	4	11	14	15	15
50-64	125	6.3	61	1	1	4	7	14	26	99+
65+	172	9.5	120	1	2	6	12	21	36	67
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	16.7	64	9	9	16	23	25	25	25
35-49	35	12.0	101	1	2	10	16	27	31	50
50-64	145	13.1	85	2	2	13	18	25	30	44
65+	194	14.9	134	2	2	13	20	31	40	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	71	8.6	76	1	2	6	10	20	30	43
50-64	304	10.1	112	1	2	7	12	24	33	56
65+	446	12.2	145	2	3	8	16	28	39	78
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	7	18.0	95	5	6	17	25	33	34	34
35-49	84	17.2	130	2	5	15	23	36	42	52
50-64	441	18.6	154	4	6	16	24	36	44	61
65+	513	19.0	217	3	4	16	24	37	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	8.0	94	1	2	5	10	16	29	80
B. *Operated*	378	13.9	111	2	2	12	19	28	35	52
2. MULTIPLE DX										
A. *Not Operated*	822	11.1	128	2	2	7	14	26	34	65
B. *Operated*	1046	18.6	182	3	5	16	24	36	45	76
1. SINGLE DX	690	11.3	112	2	2	8	15	25	35	57
2. MULTIPLE DX	1868	15.3	172	2	3	12	21	33	42	69
A. NOT OPERATED	1134	10.2	120	1	2	7	13	24	34	67
B. OPERATED	1424	17.4	168	2	4	14	23	35	43	67
TOTAL 0-19 YRS	3	10.7	57	2	2	14	15	16	16	16
20-34	11	16.3	90	3	4	16	23	30	34	34
35-49	204	12.6	115	1	2	10	17	27	36	50
50-64	1015	13.7	141	2	2	11	19	30	39	60
65+	1325	14.8	180	2	3	11	20	32	42	81
GRAND TOTAL	**2558**	**14.2**	**159**	**2**	**2**	**11**	**19**	**31**	**40**	**67**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	26	1	1	4	9	11	11	11
20-34	3	7.7	26	2	2	9	11	12	12	12
35-49	5	11.6	259	2	2	4	17	40	40	40
50-64	19	11.3	142	1	1	7	24	30	32	32
65+	25	14.2	168	1	1	9	23	34	36	43
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	18	10.9	62	1	2	8	17	23	24	25
50-64	64	10.3	106	1	2	5	16	24	31	41
65+	62	9.0	193	1	1	3	13	23	34	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	10	5.1	11	<1	<1	5	8	9	9	9
50-64	27	10.0	107	1	1	4	19	27	31	33
65+	26	15.0	158	2	2	13	24	42	53	99+
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	17.0	117	5	5	17	26	28	28	28
35-49	20	17.3	209	2	2	14	24	36	49	58
50-64	66	18.3	251	2	2	15	28	44	59	94
65+	55	18.2	246	2	2	15	27	54	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	12.1	149	1	1	7	20	32	34	43
B. *Operated*	147	9.6	136	1	2	4	15	24	30	49
2. MULTIPLE DX										
A. *Not Operated*	66	11.0	119	1	2	6	17	29	36	91
B. *Operated*	146	18.0	235	2	2	15	27	43	60	99+
1. SINGLE DX	202	10.3	140	1	1	5	16	27	32	45
2. MULTIPLE DX	212	15.9	209	2	2	13	24	39	58	99+
A. NOT OPERATED	121	11.5	132	1	1	7	19	31	35	60
B. OPERATED	293	13.8	203	1	2	10	22	33	45	99+
TOTAL 0-19 YRS	7	4.9	11	1	1	4	6	10	11	11
20-34	10	9.8	89	<1	<1	7	12	26	28	28
35-49	53	12.3	139	1	2	9	17	28	39	57
50-64	176	13.4	177	1	2	8	22	31	41	64
65+	168	13.7	214	1	2	9	22	36	48	99+
GRAND TOTAL	**414**	**13.1**	**183**	**1**	**2**	**8**	**21**	**32**	**43**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	21	<1	1	2	3	4	13	22
20-34	22	2.2	2	1	1	2	3	4	5	6
35-49	6	13.0	115	2	2	12	17	30	31	31
50-64	15	3.8	13	2	2	2	3	12	13	13
65+	10	8.9	125	<1	<1	4	12	25	38	38
B. *Operated*										
0-19 YRS	12	16.7	169	<1	3	16	22	31	48	51
20-34	12	12.0	108	1	2	8	19	27	34	35
35-49	17	7.1	21	1	2	5	10	14	16	16
50-64	22	17.4	440	3	4	10	18	38	73	93
65+	19	12.2	113	1	2	10	16	28	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	5	1	1	3	4	8	9	9
20-34	12	2.8	9	<1	<1	2	3	7	10	11
35-49	2	1.0		1	1	1	1	1	1	1
50-64	31	6.1	82	1	1	3	7	11	27	46
65+	28	16.4	381	3	4	9	18	41	56	95
B. *Operated*										
0-19 YRS	13	19.2	137	2	5	19	27	34	42	44
20-34	15	29.3	772	4	7	19	30	88	95	98
35-49	13	15.8	348	2	3	12	21	35	65	72
50-64	29	22.1	361	3	4	20	26	40	55	98
65+	36	24.0	243	4	8	22	34	53	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.5	43	1	1	2	3	12	17	36
B. *Operated*	82	13.1	196	1	2	10	16	26	36	82
2. MULTIPLE DX										
A. *Not Operated*	89	8.3	179	1	1	4	9	19	29	78
B. *Operated*	106	22.6	350	3	5	20	29	45	79	99+
1. SINGLE DX	155	9.1	142	1	1	4	13	22	30	60
2. MULTIPLE DX	195	16.1	321	1	2	10	23	38	53	99
A. NOT OPERATED	162	6.6	121	1	1	3	7	14	25	51
B. OPERATED	188	18.5	304	2	3	15	25	38	56	99
TOTAL 0-19 YRS	61	9.3	120	1	1	4	16	23	31	50
20-34	61	10.9	328	1	1	3	13	28	37	97
35-49	38	10.7	159	1	2	7	14	22	29	72
50-64	97	13.1	287	1	2	7	17	29	44	96
65+	93	17.7	270	2	3	13	26	38	55	99+
GRAND TOTAL	**350**	**13.0**	**253**	**1**	**1**	**7**	**18**	**31**	**45**	**98**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64	3	7.0	9	4	4	7	9	10	10	10
65+	4	9.5	14	5	5	10	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34	14	9.6	26	2	2	9	13	16	21	22
35-49	21	7.4	25	2	2	7	10	12	18	24
50-64	24	9.8	51	2	3	9	12	17	26	34
65+	16	13.2	132	2	2	9	20	26	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	11.0	25	6	6	11	15	16	16	16
35-49	16	8.0	26	1	1	7	10	17	18	19
50-64	14	8.6	84	1	2	6	8	22	31	34
65+	6	3.2	5	1	1	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34	17	8.8	58	3	3	8	11	14	28	35
35-49	16	12.5	78	1	2	12	18	27	29	29
50-64	21	15.9	129	2	3	15	20	36	39	40
65+	23	13.9	112	2	2	14	21	29	34	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.6	13	1	3	8	10	12	13	13
B. *Operated*	75	9.8	58	2	2	8	11	22	25	41
2. MULTIPLE DX										
A. *Not Operated*	39	7.7	45	1	1	6	10	17	20	34
B. *Operated*	77	13.0	101	2	2	11	18	28	35	41
1. SINGLE DX	86	9.5	53	2	2	8	11	19	24	40
2. MULTIPLE DX	116	11.2	88	1	2	8	16	24	33	40
A. NOT OPERATED	50	7.7	38	1	1	7	10	16	19	34
B. OPERATED	152	11.4	82	2	2	9	15	24	31	41
TOTAL 0-19 YRS										
20-34	35	9.3	39	2	3	8	11	15	20	35
35-49	56	8.9	44	1	2	8	12	19	23	29
50-64	62	11.4	90	2	3	9	16	23	35	40
65+	49	12.0	107	2	2	8	17	26	31	44
GRAND TOTAL	**202**	**10.5**	**73**	**2**	**2**	**8**	**14**	**22**	**29**	**40**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	10	12.4	75	3	5	9	18	26	31	31
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	13	4.0	14	<1	1	3	4	10	13	14
35-49	34	5.1	23	<1	<1	4	6	14	17	19
50-64	41	5.7	44	<1	<1	3	7	15	19	31
65+	122	5.9	35	<1	2	4	7	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	5.9	21	2	2	5	7	14	16	16
65+	15	21.7	293	2	2	17	35	39	57	63
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	10.5	56	2	2	10	16	19	19	19
35-49	11	7.3	36	<1	1	6	10	17	21	21
50-64	58	8.3	129	1	2	4	7	22	32	58
65+	153	9.2	70	1	2	7	13	21	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.8	69	3	3	9	16	25	30	31
B. *Operated*	212	5.6	33	<1	1	3	7	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	23	16.2	253	2	2	10	25	38	47	63
B. *Operated*	227	8.9	83	1	2	6	12	21	27	51
1. SINGLE DX	224	5.9	37	<1	1	4	7	14	18	31
2. MULTIPLE DX	250	9.5	102	2	2	6	13	23	32	59
A. NOT OPERATED	35	14.7	190	2	2	10	21	37	39	63
B. OPERATED	439	7.3	61	<1	2	4	9	17	23	43
TOTAL 0-19 YRS	4	5.3	36	1	1	3	9	14	14	14
20-34	17	5.5	29	<1	1	3	7	14	17	19
35-49	46	5.5	26	<1	<1	4	7	14	18	21
50-64	107	7.1	89	<1	1	4	7	17	27	53
65+	300	8.6	78	1	2	5	11	20	26	45
GRAND TOTAL	**474**	**7.8**	**74**	**1**	**2**	**4**	**10**	**19**	**25**	**46**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	16.7	184	4	4	15	27	31	31	31
35-49	9	5.4	14	1	2	5	6	12	13	13
50-64	21	12.4	139	<1	1	8	22	32	36	37
65+	20	14.7	318	1	2	8	22	29	56	79
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	45	6.1	15	<1	1	6	9	11	13	14
35-49	228	7.4	14	1	2	7	9	12	14	19
50-64	319	8.5	28	2	3	8	10	13	17	33
65+	280	9.2	35	2	3	8	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	12.3	191	1	1	6	19	36	41	41
35-49	72	12.5	179	1	2	9	15	30	33	80
50-64	130	11.0	129	1	2	8	15	28	34	81
65+	107	11.7	98	1	2	10	16	27	34	70
B. *Operated*										
0-19 YRS										
20-34	41	9.3	102	1	3	8	10	14	16	68
35-49	230	9.0	22	3	4	8	11	15	17	27
50-64	380	10.9	45	3	5	9	13	19	24	38
65+	447	12.7	107	4	5	10	15	23	29	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	12.3	187	1	2	7	16	30	35	77
B. *Operated*	873	8.3	27	2	2	8	10	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	317	11.6	130	1	2	9	16	29	34	81
B. *Operated*	1098	11.2	69	3	5	9	13	19	25	49
1. SINGLE DX	927	8.6	37	2	2	8	10	14	18	32
2. MULTIPLE DX	1415	11.3	83	2	4	9	14	21	28	50
A. NOT OPERATED	371	11.7	138	1	2	8	16	29	34	79
B. OPERATED	1971	9.9	52	2	4	9	11	17	22	39
TOTAL 0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	97	8.3	74	<1	1	7	10	14	18	55
35-49	539	8.7	42	2	3	8	10	14	18	32
50-64	850	10.1	55	2	3	8	12	18	24	40
65+	854	11.5	89	2	3	9	14	21	27	62
GRAND TOTAL	**2342**	**10.2**	**66**	**2**	**3**	**9**	**12**	**18**	**24**	**42**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.4	71	1	1	2	4	19	26	26
35-49	18	3.6	5	2	2	3	4	6	9	11
50-64	20	6.6	43	2	2	3	8	18	20	22
65+	10	13.7	149	2	2	11	25	31	33	33
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	88	6.5	64	2	2	4	8	11	14	55
35-49	71	6.8	60	2	2	4	8	14	25	38
50-64	37	8.2	94	1	2	5	9	14	26	54
65+	27	5.9	24	2	2	4	8	10	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	7.3	49	1	1	5	10	19	20	20
35-49	24	11.5	68	<1	1	12	17	24	28	28
50-64	23	10.2	93	1	2	7	15	30	32	32
65+	21	13.5	149	2	3	10	19	30	41	51
B. *Operated*										
0-19 YRS										
20-34	60	10.8	101	2	3	7	15	25	30	43
35-49	67	14.0	182	2	2	8	17	37	45	49
50-64	53	15.9	162	2	3	13	23	34	46	52
65+	40	16.5	188	2	2	10	30	40	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.7	62	2	2	3	7	20	26	33
B. *Operated*	225	6.8	62	2	2	4	8	12	23	44
2. MULTIPLE DX										
A. *Not Operated*	74	11.4	97	1	2	8	16	28	31	47
B. *Operated*	220	14.1	159	2	2	9	20	34	43	51
1. SINGLE DX	281	6.8	62	2	2	4	8	14	25	40
2. MULTIPLE DX	294	13.4	144	2	2	9	18	32	41	51
A. NOT OPERATED	130	9.4	86	1	2	5	14	23	29	37
B. OPERATED	445	10.4	123	2	2	7	12	27	37	51
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	162	8.1	81	2	2	5	10	18	25	48
35-49	180	9.8	114	2	2	6	12	28	36	48
50-64	133	11.4	126	2	2	8	15	27	33	52
65+	98	12.7	146	2	2	9	19	33	41	76
GRAND TOTAL	**575**	**10.1**	**115**	**2**	**2**	**7**	**13**	**26**	**33**	**50**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.8	3	3	3	3	4	7	7	7
50-64	15	4.4	7	1	2	3	6	9	10	10
65+	12	3.2	7	1	1	3	3	6	10	11
B. *Operated*										
0-19 YRS										
20-34	3	5.0	12	1	1	7	7	7	7	7
35-49	11	6.3	17	1	1	7	8	11	15	15
50-64	96	7.1	56	1	2	6	8	14	20	46
65+	81	7.8	80	1	2	6	10	17	19	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	11.3	230	3	3	4	19	34	34	34
50-64	26	7.5	53	1	1	5	11	19	22	28
65+	36	6.4	72	1	1	3	6	20	29	32
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	32	8.9	38	2	3	8	10	12	13	39
50-64	166	9.0	44	1	2	8	11	16	22	36
65+	163	12.7	138	2	2	9	17	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.8	6	1	2	3	4	8	10	11
B. *Operated*	191	7.3	63	1	2	7	9	15	19	47
2. MULTIPLE DX										
A. *Not Operated*	67	7.1	70	1	1	3	10	20	29	34
B. *Operated*	362	10.6	89	2	2	8	13	21	29	43
1. SINGLE DX	223	6.8	56	1	2	6	8	13	18	43
2. MULTIPLE DX	429	10.1	88	1	2	8	13	21	29	43
A. NOT OPERATED	99	6.0	52	1	1	3	6	17	21	33
B. OPERATED	553	9.5	83	1	2	8	11	19	25	43
TOTAL 0-19 YRS										
20-34	5	5.2	7	1	1	7	7	7	7	7
35-49	52	8.0	44	1	2	7	9	12	15	39
50-64	303	8.0	48	1	2	7	10	15	20	36
65+	292	10.2	117	1	2	8	14	23	30	56
GRAND TOTAL	**652**	**9.0**	**79**	**1**	**2**	**7**	**11**	**19**	**25**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0		4	4	4	4	4	4	4
20-34	4	12.0	428	1	1	2	23	43	43	43
35-49	23	4.0	100	<1	<1	1	3	7	23	49
50-64	34	4.8	119	1	1	2	2	9	35	52
65+	44	3.9	75	<1	1	1	3	7	13	56
B. *Operated*										
0-19 YRS										
20-34	18	7.1	8	1	3	7	9	11	12	12
35-49	19	8.6	24	2	2	8	12	16	19	20
50-64	21	10.2	16	4	6	10	12	16	19	21
65+	22	11.7	40	3	4	11	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	19	1	1	2	7	12	12	12
20-34	18	7.7	174	1	1	3	3	33	41	44
35-49	41	4.8	30	<1	<1	1	6	15	17	18
50-64	126	5.1	113	<1	<1	1	4	14	21	70
65+	92	6.5	98	1	1	2	8	22	30	82
B. *Operated*										
0-19 YRS	3	11.7	9	9	9	11	14	15	15	15
20-34	12	23.6	386	6	7	16	38	53	65	67
35-49	51	12.4	53	4	5	10	16	23	28	34
50-64	90	16.2	99	3	6	15	19	33	35	49
65+	87	19.9	147	7	8	18	25	36	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.5	102	<1	<1	1	3	8	19	54
B. *Operated*	80	9.5	25	2	3	9	12	16	20	25
2. MULTIPLE DX										
A. *Not Operated*	286	5.7	97	<1	<1	2	5	15	25	64
B. *Operated*	243	17.0	127	5	7	15	22	33	39	67
1. SINGLE DX	188	6.6	75	<1	1	4	9	13	20	51
2. MULTIPLE DX	529	10.9	143	<1	1	8	16	27	35	67
A. NOT OPERATED	394	5.4	98	<1	<1	2	5	15	25	57
B. OPERATED	323	15.2	112	3	6	12	19	29	36	61
TOTAL 0-19 YRS	15	5.9	21	1	1	4	10	12	14	15
20-34	52	11.5	216	1	1	6	11	39	44	67
35-49	134	8.1	62	<1	<1	7	12	18	23	36
50-64	271	9.1	127	<1	1	5	14	21	34	52
65+	245	11.3	150	1	1	8	17	28	38	72
GRAND TOTAL	**717**	**9.8**	**128**	**<1**	**1**	**7**	**14**	**24**	**34**	**58**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	10	12.1	92	2	2	10	18	27	30	30
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	17.3	520	2	2	9	21	56	70	70
65+	18	11.9	120	2	2	11	16	31	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	16	12.5	196	1	2	6	12	38	44	46
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	5	10.8	21	6	6	9	15	17	17	17
35-49	7	13.9	127	3	3	10	18	33	36	36
50-64	14	23.6	482	2	2	14	34	50	76	83
65+	37	24.0	395	2	3	17	44	54	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.3	74	1	1	4	11	22	28	30
B. *Operated*	30	12.4	212	2	2	7	16	28	37	70
2. MULTIPLE DX										
A. *Not Operated*	20	10.5	172	<1	1	5	9	36	42	46
B. *Operated*	64	21.7	359	2	3	14	37	49	59	97
1. SINGLE DX	49	10.4	162	1	1	4	15	24	35	70
2. MULTIPLE DX	84	19.0	335	2	2	10	34	47	56	94
A. NOT OPERATED	39	8.9	124	1	1	5	10	28	37	46
B. OPERATED	94	18.7	328	2	2	12	32	47	58	92
TOTAL 0-19 YRS	4	7.3	42	<1	<1	6	12	15	15	15
20-34	13	5.2	29	1	1	3	8	15	17	17
35-49	10	10.5	115	1	1	7	14	28	36	36
50-64	25	19.2	456	2	2	13	29	46	73	83
65+	81	17.6	286	2	2	10	32	47	54	87
GRAND TOTAL	**133**	**15.8**	**287**	**1**	**2**	**9**	**21**	**44**	**52**	**86**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	27	7.3	100	1	1	4	6	18	35	43
65+	64	12.0	163	1	2	8	15	30	44	57
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	9.5	62	3	3	7	14	21	21	21
50-64	98	9.3	49	2	3	8	11	18	23	39
65+	376	10.8	64	2	3	9	14	19	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	51.0	4418	4	4	51	98	98	98	98
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	56	8.1	69	1	1	6	10	18	24	47
65+	329	12.2	156	2	2	8	15	28	42	69
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	18.3	298	5	5	13	21	48	51	51
50-64	153	14.4	140	2	3	10	18	31	40	60
65+	909	15.0	160	3	4	12	18	30	41	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	10.6	148	1	2	6	13	26	43	57
B. *Operated*	478	10.5	61	2	3	9	13	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	389	11.8	164	1	2	8	15	26	42	70
B. *Operated*	1068	14.9	158	3	4	11	18	30	41	84
1. SINGLE DX	569	10.5	75	2	3	9	13	19	27	45
2. MULTIPLE DX	1457	14.1	161	2	3	11	17	29	41	83
A. NOT OPERATED	480	11.5	161	1	2	7	15	26	42	67
B. OPERATED	1546	13.5	132	2	4	10	17	27	36	65
TOTAL 0-19 YRS	2	51.0	4418	4	4	51	98	98	98	98
20-34										
35-49	12	12.8	193	1	2	7	19	30	48	51
50-64	334	11.3	106	1	2	8	13	24	33	49
65+	1678	13.4	141	2	3	10	16	27	39	69
GRAND TOTAL	**2026**	**13.1**	**139**	**2**	**3**	**10**	**16**	**27**	**38**	**66**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	3	2	2	5	5	5	5	5
20-34	20	7.2	32	4	5	6	7	7	19	31
35-49	12	5.8	6	2	3	6	7	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	7.0	11	3	3	7	9	11	11	11
20-34	41	8.8	49	2	3	6	11	17	24	33
35-49	22	7.0	24	2	3	5	8	14	19	21
50-64	10	14.1	141	4	4	9	16	35	36	36
65+	8	9.9	141	2	2	4	13	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	20	<1	<1	1	5	7	14	20
20-34	18	5.8	8	1	3	5	7	12	60	99+
35-49	16	5.1	5	1	2	5	7	8	9	9
50-64	3	11.0	300	1	1	1	24	31	31	31
65+										
B. *Operated*										
0-19 YRS	6	21.8	612	4	4	15	19	66	71	71
20-34	27	15.6	111	3	5	16	20	29	34	50
35-49	18	9.1	33	3	4	6	15	17	19	21
50-64	7	12.0	21	8	8	10	15	19	20	20
65+	7	10.0	159	2	2	6	9	32	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	6.3	20	2	3	6	7	7	10	31
B. *Operated*	85	9.0	61	2	3	6	11	18	28	36
2. MULTIPLE DX										
A. *Not Operated*	57	5.0	24	<1	<1	5	6	9	17	94
B. *Operated*	65	13.4	134	3	4	10	17	23	33	68
1. SINGLE DX	122	8.2	50	2	3	6	9	16	24	35
2. MULTIPLE DX	122	9.5	100	<1	1	6	13	20	30	79
A. NOT OPERATED	94	5.5	23	<1	1	5	6	8	12	69
B. OPERATED	150	10.9	97	3	3	8	15	21	31	50
TOTAL 0-19 YRS	35	7.1	150	<1	<1	4	7	16	20	71
20-34	106	9.7	66	3	3	7	12	21	30	71
35-49	68	6.9	20	2	3	6	8	15	17	21
50-64	20	12.9	106	1	2	9	16	33	35	36
65+	15	9.9	139	2	2	5	9	35	37	38
GRAND TOTAL	**244**	**8.8**	**75**	**1**	**2**	**6**	**10**	**19**	**28**	**51**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	4.1	7	1	1	3	6	8	8	8
65+	22	15.0	297	<1	1	11	21	50	84	99+
B. *Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	5	6.0	7	3	3	5	8	10	10	10
35-49	43	5.0	25	<1	1	4	6	7	13	31
50-64	261	5.5	31	1	2	4	6	10	16	32
65+	482	6.0	43	1	2	4	7	12	18	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	8	1	1	3	6	6	6	6
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	41	6.2	70	1	1	2	7	19	28	34
65+	70	9.0	49	1	1	7	13	19	22	33
B. *Operated*										
0-19 YRS	4	34.3	308	10	10	39	47	49	49	49
20-34	1	20.0		20	20	20	20	20	20	20
35-49	26	9.5	240	2	2	6	9	15	39	80
50-64	246	9.6	105	1	2	6	11	25	33	49
65+	713	11.6	174	2	2	8	14	26	39	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.8	225	<1	1	7	15	25	68	99+
B. *Operated*	794	5.7	38	1	2	4	7	11	17	33
2. MULTIPLE DX										
A. *Not Operated*	120	7.6	56	1	1	5	10	18	23	34
B. *Operated*	990	11.1	161	1	2	7	14	26	37	75
1. SINGLE DX	828	5.9	46	1	2	4	7	12	18	41
2. MULTIPLE DX	1110	10.7	151	1	2	7	13	25	35	73
A. NOT OPERATED	154	8.3	94	1	1	6	10	20	25	74
B. OPERATED	1784	8.7	114	1	2	5	10	20	30	61
TOTAL 0-19 YRS	7	21.0	428	<1	1	10	42	48	49	49
20-34	14	5.0	26	<1	1	4	6	11	18	20
35-49	75	6.3	102	1	1	4	6	10	16	68
50-64	555	7.3	70	1	2	4	8	18	28	40
65+	1287	9.4	128	1	2	6	11	21	30	70
GRAND TOTAL	**1938**	**8.7**	**112**	**1**	**2**	**5**	**10**	**20**	**29**	**61**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	6	9.2	181	1	1	4	9	33	36	36
65+	8	5.5	11	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	2	12.0	8	10	10	12	14	14	14	14
20-34	3	15.0	7	13	13	14	17	18	18	18
35-49	15	13.1	40	2	2	14	16	17	25	28
50-64	33	12.7	39	<1	1	14	17	20	22	23
65+	44	18.0	115	3	4	17	21	33	42	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	9.5	134	2	2	5	11	29	36	36
50-64	31	13.5	111	3	4	10	18	32	37	41
65+	43	14.1	161	2	3	11	18	30	47	52
B. *Operated*										
0-19 YRS	5	18.6	204	6	7	16	43	94	99+	99+
20-34	5	20.0	96	10	10	19	24	36	36	36
35-49	26	21.5	283	8	9	16	23	41	57	86
50-64	92	18.7	129	4	8	16	24	36	38	59
65+	122	21.6	179	6	9	18	28	38	55	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	54	1	1	4	5	10	21	36
B. *Operated*	97	15.2	77	1	3	14	18	24	31	46
2. MULTIPLE DX										
A. *Not Operated*	86	13.0	136	2	3	8	16	30	38	52
B. *Operated*	250	20.4	169	6	9	18	26	37	45	86
1. SINGLE DX	119	13.4	86	1	2	13	18	23	31	45
2. MULTIPLE DX	336	18.5	171	3	5	15	25	37	44	71
A. NOT OPERATED	108	11.5	128	2	2	7	14	30	36	51
B. OPERATED	347	19.0	149	4	8	16	24	36	43	69
TOTAL 0-19 YRS	14	9.9	119	<1	2	6	14	43	86	99+
20-34	10	15.7	76	5	6	14	19	28	36	36
35-49	52	16.0	205	2	2	14	19	31	41	85
50-64	162	16.1	116	1	4	14	21	32	37	45
65+	217	18.8	170	3	4	16	25	37	47	68
GRAND TOTAL	**455**	**17.2**	**154**	**2**	**4**	**15**	**22**	**34**	**42**	**69**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.5	1	9	9	9	10	10	10	10
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	5	3.6	2	2	2	3	4	6	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	7.3	6	5	5	7	9	10	10	10
65+	13	6.2	14	2	3	6	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	1	37.0		37	37	37	37	37	37	37
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	9.3	128	2	2	4	16	26	26	26
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	5	7.4	9	4	4	7	9	12	12	12
65+	7	16.9	293	4	5	11	18	47	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.0	3	6	6	8	9	10	10	10
B. *Operated*	23	6.2	15	2	3	6	7	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	8	9.9	189	<1	<1	3	16	34	37	37
B. *Operated*	16	10.6	155	2	2	7	11	19	44	54
1. SINGLE DX	27	6.5	13	2	3	6	8	12	14	16
2. MULTIPLE DX	24	10.4	159	1	2	6	11	27	42	54
A. NOT OPERATED	12	9.3	122	<1	1	6	9	29	36	37
B. OPERATED	39	8.0	74	2	2	6	9	14	18	54
TOTAL 0-19 YRS	8	3.0	3	<1	<1	3	4	5	6	6
20-34	3	8.3	4	6	6	9	10	10	10	10
35-49	5	12.8	216	2	2	7	21	37	37	37
50-64	10	6.9	7	3	3	7	8	11	12	12
65+	25	9.7	118	2	3	6	11	20	33	54
GRAND TOTAL	**51**	**8.3**	**84**	**2**	**2**	**6**	**9**	**15**	**26**	**54**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.9	72	1	1	6	14	22	23	23
20-34	18	7.8	213	1	1	3	6	48	81	99+
35-49	10	14.9	199	3	3	7	29	37	44	44
50-64	22	14.0	352	1	2	5	23	29	55	85
65+	10	9.7	176	3	3	3	15	67	97	99+
B. *Operated*										
0-19 YRS	11	21.8	244	3	6	19	39	66	95	99+
20-34	20	15.3	40	4	8	15	20	23	26	28
35-49	15	16.4	108	8	8	12	19	36	39	40
50-64	21	17.9	142	4	6	15	22	40	43	44
65+	8	32.0	327	13	14	30	45	59	61	6[illegible]
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	15.4	242	3	3	11	22	42	42	42
20-34	13	7.2	53	1	2	5	8	22	24	24
35-49	10	14.2	314	3	3	6	11	47	49	49
50-64	36	11.2	105	3	3	7	16	26	30	48
65+	21	17.2	320	2	3	10	27	40	55	71
B. *Operated*										
0-19 YRS	25	31.2	594	1	5	24	51	81	86	99+
20-34	20	18.5	126	8	9	14	28	65	99+	99+
35-49	21	26.8	318	7	8	22	37	46	63	80
50-64	35	32.7	386	9	10	30	49	59	71	72
65+	20	34.3	270	11	14	34	44	55	66	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	11.2	231	1	2	5	15	35	57	99+
B. *Operated*	75	19.0	158	5	8	16	23	40	50	90
2. MULTIPLE DX										
A. *Not Operated*	85	12.7	184	2	3	7	18	31	43	63
B. *Operated*	121	29.3	373	8	9	26	43	60	78	99+
1. SINGLE DX	143	15.3	206	2	2	11	22	39	53	99+
2. MULTIPLE DX	206	22.4	361	3	3	18	36	51	71	99+
A. NOT OPERATED	153	12.0	204	2	2	6	17	35	46	99
B. OPERATED	196	25.3	315	7	9	20	36	52	72	99+
TOTAL 0-19 YRS	49	23.9	453	1	3	19	38	67	82	99+
20-34	71	12.8	129	1	2	10	21	30	56	99+
35-49	56	19.6	259	4	5	13	29	44	48	78
50-64	114	19.6	322	3	3	13	27	48	56	77
65+	59	23.7	362	3	3	18	37	52	66	97
GRAND TOTAL	**349**	**19.5**	**309**	**2**	**3**	**14**	**29**	**48**	**61**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	6	17.3	41	9	9	18	23	24	24	24
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	11.5	61	6	6	11	17	17	17	17
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	45.3	161	38	38	38	55	60	60	60
35-49	2	18.5	113	11	11	18	26	26	26	26
50-64	1	47.0		47	47	47	47	47	47	47
65+	4	49.3	1012	13	13	47	71	90	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	7	18.3	41	9	10	22	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	6	9.5	24	5	5	8	14	17	17	17
B. *Operated*	11	38.0	635	1	7	38	51	72	88	90
1. SINGLE DX	8	17.1	46	9	9	18	23	24	24	24
2. MULTIPLE DX	17	27.9	601	2	5	17	43	58	79	90
A. NOT OPERATED	7	9.4	20	5	5	9	13	16	17	17
B. OPERATED	18	30.3	486	4	10	24	42	58	78	90
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	24.6	276	6	7	22	38	49	60	60
35-49	3	17.0	63	11	11	14	23	26	26	26
50-64	4	23.5	300	6	6	20	35	47	47	47
65+	7	31.4	1002	5	6	13	49	82	90	90
GRAND TOTAL	**25**	**24.5**	**441**	**4**	**6**	**17**	**38**	**52**	**67**	**90**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	6	2	2	5	7	7	7	7
20-34	16	8.8	13	3	3	8	12	14	14	14
35-49	12	8.8	3	6	7	9	10	11	12	12
50-64	11	8.9	21	4	4	8	10	15	20	21
65+	4	12.8	50	7	7	10	17	23	23	23
B. *Operated*										
0-19 YRS	5	6.8	20	2	2	6	9	14	14	14
20-34	26	5.5	9	3	3	5	6	11	13	15
35-49	21	7.2	24	3	3	5	9	15	20	21
50-64	22	6.0	9	3	4	5	7	9	13	17
65+	17	8.5	25	2	3	8	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	31	<1	<1	6	12	15	15	15
20-34	9	6.3	17	1	1	7	10	11	11	11
35-49	9	11.4	177	2	2	7	13	33	45	45
50-64	13	9.5	36	3	3	9	11	15	25	27
65+	16	7.6	19	1	2	7	12	13	14	14
B. *Operated*										
0-19 YRS	5	11.0	103	3	3	8	16	28	28	28
20-34	26	5.9	9	3	4	5	7	9	11	18
35-49	25	8.5	43	3	4	7	10	17	22	33
50-64	30	10.2	45	3	4	8	14	19	22	30
65+	25	13.2	101	5	6	9	21	35	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	8.7	16	3	4	8	11	13	15	23
B. *Operated*	91	6.6	16	3	3	5	8	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	55	8.4	49	1	2	7	11	14	15	44
B. *Operated*	111	9.5	56	3	4	7	12	21	28	66
1. SINGLE DX	140	7.4	17	3	3	6	9	13	16	21
2. MULTIPLE DX	166	9.2	53	3	3	7	11	18	24	45
A. NOT OPERATED	104	8.5	33	2	3	8	11	13	15	35
B. OPERATED	202	8.2	40	3	4	6	10	16	21	40
TOTAL 0-19 YRS	24	7.4	37	1	2	6	9	15	19	28
20-34	77	6.4	12	3	3	5	8	12	14	17
35-49	67	8.6	47	3	4	7	10	14	20	43
50-64	76	8.7	31	3	4	7	10	16	21	29
65+	62	10.4	60	3	4	8	13	22	28	93
GRAND TOTAL	**306**	**8.3**	**38**	**3**	**3**	**7**	**10**	**15**	**21**	**40**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	11	9.5	76	<1	2	7	11	24	30	31
50-64	50	8.7	53	2	2	6	12	19	25	32
65+	60	11.0	159	1	2	8	13	20	34	74
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	13	7.6	34	1	2	7	11	15	20	21
35-49	27	9.1	91	1	1	4	15	22	25	41
50-64	61	10.4	67	2	2	8	14	25	27	31
65+	75	13.5	164	1	2	11	18	35	38	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	13	<1	<1	2	4	6	12	16
20-34	49	7.3	57	1	2	4	9	16	28	38
35-49	135	12.0	140	2	2	8	16	27	34	57
50-64	371	12.8	163	2	2	9	17	30	37	61
65+	533	14.3	226	2	3	10	19	32	51	99+
B. *Operated*										
0-19 YRS	14	16.7	370	3	5	10	18	34	69	79
20-34	69	12.6	118	2	2	9	17	26	32	50
35-49	159	15.8	254	2	3	11	19	34	46	89
50-64	418	16.5	216	2	3	13	21	34	46	76
65+	547	18.1	224	2	4	14	24	38	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	9.8	106	1	2	7	12	19	27	58
B. *Operated*	177	11.4	113	1	2	9	15	25	35	52
2. MULTIPLE DX										
A. *Not Operated*	1105	13.1	187	2	2	9	17	30	41	86
B. *Operated*	1207	16.9	222	2	3	13	22	36	48	83
1. SINGLE DX	301	10.7	110	1	2	8	15	23	31	52
2. MULTIPLE DX	2312	15.1	209	2	3	11	20	33	45	84
A. NOT OPERATED	1229	12.7	180	2	2	9	16	29	40	84
B. OPERATED	1384	16.2	211	2	3	12	21	35	45	78
TOTAL 0-19 YRS	32	9.7	215	<1	1	5	12	22	28	79
20-34	134	10.0	91	1	2	7	13	22	30	49
35-49	332	13.5	193	2	2	9	17	30	40	82
50-64	900	14.1	181	2	2	10	18	30	39	70
65+	1215	15.8	222	2	3	11	21	36	49	94
GRAND TOTAL	**2613**	**14.6**	**199**	**2**	**2**	**10**	**19**	**32**	**44**	**82**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.0	48	<1	1	2	4	19	23	24
20-34	31	2.6	2	<1	1	2	4	5	5	6
35-49	27	2.2	1	1	2	2	2	3	4	6
50-64	8	3.9	2	1	2	4	5	6	6	6
65+	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	26	7.6	38	1	2	6	10	16	22	25
20-34	55	10.0	76	2	2	7	14	25	30	34
35-49	21	11.8	130	1	2	9	18	30	36	40
50-64	14	14.1	84	1	2	14	22	26	27	27
65+	12	24.8	503	2	3	15	39	64	64	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	16	7.4	57	1	1	6	11	14	25	30
35-49	7	7.3	56	1	1	4	15	18	18	18
50-64	8	14.4	197	1	1	8	26	36	36	36
65+	18	13.7	125	3	4	10	16	35	40	41
B. *Operated*										
0-19 YRS	8	11.1	52	4	4	8	16	22	24	24
20-34	26	16.5	166	2	3	13	25	30	37	59
35-49	13	15.2	167	3	4	11	21	34	45	48
50-64	12	16.2	124	4	7	12	22	35	38	38
65+	18	21.5	489	1	3	17	24	55	73	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.0	10	<1	1	2	3	5	6	22
B. *Operated*	128	11.6	134	2	2	8	16	27	31	64
2. MULTIPLE DX										
A. *Not Operated*	51	10.5	107	1	1	7	14	29	36	41
B. *Operated*	77	16.8	222	3	4	12	24	32	51	78
1. SINGLE DX	214	8.2	102	1	2	4	11	22	27	56
2. MULTIPLE DX	128	14.3	185	1	2	9	19	30	39	65
A. NOT OPERATED	137	5.8	59	1	1	3	6	15	22	38
B. OPERATED	205	13.6	172	2	2	9	19	28	35	64
TOTAL 0-19 YRS	51	7.2	44	1	2	5	9	19	24	25
20-34	128	9.2	94	1	1	5	12	25	30	39
35-49	68	8.2	102	1	2	3	10	23	30	47
50-64	42	12.8	114	1	2	9	18	30	35	38
65+	53	17.8	353	1	2	11	22	52	63	84
GRAND TOTAL	**342**	**10.5**	**141**	**1**	**2**	**6**	**14**	**26**	**32**	**59**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	6.8	155	<1	1	2	5	22	35	57
20-34	4	7.5	169	1	1	1	14	27	27	27
35-49	8	4.9	35	<1	<1	2	6	15	18	18
50-64	9	5.6	24	1	1	4	7	14	16	16
65+	26	8.2	106	<1	1	4	9	31	34	35
B. *Operated*										
0-19 YRS	11	16.4	123	1	2	19	27	29	29	29
20-34	5	20.6	216	5	5	15	29	44	44	44
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	11.0	39	4	4	10	13	21	23	23
65+	6	20.7	186	7	7	21	32	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.3	157	<1	1	4	12	49	99+	99+
20-34	3	7.0	25	2	2	7	11	12	12	12
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	22	12.1	105	1	2	10	17	27	36	37
65+	57	13.2	169	2	5	8	14	32	49	60
B. *Operated*										
0-19 YRS	19	29.2	544	2	3	27	38	62	79	91
20-34	3	32.3	30	26	26	35	68	99+	99+	99+
35-49	5	23.0	304	9	9	13	37	49	49	49
50-64	14	19.2	268	3	4	15	26	51	53	54
65+	40	20.5	219	3	4	16	27	50	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.0	104	<1	1	3	8	21	32	52
B. *Operated*	30	16.3	131	3	4	14	24	32	35	44
2. MULTIPLE DX										
A. *Not Operated*	108	11.6	149	1	2	7	14	35	50	99+
B. *Operated*	81	22.9	307	3	4	21	31	52	61	99+
1. SINGLE DX	101	9.7	129	1	1	4	14	28	33	50
2. MULTIPLE DX	189	16.4	247	2	3	11	23	46	56	99+
A. NOT OPERATED	179	9.8	135	1	1	6	12	26	40	88
B. OPERATED	111	21.1	266	3	4	17	29	48	59	99+
TOTAL 0-19 YRS	78	14.0	320	1	1	5	24	44	61	99+
20-34	15	16.7	208	1	1	15	31	43	83	99+
35-49	16	10.7	172	<1	1	7	12	31	44	49
50-64	52	12.8	141	1	3	10	17	27	37	54
65+	129	14.8	191	2	2	10	21	34	50	69
GRAND TOTAL	**290**	**14.1**	**215**	**1**	**2**	**9**	**22**	**36**	**51**	**99+**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.6	66	<1	1	3	5	13	28	35
20-34	5	6.2	15	4	4	5	7	13	13	13
35-49	5	4.0	9	2	2	3	5	9	9	9
50-64	17	8.4	81	<1	<1	6	11	23	30	32
65+	58	6.0	103	<1	1	2	7	18	25	57
B. *Operated*										
0-19 YRS	5	9.4	56	2	2	8	12	22	22	22
20-34	10	15.8	275	1	3	10	16	42	59	59
35-49	7	6.7	4	4	4	7	8	10	10	10
50-64	23	14.9	316	1	1	9	17	53	57	61
65+	23	24.8	537	3	4	16	36	61	83	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.2	37	<1	<1	2	6	14	20	22
20-34	6	6.3	9	3	3	6	8	11	11	11
35-49	14	12.1	120	2	2	8	16	33	35	36
50-64	27	8.2	44	2	2	7	11	12	22	34
65+	59	10.4	94	2	2	8	13	22	28	57
B. *Operated*										
0-19 YRS	4	39.8	1613	3	3	40	74	75	75	75
20-34	21	31.0	543	5	6	27	37	67	84	93
35-49	16	20.8	181	2	3	23	31	39	41	41
50-64	34	31.1	500	4	6	32	43	58	94	99+
65+	29	17.2	177	6	7	12	25	42	47	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.2	83	<1	1	3	7	15	25	45
B. *Operated*	68	17.1	359	1	3	9	21	49	59	84
2. MULTIPLE DX										
A. *Not Operated*	119	9.3	77	2	2	7	11	21	28	43
B. *Operated*	104	25.9	434	3	6	24	39	51	75	98
1. SINGLE DX	176	10.4	216	1	1	5	11	26	39	77
2. MULTIPLE DX	223	17.1	311	2	3	10	25	40	53	94
A. NOT OPERATED	227	7.8	82	1	1	5	10	20	25	41
B. OPERATED	172	22.5	420	2	4	15	34	51	72	95
TOTAL 0-19 YRS	45	8.9	255	<1	1	4	7	22	45	75
20-34	42	20.9	444	3	4	12	27	52	67	93
35-49	42	13.5	146	2	2	8	23	34	38	41
50-64	101	17.5	360	1	2	10	26	48	57	98
65+	169	12.0	208	1	1	8	15	29	40	78
GRAND TOTAL	**399**	**14.1**	**280**	**1**	**1**	**8**	**19**	**36**	**50**	**85**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	14	1	1	3	5	10	13	13
20-34	51	2.9	10	1	1	2	2	6	10	20
35-49	92	2.9	9	1	1	2	2	6	10	17
50-64	152	3.9	23	1	1	2	4	9	12	30
65+	143	7.4	152	1	1	3	7	15	31	67
B. *Operated*										
0-19 YRS	12	11.3	77	1	3	10	16	24	30	31
20-34	19	9.8	68	1	2	7	15	23	28	29
35-49	55	11.1	82	<1	2	9	16	21	29	44
50-64	90	12.0	98	2	2	9	19	25	29	48
65+	94	15.0	173	2	2	12	20	34	44	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	21	<1	1	3	6	11	17	18
20-34	15	7.4	88	<1	1	3	11	28	28	28
35-49	21	9.5	162	<1	1	6	11	18	39	59
50-64	103	11.4	121	1	2	8	17	27	34	48
65+	158	14.5	211	2	3	10	18	35	51	87
B. *Operated*										
0-19 YRS	7	17.1	259	2	3	15	24	44	48	48
20-34	19	22.9	212	5	7	21	34	39	51	59
35-49	25	22.9	430	2	4	17	31	43	63	98
50-64	119	20.5	260	3	5	14	28	45	52	73
65+	177	22.0	249	4	5	19	30	43	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	4.7	63	1	1	2	4	10	15	51
B. *Operated*	270	12.7	120	2	2	9	18	27	34	59
2. MULTIPLE DX										
A. *Not Operated*	309	12.4	169	1	2	8	16	28	38	64
B. *Operated*	347	21.5	262	4	5	17	30	44	53	98
1. SINGLE DX	719	7.7	99	1	1	3	10	20	28	56
2. MULTIPLE DX	656	17.2	238	2	2	13	25	37	50	82
A. NOT OPERATED	758	7.8	121	1	1	3	10	20	29	59
B. OPERATED	617	17.6	218	2	3	14	25	36	49	77
TOTAL 0-19 YRS	42	8.6	92	1	1	5	13	19	29	48
20-34	104	8.5	120	1	1	3	11	26	33	49
35-49	193	8.5	142	1	1	3	11	21	30	56
50-64	464	11.4	159	1	2	7	16	28	39	54
65+	572	15.1	230	1	2	10	21	35	51	85
GRAND TOTAL	**1375**	**12.2**	**188**	**1**	**2**	**7**	**17**	**30**	**41**	**69**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.0	9	<1	1	2	3	8	11	12
20-34	54	4.2	6	1	2	4	6	8	9	13
35-49	55	4.6	20	1	2	4	5	7	9	33
50-64	55	4.5	10	2	2	3	6	8	12	17
65+	39	4.5	9	2	2	4	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	30.3	144	18	18	31	39	42	42	42
B. *Operated*										
0-19 YRS	3	3.3	16	<1	<1	1	6	8	8	8
20-34	9	8.4	112	2	2	5	7	25	36	36
35-49	15	4.3	28	<1	2	3	4	5	19	23
50-64	26	5.0	8	2	2	4	5	9	12	14
65+	29	8.1	51	1	2	7	9	14	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	218	4.4	11	1	2	4	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	3	30.3	144	18	18	31	39	42	42	42
B. *Operated*	82	6.3	40	1	2	4	7	12	18	35
1. SINGLE DX	219	4.4	11	1	2	4	6	8	9	17
2. MULTIPLE DX	85	7.1	62	1	2	5	8	14	29	40
A. NOT OPERATED	4	24.8	221	8	8	24	36	42	42	42
B. OPERATED	300	4.9	20	1	2	4	6	9	12	30
TOTAL 0-19 YRS	18	3.1	10	<1	<1	2	3	8	10	12
20-34	64	4.9	22	1	2	4	6	8	9	33
35-49	70	4.6	21	1	2	4	5	7	9	32
50-64	81	4.7	9	2	2	4	5	8	12	16
65+	71	7.1	57	2	2	5	8	14	27	40
GRAND TOTAL	**304**	**5.1**	**27**	**1**	**2**	**4**	**6**	**9**	**13**	**33**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	36	1	1	7	11	13	13	13
20-34	4	4.8	39	1	1	2	8	14	14	14
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	12	2.7	4	<1	<1	2	4	6	7	7
65+	19	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	10	6.7	25	1	1	6	12	13	14	14
20-34	9	5.0	29	1	1	4	6	14	18	18
35-49	31	4.9	19	1	1	3	8	11	14	18
50-64	70	6.7	40	1	1	4	11	14	18	32
65+	89	6.9	51	1	1	4	10	15	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	8	11.6	118	2	2	7	22	26	27	27
65+	18	6.3	26	1	2	4	9	13	18	21
B. *Operated*										
0-19 YRS	5	6.8	9	5	5	5	8	12	12	12
20-34	20	13.7	150	1	2	9	19	35	41	42
35-49	31	11.7	63	2	2	11	17	24	27	29
50-64	85	11.7	50	1	3	11	15	22	24	35
65+	127	13.4	140	1	2	10	19	31	36	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.0	9	<1	<1	2	3	7	9	14
B. *Operated*	209	6.4	40	1	1	4	10	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	28	7.5	55	2	2	4	10	22	23	27
B. *Operated*	268	12.6	101	1	2	10	17	26	32	42
1. SINGLE DX	252	5.9	37	<1	1	3	9	13	18	31
2. MULTIPLE DX	296	12.1	99	1	2	10	16	24	32	42
A. NOT OPERATED	71	4.8	32	<1	<1	3	6	12	21	26
B. OPERATED	477	9.9	84	1	1	8	14	22	29	41
TOTAL 0-19 YRS	18	6.8	20	1	1	6	12	13	14	14
20-34	33	10.2	119	1	1	6	16	23	39	42
35-49	69	7.6	51	1	1	5	11	19	23	29
50-64	175	9.1	54	1	1	8	13	19	23	33
65+	253	9.8	104	1	1	6	14	23	32	42
GRAND TOTAL	**548**	**9.2**	**80**	**1**	**1**	**7**	**13**	**21**	**27**	**41**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	30	3.7	16	1	1	2	3	9	11	20
20-34	34	3.7	16	2	2	2	3	9	14	19
35-49	12	5.5	30	1	1	3	8	14	17	18
50-64	17	4.2	20	1	2	2	5	8	16	20
65+	12	4.0	13	<1	1	2	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	13.5	181	4	4	13	23	23	23	23
20-34	11	6.2	26	<1	1	3	12	13	13	13
35-49	8	5.8	22	<1	<1	5	10	11	12	12
50-64	17	8.6	49	2	2	6	17	18	19	19
65+	7	8.4	54	1	1	10	13	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	105	4.0	18	1	2	2	4	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*	45	7.7	42	<1	1	6	12	18	19	23
1. SINGLE DX	107	4.0	17	1	2	2	4	10	13	20
2. MULTIPLE DX	47	7.7	40	<1	1	6	12	18	19	23
A. NOT OPERATED	4	5.0	14	1	1	4	7	10	10	10
B. OPERATED	150	5.1	28	1	2	2	7	13	18	20
TOTAL 0-19 YRS	32	4.3	26	1	1	2	4	10	19	23
20-34	45	4.3	19	1	2	2	4	12	14	19
35-49	21	5.8	25	<1	1	3	10	12	15	18
50-64	34	6.4	38	2	2	4	8	18	19	20
65+	22	5.3	28	<1	1	2	10	12	16	20
GRAND TOTAL	**154**	**5.1**	**27**	**1**	**2**	**2**	**7**	**13**	**18**	**20**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	10	<1	<1	2	6	9	9	9
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	5	6.2	26	3	3	4	8	15	15	15
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	195	4.2	49	<1	1	3	4	7	9	43
20-34	199	3.3	8	<1	<1	2	4	7	9	15
35-49	194	3.4	9	<1	<1	3	4	6	9	18
50-64	168	3.2	8	<1	<1	2	4	6	9	16
65+	72	4.3	25	<1	1	3	5	8	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	8.3	18	3	3	8	11	13	13	13
65+	3	9.7	86	2	2	7	17	20	20	20
B. *Operated*										
0-19 YRS	34	6.3	47	1	2	4	7	12	26	29
20-34	59	6.7	173	<1	1	4	5	12	18	83
35-49	69	5.3	37	<1	<1	3	6	14	21	27
50-64	97	6.0	104	<1	<1	3	6	10	16	65
65+	62	8.5	91	1	2	6	10	17	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.1	11	<1	1	3	5	9	10	15
B. *Operated*	828	3.6	20	<1	<1	3	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	12	5.9	35	1	1	3	9	15	19	20
B. *Operated*	321	6.5	94	<1	1	4	7	13	20	61
1. SINGLE DX	854	3.6	19	<1	<1	3	4	7	9	19
2. MULTIPLE DX	333	6.5	92	<1	1	4	7	13	20	60
A. NOT OPERATED	38	4.7	18	1	1	3	7	10	14	20
B. OPERATED	1149	4.4	42	<1	<1	3	5	8	12	28
TOTAL 0-19 YRS	242	4.5	47	<1	1	3	5	7	10	32
20-34	265	4.0	46	<1	<1	3	4	7	10	22
35-49	266	3.9	17	<1	<1	3	4	8	11	22
50-64	274	4.3	44	<1	<1	3	5	9	12	29
65+	140	6.2	59	1	1	3	7	15	20	34
GRAND TOTAL	**1187**	**4.4**	**41**	**<1**	**<1**	**3**	**5**	**9**	**12**	**27**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.3	30	<1	1	5	11	17	18	18
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	181	3.2	15	<1	<1	2	3	7	10	24
20-34	63	2.9	8	<1	<1	2	4	6	8	16
35-49	64	4.0	20	<1	<1	2	5	9	14	25
50-64	46	4.8	41	<1	<1	3	6	9	16	39
65+	20	3.5	11	<1	<1	2	4	7	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.4	63	1	1	8	16	18	23	25
20-34	6	2.7	2	1	1	2	3	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	10.8	37	4	4	10	15	18	18	18
65+	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*										
0-19 YRS	35	8.3	135	1	1	4	11	17	28	63
20-34	38	5.1	52	<1	<1	2	5	13	26	30
35-49	15	10.3	296	<1	2	4	9	21	57	69
50-64	32	8.3	100	<1	1	3	11	27	32	37
65+	24	12.3	283	<1	<1	5	17	32	56	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.9	27	1	2	5	9	16	17	18
B. *Operated*	374	3.5	18	<1	<1	2	4	7	11	24
2. MULTIPLE DX										
A. *Not Operated*	28	8.2	47	1	1	6	14	18	19	25
B. *Operated*	144	8.3	147	<1	<1	3	10	21	30	68
1. SINGLE DX	396	3.7	19	<1	<1	2	4	8	13	24
2. MULTIPLE DX	172	8.3	131	<1	1	4	11	20	30	67
A. NOT OPERATED	50	7.6	38	1	1	5	13	17	18	25
B. OPERATED	518	4.8	58	<1	<1	2	5	11	17	38
TOTAL 0-19 YRS	250	4.6	40	<1	<1	2	5	12	17	29
20-34	109	3.7	24	<1	<1	2	4	7	13	28
35-49	81	5.2	74	<1	<1	3	5	11	16	56
50-64	82	6.5	66	<1	<1	3	8	18	27	38
65+	46	8.4	168	<1	<1	3	7	21	34	68
GRAND TOTAL	**568**	**5.1**	**57**	**<1**	**<1**	**2**	**5**	**13**	**18**	**36**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	34	1.7	1	<1	<1	2	2	3	3	6
20-34	136	1.8	1	<1	<1	2	2	3	3	4
35-49	87	1.9	1	<1	<1	2	2	3	3	5
50-64	40	2.7	2	<1	2	2	3	5	6	8
65+	15	3.1	4	1	2	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	35	2.1	1	<1	<1	2	3	3	5	5
35-49	48	2.4	3	<1	<1	2	3	5	6	8
50-64	32	2.9	3	<1	1	2	4	5	5	10
65+	18	4.1	4	1	2	4	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	312	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	135	2.7	3	<1	<1	2	3	5	6	9
1. SINGLE DX	314	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	135	2.7	3	<1	<1	2	3	5	6	9
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	447	2.2	2	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	37	1.9	2	<1	<1	2	2	3	5	8
20-34	171	1.8	1	<1	<1	2	2	3	3	5
35-49	135	2.1	1	<1	<1	2	3	3	4	7
50-64	73	2.8	3	<1	2	2	3	5	5	10
65+	33	3.7	4	1	2	3	5	6	8	9
GRAND TOTAL	**449**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	9	3.2	5	<1	<1	2	5	7	7	7
50-64	4	3.3		3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	104	6.2	7	1	2	6	7	9	9	14
35-49	414	6.7	7	1	2	7	8	9	10	13
50-64	87	6.7	14	1	2	7	8	10	13	20
65+	7	9.1	24	2	3	8	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.6	4	2	2	3	5	7	7	7
35-49	23	2.4	4	<1	<1	1	3	5	8	8
50-64	5	4.8	18	<1	<1	4	8	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	253	6.9	8	1	4	7	8	9	11	15
35-49	1595	7.8	9	4	6	7	9	11	13	20
50-64	369	8.2	13	2	5	8	9	12	15	20
65+	41	10.8	28	3	7	9	13	17	26	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	4	<1	<1	3	4	6	7	7
B. *Operated*	613	6.6	8	1	2	7	8	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	33	2.9	7	<1	<1	2	4	7	8	11
B. *Operated*	2258	7.8	11	2	5	7	9	11	13	21
1. SINGLE DX	630	6.5	8	1	2	7	8	9	10	16
2. MULTIPLE DX	2291	7.8	11	2	5	7	9	11	13	21
A. NOT OPERATED	50	2.9	5	<1	<1	2	4	7	8	11
B. OPERATED	2871	7.6	10	2	5	7	8	11	13	19
TOTAL 0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	365	6.6	8	1	2	7	8	9	10	15
35-49	2041	7.5	9	2	5	7	8	10	12	18
50-64	465	7.8	14	2	2	8	9	12	14	20
65+	48	10.6	27	2	7	9	13	17	26	99+
GRAND TOTAL	**2921**	**7.5**	**11**	**2**	**4**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	14	6.0	11	1	1	7	8	9	11	11
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	10.9	60	7	7	7	11	25	28	28
35-49	41	8.4	8	5	6	8	9	12	13	19
50-64	9	9.1	9	7	7	8	9	14	17	17
65+	3	4.7	14	2	2	3	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	20	5.3	11	1	1	5	8	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	61	8.5	15	3	5	8	9	12	15	27
1. SINGLE DX	21	5.0	11	1	1	4	8	9	10	11
2. MULTIPLE DX	61	8.5	15	3	5	8	9	12	15	27
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	81	7.7	16	1	2	8	9	12	13	25
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	8.4	56	1	2	7	8	20	28	28
35-49	56	7.7	10	1	2	8	9	12	13	19
50-64	11	7.9	15	2	3	8	9	12	17	17
65+	4	5.5	12	2	2	5	8	9	9	9
GRAND TOTAL	**82**	**7.6**	**16**	**1**	**2**	**8**	**9**	**12**	**13**	**25**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	32	5.9	2	4	4	6	7	8	8	8
20-34	161	5.7	3	4	4	5	6	8	8	12
35-49	46	7.0	4	4	5	7	8	10	11	13
50-64	29	7.9	7	5	6	7	8	12	15	15
65+	14	11.6	33	7	7	9	14	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	6.0	2	5	5	6	7	8	9	9
20-34	127	6.8	5	4	5	6	8	9	11	14
35-49	79	8.7	15	4	5	7	10	15	17	21
50-64	62	10.8	42	5	6	9	12	17	24	42
65+	43	13.3	50	6	7	11	16	24	30	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	282	6.4	7	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	322	8.9	26	4	5	8	9	15	18	30
1. SINGLE DX	286	6.4	7	4	4	6	7	9	10	16
2. MULTIPLE DX	324	8.8	26	4	5	7	9	15	18	30
A. NOT OPERATED	6	2.3	3	<1	<1	2	3	5	5	5
B. OPERATED	604	7.7	18	4	5	7	8	12	16	27
TOTAL 0-19 YRS	44	5.8	2	3	4	6	7	8	8	9
20-34	291	6.1	4	4	4	6	7	8	9	12
35-49	127	8.0	11	4	5	7	9	13	15	20
50-64	91	9.9	33	6	6	8	11	15	19	38
65+	57	12.9	46	7	7	10	16	24	28	34
GRAND TOTAL	**610**	**7.7**	**18**	**4**	**4**	**7**	**8**	**12**	**16**	**27**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.3	11	<1	<1	1	7	8	8	8
35-49	5	4.0	11	<1	<1	3	7	8	8	8
50-64	6	4.2	18	<1	<1	2	6	11	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	3	6.3	26	2	2	5	10	12	12	12
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	5.7	16	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	3.5	11	<1	<1	2	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	12	5.0	21	<1	1	3	8	13	14	14
1. SINGLE DX	20	3.5	11	<1	<1	2	6	8	10	12
2. MULTIPLE DX	13	5.1	19	<1	1	5	7	12	14	14
A. NOT OPERATED	1	6.0		6	6	6	6	6	6	6
B. OPERATED	32	4.1	15	<1	<1	2	6	11	12	14
TOTAL 0-19 YRS	3	5.7	52	1	1	2	11	14	14	14
20-34	10	4.5	14	<1	<1	4	7	10	12	12
35-49	9	3.2	8	<1	<1	2	5	8	8	8
50-64	7	3.7	17	<1	<1	2	5	11	12	12
65+	4	4.8	14	2	2	4	7	10	10	10
GRAND TOTAL	**33**	**4.1**	**14**	**<1**	**<1**	**2**	**6**	**10**	**12**	**14**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	11	3.8	6	<1	<1	3	5	8	9	9
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	7	3.4	9	<1	<1	2	4	9	10	10
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	6.0	27	3	3	3	10	12	12	12
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	4	12.5	70	4	4	11	18	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	3.7	6	<1	<1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	7.5	44	<1	2	5	11	17	23	24
1. SINGLE DX	25	3.7	6	<1	<1	3	4	7	9	10
2. MULTIPLE DX	11	7.5	44	<1	2	5	11	17	23	24
A. NOT OPERATED										
B. OPERATED	36	4.9	20	<1	<1	4	6	11	12	24
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	13	3.7	6	<1	<1	3	5	7	9	9
35-49	6	5.0	15	2	2	3	7	11	12	12
50-64	9	3.7	8	<1	1	3	4	8	10	10
65+	6	9.8	59	4	4	8	11	23	24	24
GRAND TOTAL	**36**	**4.9**	**20**	**<1**	**<1**	**4**	**6**	**11**	**12**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.8	15	<1	<1	2	6	10	10	10
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	10	10.4	62	2	3	8	17	22	26	26
65+	6	11.7	85	1	1	11	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	6	8.7	28	3	3	8	11	16	17	17
50-64	8	8.3	35	2	2	7	11	18	20	20
65+	23	5.6	14	1	2	4	8	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	23	8.5	61	<1	1	5	13	21	24	26
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	40	6.3	21	1	2	5	9	13	16	20
1. SINGLE DX	23	8.5	61	<1	1	5	13	21	24	26
2. MULTIPLE DX	41	6.3	21	1	2	5	9	13	15	20
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	63	7.1	36	<1	1	5	11	17	20	26
TOTAL 0-19 YRS										
20-34	8	3.3	10	<1	<1	2	4	8	10	10
35-49	8	6.9	31	<1	1	5	11	15	17	17
50-64	18	9.4	48	2	2	7	14	19	24	26
65+	30	6.7	32	1	2	5	9	14	21	23
GRAND TOTAL	**64**	**7.1**	**36**	**<1**	**2**	**5**	**10**	**17**	**20**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.0	11	1	1	2	3	6	12	14
20-34	6	2.0		<1	<1	2	2	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	17.5	13	15	15	17	20	20	20	20
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	3.5	1	3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	2.6	7	<1	<1	2	3	4	8	14
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	7	8.4	59	<1	<1	4	15	19	20	20
1. SINGLE DX	24	2.6	7	<1	<1	2	3	4	8	14
2. MULTIPLE DX	8	7.5	57	<1	<1	3	14	18	20	20
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	31	3.9	23	<1	<1	2	3	14	15	20
TOTAL 0-19 YRS	16	2.8	10	<1	1	2	3	5	11	14
20-34	7	2.0		<1	<1	2	2	3	3	3
35-49	4	9.8	85	<1	<1	9	17	20	20	20
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	3	2.7	2	<1	<1	3	4	4	4	4
GRAND TOTAL	**32**	**3.8**	**23**	**<1**	**<1**	**2**	**3**	**14**	**15**	**20**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	7.8	68	2	2	4	12	20	20	20
50-64	1	6.0		6	6	6	6	6	6	6
65+	5	7.4	36	2	2	6	11	17	17	17
B. *Operated*										
0-19 YRS	5	10.0	41	2	2	9	14	19	19	19
20-34	6	14.2	50	10	10	11	15	27	28	28
35-49	15	11.1	33	2	4	12	15	19	20	21
50-64	18	13.4	64	2	5	13	16	19	31	39
65+	7	15.6	86	7	7	14	16	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	242	1	1	12	23	23	23	23
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	19.0	753	2	2	7	34	60	60	60
65+	7	25.4	1106	1	2	11	73	95	99+	99+
B. *Operated*										
0-19 YRS	5	31.8	262	9	9	31	44	52	52	52
20-34	9	26.3	625	8	8	16	32	67	88	88
35-49	15	17.0	33	11	11	15	20	28	28	28
50-64	29	22.7	191	9	9	20	33	56	98	99+
65+	27	26.3	338	6	10	23	47	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.3	34	2	2	4	7	18	20	20
B. *Operated*	51	12.8	53	2	5	13	16	19	28	39
2. MULTIPLE DX										
A. *Not Operated*	14	20.0	754	1	1	7	51	83	96	99+
B. *Operated*	85	23.8	261	9	10	20	33	57	99+	99+
1. SINGLE DX	64	11.5	55	2	3	10	15	19	23	38
2. MULTIPLE DX	99	23.2	325	4	7	20	34	63	99+	99+
A. NOT OPERATED	27	13.4	441	1	2	5	15	62	85	99+
B. OPERATED	136	19.6	210	6	8	16	26	49	87	99+
TOTAL 0-19 YRS	13	18.1	254	1	2	13	27	43	50	52
20-34	17	19.3	399	3	4	13	23	35	70	88
35-49	35	13.0	49	2	4	12	19	21	26	28
50-64	52	18.8	192	4	7	15	23	50	59	99+
65+	46	22.5	400	3	5	17	38	92	99+	99+
GRAND TOTAL	**163**	**18.6**	**251**	**2**	**4**	**15**	**23**	**50**	**87**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	4.3	3	2	2	4	5	7	7	7
20-34	89	4.8	4	3	3	4	5	6	7	16
35-49	95	4.8	2	3	3	5	5	6	7	9
50-64	50	5.7	7	3	3	5	6	8	9	19
65+	23	5.3	3	3	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	5.0	3	3	3	5	6	6	9	10
35-49	35	5.3	1	4	4	5	6	7	7	9
50-64	54	5.8	9	2	3	5	6	9	11	20
65+	18	7.1	10	4	4	6	8	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	266	5.0	4	3	3	5	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	2	9.0	18	6	6	9	12	12	12	12
B. *Operated*	133	5.7	6	3	3	5	6	8	10	16
1. SINGLE DX	266	5.0	4	3	3	5	6	7	8	13
2. MULTIPLE DX	135	5.7	6	3	3	5	6	9	11	16
A. NOT OPERATED	2	9.0	18	6	6	9	12	12	12	12
B. OPERATED	399	5.2	5	3	3	5	6	7	9	15
TOTAL 0-19 YRS	10	4.4	2	2	2	4	5	6	7	7
20-34	115	4.8	4	3	3	4	6	6	8	13
35-49	130	4.9	2	3	4	5	6	7	7	9
50-64	105	5.8	8	3	3	5	6	9	11	19
65+	41	6.1	7	3	4	5	7	9	12	14
GRAND TOTAL	**401**	**5.2**	**5**	**3**	**3**	**5**	**6**	**7**	**9**	**15**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	17.5	115	5	5	15	26	32	33	33
35-49	10	10.1	45	4	4	6	18	19	20	20
50-64	9	6.7	4	5	5	6	9	9	9	9
65+	7	10.6	99	5	5	7	9	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	6	4.7	12	<1	<1	5	7	9	9	9
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	17	15.3	155	4	5	12	18	27	47	57
35-49	25	15.8	86	4	5	15	21	30	35	37
50-64	36	12.0	76	3	4	9	18	27	30	34
65+	18	15.0	151	5	5	10	15	34	45	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	5	3	3	5	7	8	8	8
B. *Operated*	33	10.6	63	4	5	7	12	21	32	33
2. MULTIPLE DX										
A. *Not Operated*	12	6.3	21	<1	1	6	9	12	16	17
B. *Operated*	98	14.1	104	4	5	11	19	28	35	54
1. SINGLE DX	37	10.1	60	4	4	7	11	20	30	33
2. MULTIPLE DX	110	13.3	101	3	4	10	17	27	34	53
A. NOT OPERATED	16	6.1	17	<1	1	6	8	10	15	17
B. OPERATED	131	13.2	96	4	5	10	18	27	33	52
TOTAL 0-19 YRS	3	11.3	42	5	5	11	16	18	18	18
20-34	28	13.8	134	3	4	11	18	27	35	57
35-49	43	12.5	79	2	4	9	18	24	32	37
50-64	47	11.1	63	4	4	8	15	24	28	34
65+	26	13.6	132	5	5	9	14	33	39	51
GRAND TOTAL	**147**	**12.4**	**92**	**4**	**4**	**9**	**17**	**26**	**33**	**51**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.7	1	1	1	3	4	4	4	4
20-34	529	4.1	6	1	2	3	6	8	8	10
35-49	149	5.2	7	2	2	5	7	8	9	12
50-64	22	5.1	10	2	2	4	8	9	10	11
65+	9	4.8	8	1	1	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	3	4.3	24	1	1	2	8	10	10	10
65+										
B. *Operated*										
0-19 YRS	6	3.2	3	2	2	3	4	6	6	6
20-34	343	5.8	14	2	2	6	8	10	12	19
35-49	168	6.6	8	2	2	7	8	10	11	17
50-64	45	8.9	41	2	3	8	10	14	24	33
65+	11	6.6	19	<1	1	7	10	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*	719	4.3	6	2	2	3	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	8	2.4	10	<1	<1	1	2	8	10	10
B. *Operated*	573	6.2	15	2	2	6	8	10	12	20
1. SINGLE DX	722	4.3	6	2	2	3	6	8	9	11
2. MULTIPLE DX	581	6.2	15	1	2	6	8	10	12	20
A. NOT OPERATED	11	2.8	8	<1	<1	2	4	7	10	10
B. OPERATED	1292	5.2	11	2	2	5	7	9	10	16
TOTAL 0-19 YRS	16	2.9	2	1	2	3	4	4	6	6
20-34	877	4.7	10	1	2	4	7	8	10	15
35-49	320	5.9	8	2	2	6	8	9	10	14
50-64	70	7.5	33	2	2	7	9	12	15	33
65+	20	5.8	15	<1	1	5	8	11	13	14
GRAND TOTAL	**1303**	**5.1**	**11**	**2**	**2**	**5**	**7**	**9**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	8	5.9	11	1	2	5	8	11	11	11
65+	9	8.1	105	2	2	5	9	25	34	34
B. *Operated*										
0-19 YRS										
20-34	10	5.7	5	3	3	5	8	9	10	10
35-49	27	6.5	16	1	1	7	8	12	13	16
50-64	32	8.7	57	1	1	7	12	18	28	32
65+	48	8.5	116	1	2	5	12	16	24	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	7	6.7	24	2	2	6	9	15	16	16
65+	11	11.3	98	1	2	8	16	26	35	36
B. *Operated*										
0-19 YRS										
20-34	6	9.2	28	2	2	9	13	16	16	16
35-49	16	6.0	10	2	2	5	8	9	13	14
50-64	45	8.8	70	1	2	7	10	18	22	50
65+	51	9.9	145	2	2	6	13	18	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.6	51	1	2	5	8	11	23	34
B. *Operated*	117	7.8	67	1	1	6	10	14	19	45
2. MULTIPLE DX										
A. *Not Operated*	20	8.9	68	1	2	6	11	18	27	36
B. *Operated*	118	8.9	92	2	2	6	10	17	21	57
1. SINGLE DX	137	7.7	65	1	1	6	10	14	19	38
2. MULTIPLE DX	138	8.9	88	1	2	6	10	17	21	52
A. NOT OPERATED	40	7.8	59	1	2	6	10	16	26	36
B. OPERATED	235	8.4	80	1	2	6	10	16	21	53
TOTAL 0-19 YRS										
20-34	18	6.5	16	2	2	5	8	13	15	16
35-49	46	6.2	13	1	1	6	8	12	13	15
50-64	92	8.3	56	1	2	7	10	17	21	42
65+	119	9.3	124	1	2	5	12	17	34	68
GRAND TOTAL	**275**	**8.3**	**77**	**1**	**2**	**6**	**10**	**16**	**21**	**47**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.3	186	<1	<1	2	5	25	44	52
20-34	13	5.5	78	<1	<1	2	6	15	30	33
35-49	13	4.3	15	1	1	3	6	12	12	12
50-64	33	6.8	48	1	1	4	8	15	21	35
65+	40	9.2	78	<1	1	6	11	22	28	39
B. *Operated*										
0-19 YRS	27	6.7	45	1	2	4	9	15	19	32
20-34	59	5.8	14	1	1	5	8	10	15	17
35-49	54	7.2	35	<1	1	6	9	14	19	32
50-64	73	7.0	39	1	1	4	10	16	21	28
65+	70	7.4	40	1	2	5	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.1	46	1	1	4	7	16	24	24
20-34	12	8.3	145	<1	1	4	8	23	42	45
35-49	9	4.3	20	<1	<1	2	8	11	13	13
50-64	41	9.4	93	1	1	7	11	19	36	42
65+	100	12.5	187	1	2	8	15	30	47	91
B. *Operated*										
0-19 YRS	18	11.9	163	1	2	8	12	26	44	55
20-34	40	10.9	164	1	1	7	13	33	54	99+
35-49	33	9.2	98	1	2	7	11	22	49	99+
50-64	76	10.8	136	1	1	7	15	24	34	55
65+	124	13.2	134	2	2	12	18	26	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	7.3	77	<1	1	4	9	21	28	44
B. *Operated*	283	6.8	34	1	1	5	9	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	172	10.7	149	1	1	8	12	23	41	79
B. *Operated*	291	11.7	136	1	2	8	16	25	39	86
1. SINGLE DX	398	7.0	46	1	1	5	9	15	21	33
2. MULTIPLE DX	463	11.3	141	1	2	8	15	25	39	80
A. NOT OPERATED	287	9.3	123	1	1	6	11	21	35	59
B. OPERATED	574	9.3	92	1	2	7	12	21	28	57
TOTAL 0-19 YRS	71	8.1	107	1	1	4	9	19	28	54
20-34	124	7.6	85	1	1	5	9	15	31	68
35-49	109	7.2	53	<1	1	6	9	14	21	73
50-64	223	8.7	85	1	1	6	11	21	26	46
65+	334	11.3	128	1	2	8	15	24	33	70
GRAND TOTAL	**861**	**9.3**	**102**	**1**	**1**	**6**	**12**	**21**	**30**	**57**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	2	4.0		4	4	4	4	4	4	4
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	6	5.0	1	4	4	5	5	7	7	7
20-34	37	5.1	2	3	4	5	6	7	7	8
35-49	48	5.0	2	3	3	5	6	7	7	9
50-64	62	5.8	7	3	4	5	6	8	12	16
65+	38	6.9	7	3	4	7	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.8	3	1	1	3	4	5	5	5
35-49	4	3.5		3	3	3	4	4	4	4
50-64	5	7.4	55	1	1	3	15	16	16	16
65+	5	5.4	18	2	2	3	9	11	11	11
B. *Operated*										
0-19 YRS										
20-34	12	5.8	17	3	3	4	5	14	15	15
35-49	27	6.4	7	3	4	6	8	10	11	14
50-64	65	7.1	17	3	4	6	7	11	16	25
65+	32	7.9	23	4	4	7	9	11	12	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.6	2	1	2	4	4	6	6	6
B. *Operated*	191	5.6	5	3	4	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	21	4.6	19	1	1	3	4	13	15	16
B. *Operated*	136	7.0	16	3	4	6	8	11	15	26
1. SINGLE DX	199	5.6	5	3	4	5	6	8	10	14
2. MULTIPLE DX	157	6.7	17	2	3	6	8	11	15	25
A. NOT OPERATED	29	4.3	14	1	1	3	4	10	15	16
B. OPERATED	327	6.2	10	3	4	6	7	10	12	18
TOTAL 0-19 YRS	7	4.6	2	2	2	5	5	7	7	7
20-34	56	4.9	5	3	3	5	6	7	8	15
35-49	82	5.3	4	3	3	5	6	8	9	13
50-64	134	6.4	13	3	4	6	7	11	15	22
65+	77	7.1	15	2	4	7	8	11	12	26
GRAND TOTAL	**356**	**6.1**	**11**	**3**	**3**	**5**	**7**	**10**	**12**	**17**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.4	27	1	1	6	8	14	19	19
20-34	25	5.7	24	1	1	4	8	13	16	17
35-49	26	7.0	37	2	3	5	8	14	20	31
50-64	31	8.4	36	2	2	7	8	19	20	26
65+	15	9.1	53	1	3	7	11	24	25	26
B. *Operated*										
0-19 YRS	20	7.6	49	3	4	6	8	10	23	36
20-34	42	4.6	2	2	3	4	5	7	8	9
35-49	44	5.2	2	3	4	5	6	7	8	10
50-64	31	5.6	11	1	2	5	7	9	11	18
65+	17	5.5	5	2	3	5	7	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.2	48	1	2	7	14	16	25	27
20-34	35	6.9	20	<1	1	6	10	13	15	20
35-49	40	8.5	49	2	3	7	10	14	25	35
50-64	76	9.7	53	2	3	7	13	19	23	37
65+	90	12.1	78	3	4	10	15	27	30	43
B. *Operated*										
0-19 YRS	4	17.0	289	4	4	11	27	42	42	42
20-34	26	8.7	52	3	4	7	10	13	24	38
35-49	29	6.3	16	2	2	5	7	13	14	19
50-64	36	9.1	66	2	4	6	11	19	26	42
65+	29	17.1	202	4	4	14	26	49	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	7.3	35	1	2	6	9	16	20	28
B. *Operated*	154	5.5	11	2	3	5	6	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	255	9.9	59	2	3	8	12	20	27	38
B. *Operated*	124	10.5	103	2	4	7	12	24	39	67
1. SINGLE DX	262	6.2	22	2	2	5	7	11	15	26
2. MULTIPLE DX	379	10.1	73	2	3	7	12	21	28	47
A. NOT OPERATED	363	9.2	53	2	3	7	12	19	26	35
B. OPERATED	278	7.7	58	2	3	6	8	14	24	50
TOTAL 0-19 YRS	49	8.5	64	2	2	6	10	15	27	42
20-34	128	6.3	23	1	2	5	8	12	14	25
35-49	139	6.7	26	2	3	5	8	11	15	32
50-64	174	8.6	47	2	3	6	11	19	22	37
65+	151	12.0	100	3	4	9	15	27	31	56
GRAND TOTAL	**641**	**8.5**	**56**	**2**	**3**	**6**	**10**	**17**	**25**	**42**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.0	35	1	2	7	11	15	18	32
20-34	100	7.3	20	2	2	7	9	13	16	23
35-49	118	7.8	23	1	3	7	10	14	16	24
50-64	206	8.8	33	2	3	8	11	16	19	27
65+	323	10.0	51	2	3	8	13	18	24	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	3	11.3	114	2	2	9	19	23	23	23
65+	3	10.3	72	2	2	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	7.8	108	1	1	5	9	16	24	59
20-34	101	7.1	27	1	2	6	9	13	16	27
35-49	197	8.0	30	2	3	7	10	15	19	30
50-64	486	9.8	52	3	3	8	13	18	23	33
65+	973	12.5	128	3	3	10	16	26	40	99+
B. *Operated*										
0-19 YRS	4	9.0	22	3	3	9	12	14	14	14
20-34	13	18.5	570	5	6	13	17	96	99	99+
35-49	13	14.1	108	4	5	12	16	27	41	44
50-64	41	15.9	241	2	4	12	18	29	37	97
65+	59	18.6	184	6	8	15	22	38	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	922	8.8	38	2	3	7	11	16	21	31
B. *Operated*	7	11.9	70	2	2	10	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	1859	10.8	94	2	3	8	14	22	30	99+
B. *Operated*	130	17.0	226	4	6	13	20	35	44	99+
1. SINGLE DX	929	8.8	38	2	3	8	11	17	21	31
2. MULTIPLE DX	1989	11.2	105	2	3	9	14	22	31	99+
A. NOT OPERATED	2781	10.1	76	2	3	8	13	20	26	75
B. OPERATED	137	16.7	218	4	6	13	20	34	43	99+
TOTAL 0-19 YRS	281	8.0	61	1	2	6	10	15	21	32
20-34	214	7.9	61	2	2	6	10	14	17	56
35-49	329	8.2	32	2	3	7	10	15	18	30
50-64	736	9.9	59	2	3	8	12	18	23	33
65+	1358	12.1	114	2	3	9	15	24	36	99+
GRAND TOTAL	**2918**	**10.4**	**85**	**2**	**3**	**8**	**13**	**20**	**27**	**89**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	6.0	17	1	2	5	9	12	15	17
20-34	104	6.2	22	1	2	5	8	13	16	20
35-49	48	7.5	31	1	2	6	10	15	20	23
50-64	27	7.3	18	2	2	7	9	14	14	15
65+	35	14.6	134	2	3	10	17	36	40	47
B. *Operated*										
0-19 YRS	2	14.0	72	8	8	14	20	20	20	20
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	7.0	92	1	1	4	9	13	21	62
20-34	95	6.5	19	2	2	6	8	12	15	22
35-49	39	9.7	56	2	3	8	12	21	28	33
50-64	73	12.9	197	2	3	10	13	27	43	83
65+	120	15.6	175	3	5	12	20	32	55	99+
B. *Operated*										
0-19 YRS	3	8.3	4	6	6	9	10	10	10	10
20-34	6	13.8	54	2	3	15	21	21	21	21
35-49	5	25.6	697	9	9	14	34	72	72	72
50-64	7	23.9	370	9	9	16	37	55	58	58
65+	13	35.3	853	9	11	19	51	88	93	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	7.1	37	1	2	6	9	14	17	35
B. *Operated*	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	456	10.4	126	1	2	7	12	23	30	69
B. *Operated*	34	25.4	560	7	9	16	23	67	83	94
1. SINGLE DX	381	7.1	37	1	2	6	9	14	17	35
2. MULTIPLE DX	490	11.4	170	2	2	8	13	24	39	82
A. NOT OPERATED	835	8.9	88	1	2	6	11	17	26	56
B. OPERATED	36	24.7	537	7	9	16	22	65	82	94
TOTAL 0-19 YRS	299	6.5	50	1	2	4	9	12	16	34
20-34	205	6.6	23	1	2	5	9	13	16	21
35-49	92	9.4	86	1	2	7	11	19	23	56
50-64	107	12.2	174	2	2	9	13	25	44	72
65+	168	16.9	242	3	5	12	20	40	56	99
GRAND TOTAL	**871**	**9.5**	**116**	**1**	**2**	**7**	**11**	**18**	**27**	**67**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	7.6	24	2	2	6	11	15	16	22
20-34	162	7.9	56	2	3	6	10	13	15	31
35-49	167	7.6	20	2	3	7	10	12	15	24
50-64	315	8.0	24	2	3	7	10	14	17	24
65+	409	10.1	58	3	4	9	12	17	24	42
B. *Operated*										
0-19 YRS	2	11.0	162	2	2	11	20	20	20	20
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	21.5	85	15	15	21	28	28	28	28
50-64	10	11.3	99	2	2	9	18	26	32	32
65+	15	9.4	45	5	5	6	11	20	27	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	6.8	38	1	1	5	10	14	19	29
20-34	247	8.0	64	1	2	6	10	14	20	42
35-49	316	9.4	56	2	3	8	12	16	21	39
50-64	814	10.3	59	2	3	8	13	20	25	47
65+	1347	13.2	137	3	4	10	16	25	36	84
B. *Operated*										
0-19 YRS	9	14.9	92	4	5	12	24	29	31	31
20-34	82	15.6	192	2	4	10	24	35	45	91
35-49	91	15.0	158	2	5	12	19	38	60	99+
50-64	180	19.8	287	2	4	15	27	49	71	99+
65+	258	23.9	456	4	5	18	38	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1197	8.6	40	2	3	7	11	15	19	31
B. *Operated*	31	10.5	[illegible]	2	3	6	14	24	29	32
2. MULTIPLE DX										
A. *Not Operated*	2806	11.3	100	2	3	9	14	22	29	66
B. *Operated*	620	20.1	334	3	5	15	30	57	92	99+
1. SINGLE DX	1228	8.7	41	2	3	7	11	15	19	31
2. MULTIPLE DX	3426	12.9	154	2	4	9	16	27	41	99+
A. NOT OPERATED	4003	10.5	84	2	3	8	13	20	26	55
B. OPERATED	651	19.7	326	3	4	15	29	54	90	99+
TOTAL 0-19 YRS	237	7.6	34	1	2	6	11	15	19	27
20-34	493	9.2	90	2	2	7	11	18	28	60
35-49	576	9.8	68	2	3	8	12	17	26	59
50-64	1319	11.1	95	2	3	8	14	22	30	70
65+	2029	13.9	176	3	4	10	16	29	47	99+
GRAND TOTAL	**4654**	**11.8**	**128**	**2**	**3**	**9**	**14**	**24**	**35**	**91**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	40	1	1	7	10	18	18	18
20-34	8	3.9	7	1	1	3	5	8	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	6	<1	<1	4	6	7	7	7
20-34	58	4.3	7	<1	<1	5	6	7	9	12
35-49	11	3.7	12	<1	<1	<1	7	9	10	10
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	13	5.1	8	<1	2	4	7	9	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	10	5.0	9	1	1	5	7	9	11	11
20-34	59	4.6	7	<1	1	5	7	8	9	12
35-49	15	10.3	32	1	3	9	13	15	23	25
50-64	3	3.3	5	2	2	2	5	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.3	21	1	1	5	7	11	17	18
B. *Operated*	78	4.1	7	<1	<1	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	16	5.3	9	1	2	4	7	10	11	11
B. *Operated*	87	5.6	16	1	1	5	7	10	13	21
1. SINGLE DX	91	4.3	9	<1	<1	5	6	7	10	16
2. MULTIPLE DX	103	5.5	15	1	2	5	7	11	12	20
A. NOT OPERATED	29	5.3	14	1	1	4	7	10	12	18
B. OPERATED	165	4.9	12	<1	<1	5	7	9	11	15
TOTAL 0-19 YRS	25	5.4	15	<1	1	5	7	11	13	18
20-34	138	4.5	7	<1	1	5	6	7	9	12
35-49	27	7.4	33	<1	<1	8	10	14	17	25
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**194**	**4.9**	**12**	**<1**	**1**	**5**	**7**	**9**	**11**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.8	19	<1	1	2	5	8	15	22
20-34	59	5.3	23	<1	1	4	8	11	17	21
35-49	42	5.1	23	<1	1	4	7	12	15	22
50-64	51	4.8	20	1	1	3	6	10	15	23
65+	58	6.5	30	1	2	6	8	13	19	28
B. *Operated*										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	7	10.9	27	4	4	11	16	17	17	17
35-49	10	7.8	18	2	3	7	8	15	17	17
50-64	5	8.2	39	2	2	8	14	15	15	15
65+	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.7	8	1	1	3	5	8	11	79
20-34	76	5.3	23	1	1	4	7	12	14	25
35-49	85	6.9	49	1	1	4	9	17	21	36
50-64	102	8.5	86	1	1	6	10	16	22	53
65+	213	11.1	146	2	2	7	13	23	35	67
B. *Operated*										
0-19 YRS	8	15.5	107	6	7	12	18	33	38	38
20-34	13	9.3	42	1	2	7	13	20	22	22
35-49	26	15.5	120	2	3	14	21	32	38	44
50-64	22	14.6	97	3	4	12	23	33	59	99+
65+	19	15.3	116	4	6	14	21	39	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	5.1	24	1	1	4	7	11	16	23
B. *Operated*	28	8.1	24	2	2	7	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	549	8.2	91	1	1	5	10	18	25	58
B. *Operated*	88	14.3	101	3	4	13	19	32	38	99+
1. SINGLE DX	298	5.4	24	1	1	4	7	12	16	23
2. MULTIPLE DX	637	9.0	97	1	1	6	12	20	31	63
A. NOT OPERATED	819	7.1	71	1	1	4	9	15	22	49
B. OPERATED	116	12.8	89	2	3	11	17	28	37	99+
TOTAL 0-19 YRS	145	4.4	25	1	1	3	5	10	14	40
20-34	155	5.9	27	1	1	4	8	13	18	22
35-49	163	7.8	63	1	1	5	11	18	24	37
50-64	180	8.2	75	1	1	6	10	18	24	55
65+	292	10.4	124	2	2	7	12	23	34	67
GRAND TOTAL	**935**	**7.8**	**77**	**1**	**1**	**5**	**10**	**17**	**24**	**50**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.4	5	2	3	5	7	9	10	10
20-34	3	6.7	22	3	3	5	10	12	12	12
35-49	5	14.4	220	2	2	9	20	40	40	40
50-64	2	9.5	1	9	9	9	10	10	10	10
65+	17	11.4	70	2	3	7	19	23	26	28
B. *Operated*										
0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	24.0		24	24	24	24	24	24	24
50-64	2	18.5	545	2	2	18	35	35	35	35
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	11.0	92	3	4	8	14	18	35	45
20-34	7	9.0	200	3	3	4	5	34	41	41
35-49	13	8.6	39	1	1	10	14	15	19	20
50-64	20	13.5	132	3	5	10	15	31	44	47
65+	58	19.7	347	3	4	13	28	50	67	99
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	20.6	205	4	4	18	28	43	43	43
50-64	3	13.0	97	5	5	17	62	99+	99+	99+
65+	12	30.1	275	12	13	24	39	58	61	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.1	62	2	3	6	10	21	25	40
B. *Operated*	7	11.3	176	<1	<1	4	21	33	35	35
2. MULTIPLE DX										
A. *Not Operated*	122	15.2	236	3	3	10	19	41	49	93
B. *Operated*	22	24.0	246	5	8	23	37	57	75	99+
1. SINGLE DX	50	9.4	75	2	2	6	11	22	28	40
2. MULTIPLE DX	144	16.5	246	3	4	11	22	42	52	99+
A. NOT OPERATED	165	13.6	197	3	3	9	16	33	45	88
B. OPERATED	29	21.0	253	2	3	17	35	49	62	99+
TOTAL 0-19 YRS	43	8.8	63	2	3	7	11	16	22	45
20-34	12	8.0	116	3	3	4	7	21	38	41
35-49	24	13.0	123	1	2	12	16	26	41	43
50-64	27	13.5	128	3	4	10	16	40	52	99+
65+	88	19.3	306	3	4	14	26	46	62	96
GRAND TOTAL	**194**	**14.7**	**211**	**2**	**3**	**10**	**19**	**38**	**48**	**96**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	11.7	67	3	4	11	14	22	27	43
20-34	15	16.0	91	2	4	14	20	33	35	36
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	12.2	38	2	3	13	16	20	22	27
20-34	22	16.1	412	3	5	9	16	35	75	84
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	14.8	142	2	2	21	23	27	27	27
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	12.6	74	3	4	11	15	23	32	42
B. *Operated*	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	117	12.9	108	2	3	12	16	20	23	74
B. *Operated*	6	18.5	196	2	2	21	27	36	37	37
1. SINGLE DX	74	12.9	79	3	4	12	15	25	33	42
2. MULTIPLE DX	123	13.2	112	2	3	12	16	22	24	73
A. NOT OPERATED	190	12.8	94	2	4	12	16	21	25	59
B. OPERATED	7	20.6	193	2	2	22	31	36	37	37
TOTAL 0-19 YRS	159	12.2	54	2	3	12	16	22	25	38
20-34	38	16.6	280	3	4	14	18	35	56	84
35-49										
50-64										
65+										
GRAND TOTAL	**197**	**13.1**	**99**	**2**	**3**	**12**	**16**	**22**	**27**	**57**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.3	28	3	3	8	14	17	17	17
20-34	3	10.0	49	3	3	10	15	17	17	17
35-49	6	26.7	973	2	2	14	45	77	81	81
50-64	3	17.7	217	<1	<1	23	27	29	29	29
65+	5	9.4	36	1	1	13	14	14	14	14
B. *Operated*										
0-19 YRS	6	11.7	67	7	7	9	11	26	28	28
20-34	113	8.8	5	6	7	8	10	11	12	20
35-49	57	8.9	6	5	6	8	11	12	13	16
50-64	11	8.7	1	7	7	9	9	10	10	10
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.8	13	2	3	6	8	11	15	17
20-34	27	6.4	22	<1	1	7	9	13	17	18
35-49	34	7.8	38	1	2	7	12	19	20	21
50-64	47	11.9	67	1	3	10	16	25	29	36
65+	22	16.5	385	2	3	9	20	31	58	94
B. *Operated*										
0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	54	12.0	45	6	7	10	13	16	31	39
35-49	71	13.0	99	7	7	10	13	21	44	92
50-64	18	12.5	35	4	6	12	14	22	26	27
65+	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	14.4	285	1	2	10	17	28	52	81
B. *Operated*	188	8.9	7	6	7	8	10	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	148	10.0	102	1	2	8	12	20	28	37
B. *Operated*	147	12.7	72	6	7	11	14	19	33	65
1. SINGLE DX	214	9.6	43	5	6	8	10	12	16	35
2. MULTIPLE DX	295	11.3	88	2	3	10	13	20	29	59
A. NOT OPERATED	174	10.7	130	1	2	8	13	20	29	72
B. OPERATED	335	10.6	39	6	7	9	11	14	19	47
TOTAL 0-19 YRS	35	9.1	44	3	3	7	11	17	25	33
20-34	197	9.3	22	3	6	8	10	13	16	35
35-49	168	11.1	94	2	5	9	11	17	25	78
50-64	79	11.8	56	2	4	10	14	25	29	34
65+	30	14.8	295	1	2	10	16	29	34	94
GRAND TOTAL	**509**	**10.6**	**70**	**2**	**5**	**9**	**11**	**17**	**25**	**49**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	5.5	21	<1	1	4	7	10	16	20
20-34	16	5.1	25	<1	1	4	7	8	17	21
35-49	17	5.5	18	1	2	4	6	11	16	18
50-64	23	4.9	7	1	2	5	6	9	10	12
65+	23	6.5	24	<1	1	5	8	16	18	18
B. *Operated*										
0-19 YRS	19	7.0	28	1	1	5	11	15	17	18
20-34	46	5.1	9	<1	1	4	7	8	10	15
35-49	46	4.9	28	<1	<1	4	6	8	11	35
50-64	33	8.5	55	<1	2	7	10	17	23	39
65+	9	9.0	92	1	1	4	16	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	9.1	96	2	2	6	10	17	36	49
20-34	34	8.1	45	1	3	6	10	16	24	32
35-49	46	6.8	19	2	2	6	9	14	17	18
50-64	58	9.1	66	1	3	6	11	21	30	37
65+	68	10.5	99	1	2	8	14	23	36	45
B. *Operated*										
0-19 YRS	15	10.0	86	1	1	7	14	27	28	28
20-34	59	5.9	11	2	2	5	7	10	14	17
35-49	82	5.9	12	2	3	5	7	11	14	74
50-64	49	11.0	162	1	2	7	11	32	34	71
65+	39	13.1	144	1	2	10	18	33	39	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	5.5	19	<1	1	5	7	10	16	20
B. *Operated*	153	6.2	33	<1	1	4	8	12	16	35
2. MULTIPLE DX										
A. *Not Operated*	276	8.9	72	1	2	6	11	17	29	43
B. *Operated*	244	8.3	75	2	2	5	10	17	27	55
1. SINGLE DX	276	5.9	27	<1	1	5	7	11	16	26
2. MULTIPLE DX	520	8.6	73	1	2	6	10	17	28	45
A. NOT OPERATED	399	7.9	58	1	2	6	10	16	23	41
B. OPERATED	397	7.5	60	1	2	5	9	15	22	40
TOTAL 0-19 YRS	148	7.9	66	1	2	5	10	15	27	44
20-34	155	6.0	20	1	2	5	8	10	15	26
35-49	191	5.8	18	1	2	5	7	11	15	30
50-64	163	9.0	87	1	2	6	10	20	32	39
65+	139	10.5	102	1	1	7	15	22	36	47
GRAND TOTAL	**796**	**7.7**	**59**	**1**	**2**	**5**	**9**	**15**	**22**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	6.3	36	3	3	4	7	15	23	23
35-49	18	4.4	9	1	2	4	6	8	11	12
50-64	27	5.9	23	1	2	5	6	10	15	26
65+	47	6.1	16	2	2	6	8	9	11	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	5.7	10	3	3	5	5	11	12	12
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.0	18	1	1	6	8	12	14	14
35-49	16	5.6	9	2	3	5	7	11	12	12
50-64	44	8.5	41	3	3	7	11	14	16	41
65+	105	8.6	41	2	3	7	11	14	18	37
B. *Operated*										
0-19 YRS										
20-34	3	18.3	137	5	5	23	26	27	27	27
35-49	1	18.0		18	18	18	18	18	18	18
50-64	11	9.3	36	3	3	7	12	19	22	22
65+	15	22.2	134	5	10	19	29	40	44	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.8	18	1	2	5	7	9	12	26
B. *Operated*	9	4.3	11	1	1	4	5	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	174	8.1	38	2	3	7	11	14	17	39
B. *Operated*	30	16.9	123	3	4	17	23	31	40	46
1. SINGLE DX	111	5.7	18	1	2	5	7	9	12	26
2. MULTIPLE DX	204	9.4	59	2	3	7	12	18	26	42
A. NOT OPERATED	276	7.3	32	2	2	6	9	13	15	31
B. OPERATED	39	14.0	125	2	3	12	21	29	37	46
TOTAL 0-19 YRS										
20-34	22	7.8	54	1	2	5	8	23	25	27
35-49	36	5.2	14	1	2	4	7	11	12	18
50-64	88	7.6	34	2	3	6	10	13	17	35
65+	169	9.0	60	2	3	7	10	17	26	43
GRAND TOTAL	**315**	**8.1**	**48**	**2**	**3**	**6**	**10**	**14**	**23**	**40**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.2	6	<1	1	3	5	7	8	9
20-34	4	5.0	12	2	2	5	8	8	8	8
35-49	8	5.5	41	2	2	3	5	16	21	21
50-64	15	5.6	16	2	2	4	7	11	14	15
65+	40	8.5	59	1	2	6	12	18	27	32
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.1	26	1	1	4	6	9	19	25
20-34	35	3.5	9	1	1	3	5	6	11	14
35-49	47	5.8	22	1	2	4	8	11	16	24
50-64	110	8.6	57	2	2	6	10	16	27	39
65+	418	14.0	203	3	4	9	18	37	58	99+
B. *Operated*										
0-19 YRS	3	24.3	1066	4	4	7	48	62	62	62
20-34										
35-49	5	10.6	26	2	2	11	14	15	15	15
50-64	9	11.4	54	2	4	8	16	22	26	26
65+	23	27.5	417	6	7	24	38	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	5.9	36	1	1	4	8	14	18	32
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	679	11.1	153	2	2	7	13	27	46	99+
B. *Operated*	40	21.5	364	3	6	17	29	76	99+	99+
1. SINGLE DX	100	5.9	35	1	1	4	8	13	18	31
2. MULTIPLE DX	719	11.7	170	2	2	7	14	29	47	99+
A. NOT OPERATED	778	10.5	141	1	2	7	12	25	39	99+
B. OPERATED	41	21.1	363	3	5	16	29	74	99+	99+
TOTAL 0-19 YRS	104	5.1	52	1	1	3	6	9	18	43
20-34	39	3.7	9	1	1	3	5	8	13	99+
35-49	60	6.2	26	1	2	4	8	14	16	24
50-64	134	8.4	53	2	2	6	11	16	27	38
65+	482	14.2	211	2	3	9	19	37	61	99+
GRAND TOTAL	**819**	**11.0**	**157**	**1**	**2**	**7**	**13**	**27**	**46**	**99+**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	7.6	27	2	2	6	11	15	18	23
20-34	10	5.1	14	1	1	5	9	10	10	10
35-49	21	5.4	17	<1	<1	5	8	12	13	13
50-64	22	7.5	21	1	2	7	11	14	15	16
65+	91	7.5	33	1	1	6	12	15	17	26
B. *Operated*										
0-19 YRS	7	7.6	8	3	4	7	9	12	12	12
20-34	10	7.7	59	<1	<1	6	11	20	24	24
35-49	6	7.7	18	4	4	6	12	14	14	14
50-64	10	9.1	9	5	5	9	11	13	14	14
65+	27	10.7	45	3	5	9	15	20	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	7.6	28	1	2	7	11	13	16	29
20-34	27	5.0	37	<1	1	3	6	12	18	29
35-49	46	7.1	33	1	1	6	9	13	21	24
50-64	52	13.4	167	3	4	11	14	22	36	74
65+	328	11.8	101	2	3	9	15	23	32	69
B. *Operated*										
0-19 YRS	7	13.0	75	2	2	11	22	22	22	22
20-34	5	7.8	57	1	1	8	11	20	20	20
35-49	27	11.7	37	4	5	11	14	19	23	32
50-64	40	15.4	133	5	6	11	19	30	35	64
65+	142	17.0	122	5	7	15	21	30	34	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	7.2	28	1	2	6	10	15	17	23
B. *Operated*	60	9.3	34	2	3	8	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	550	10.5	91	1	2	8	13	21	27	63
B. *Operated*	221	15.8	114	5	6	14	20	29	33	70
1. SINGLE DX	275	7.7	30	1	2	6	11	15	17	24
2. MULTIPLE DX	771	12.0	103	2	3	10	15	23	31	64
A. NOT OPERATED	765	9.6	75	1	2	8	13	19	25	49
B. OPERATED	281	14.4	104	4	5	12	18	26	32	64
TOTAL 0-19 YRS	182	7.6	29	2	2	7	11	14	19	27
20-34	52	5.8	38	1	1	4	8	13	20	29
35-49	100	8.0	35	1	1	7	12	15	20	28
50-64	124	12.7	124	3	4	10	15	23	32	67
65+	588	12.4	102	2	3	10	16	23	32	65
GRAND TOTAL	**1046**	**10.9**	**87**	**1**	**2**	**9**	**14**	**22**	**28**	**61**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	3	2	2	4	5	7	7	7
20-34	6	4.7	3	2	2	5	5	7	7	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	5	4	4	6	8	10	10	10
20-34	6	7.7	54	1	1	6	7	20	22	22
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.5	3	2	2	5	5	7	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	6.9	27	1	3	6	7	14	21	22
B. *Operated*	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX	15	4.5	3	2	2	5	5	7	8	8
2. MULTIPLE DX	13	7.2	26	1	3	6	8	13	20	22
A. NOT OPERATED	27	5.6	15	2	2	5	7	8	12	22
B. OPERATED	1	11.0		11	11	11	11	11	11	11
TOTAL 0-19 YRS	11	5.4	5	2	3	5	7	8	10	10
20-34	12	6.2	28	1	2	5	6	12	21	22
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	9.5	5	8	8	9	11	11	11	11
65+										
GRAND TOTAL	**28**	**5.8**	**15**	**2**	**2**	**5**	**7**	**9**	**12**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.5	27	1	1	3	7	14	17	19
20-34	19	5.3	31	1	2	4	6	8	19	27
35-49	28	4.9	19	1	1	3	8	12	13	14
50-64	49	6.4	40	1	1	4	8	17	18	29
65+	168	8.0	94	1	1	5	10	17	22	51
B. *Operated*										
0-19 YRS	11	6.6	7	1	3	7	9	10	10	10
20-34	8	12.3	97	2	2	10	20	27	28	28
35-49	5	7.8	2	7	7	7	8	10	10	10
50-64	12	10.6	36	4	5	9	14	20	23	23
65+	46	11.7	88	2	3	10	14	21	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	7.0	52	1	1	4	10	16	21	39
20-34	36	7.0	52	<1	1	5	8	13	23	36
35-49	47	7.6	58	1	1	6	10	15	22	40
50-64	92	7.8	65	1	1	6	10	14	18	47
65+	437	12.3	133	2	2	9	16	26	35	63
B. *Operated*										
0-19 YRS	16	8.6	57	1	2	7	10	14	27	33
20-34	19	11.6	89	3	4	8	16	21	33	42
35-49	18	13.8	158	2	4	10	13	40	43	43
50-64	60	15.2	74	4	6	13	19	27	34	40
65+	190	20.8	266	5	7	17	26	39	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	6.8	63	1	1	4	9	16	18	43
B. *Operated*	82	10.7	67	2	3	9	13	21	27	43
2. MULTIPLE DX										
A. *Not Operated*	691	10.5	111	1	2	7	13	23	31	55
B. *Operated*	303	18.0	213	4	5	14	23	35	44	98
1. SINGLE DX	415	7.6	66	1	1	5	10	16	20	43
2. MULTIPLE DX	994	12.8	154	1	2	9	16	27	37	81
A. NOT OPERATED	1024	9.3	98	1	1	7	12	20	27	52
B. OPERATED	385	16.5	190	3	5	13	21	32	42	95
TOTAL 0-19 YRS	175	6.5	40	1	1	4	9	15	18	31
20-34	82	8.2	65	1	2	5	9	21	25	40
35-49	98	8.0	70	1	1	6	10	14	27	43
50-64	213	9.7	72	1	2	7	13	20	28	41
65+	841	13.3	171	1	2	10	17	27	39	85
GRAND TOTAL	**1409**	**11.2**	**133**	**1**	**2**	**8**	**15**	**24**	**33**	**66**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	16	1	1	3	4	11	12	12
20-34	5	3.4	5	1	1	5	5	5	5	5
35-49	4	4.3	16	1	1	4	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	50	1	1	3	8	18	22	23
20-34	12	6.1	16	<1	1	5	9	11	14	15
35-49	2	43.5	1013	21	21	43	66	66	66	66
50-64	2	15.0		15	15	15	15	15	15	15
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.0	12	1	1	3	5	10	12	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	9.2	151	1	1	5	13	19	23	66
B. *Operated*	1	1.0		1	1	50	99+	99+	99+	99+
1. SINGLE DX	19	4.0	12	1	1	3	5	10	12	12
2. MULTIPLE DX	32	8.9	148	1	1	5	15	21	60	99+
A. NOT OPERATED	50	7.2	103	1	1	4	9	15	21	66
B. OPERATED	1	1.0		1	1	50	99+	99+	99+	99+
TOTAL 0-19 YRS	25	5.4	35	1	1	3	7	15	19	23
20-34	17	5.3	14	<1	1	5	7	9	13	15
35-49	6	17.3	623	1	1	7	21	61	66	66
50-64	2	15.0		15	15	15	15	15	15	15
65+	1	2.0		2	2	51	99+	99+	99+	99+
GRAND TOTAL	**51**	**7.1**	**102**	**1**	**1**	**4**	**9**	**16**	**23**	**99**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	5.1	20	1	1	4	7	10	13	21
20-34	22	5.5	45	1	1	4	6	10	22	32
35-49	17	5.1	21	<1	1	4	8	9	16	19
50-64	17	7.4	51	<1	1	5	9	21	23	24
65+	33	8.4	46	1	1	7	12	17	22	30
B. *Operated*										
0-19 YRS	35	6.5	9	3	3	7	9	10	11	14
20-34	24	8.1	11	3	4	8	10	11	15	16
35-49	7	9.4	37	3	3	11	14	17	18	18
50-64	17	10.1	34	2	3	10	13	19	21	22
65+	19	14.5	187	1	2	11	16	35	46	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.2	29	1	1	5	7	15	18	25
20-34	36	5.5	15	1	1	5	7	11	13	20
35-49	38	7.2	38	1	2	6	9	13	17	35
50-64	58	8.2	38	2	2	6	11	16	21	30
65+	90	11.8	150	2	3	8	14	30	44	86
B. *Operated*										
0-19 YRS	21	16.0	303	2	3	9	18	38	62	71
20-34	36	12.6	72	3	4	12	17	19	20	50
35-49	29	15.8	174	1	3	13	22	32	51	53
50-64	46	16.7	88	4	5	16	22	31	36	99+
65+	67	17.3	216	4	5	13	21	45	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	5.8	30	1	1	4	7	12	16	30
B. *Operated*	102	9.2	55	2	3	8	11	15	20	45
2. MULTIPLE DX										
A. *Not Operated*	312	8.2	70	1	2	6	10	16	23	53
B. *Operated*	199	16.0	163	3	4	13	20	31	52	99+
1. SINGLE DX	329	6.8	40	1	1	5	9	14	18	34
2. MULTIPLE DX	511	11.2	120	2	2	8	15	23	33	73
A. NOT OPERATED	539	7.2	55	1	1	5	9	15	20	40
B. OPERATED	301	13.7	136	3	4	11	17	27	43	87
TOTAL 0-19 YRS	284	6.4	49	1	1	5	8	13	17	34
20-34	118	8.2	46	1	2	6	10	17	19	38
35-49	91	9.7	95	1	2	7	13	20	31	52
50-64	138	11.1	71	2	2	9	16	22	28	55
65+	209	13.3	166	2	3	10	16	31	49	99+
GRAND TOTAL	**840**	**9.5**	**93**	**1**	**2**	**7**	**12**	**20**	**29**	**59**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	490	2.1	1	1	1	2	3	4	4	6
20-34	53	2.4	2	1	1	2	3	4	6	8
35-49	14	2.3	2	1	1	2	3	4	6	6
50-64	4	7.3	98	1	1	3	13	22	22	22
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	146	4.2	4	2	3	4	5	6	7	14
20-34	39	5.2	11	2	3	5	5	8	10	22
35-49	5	5.4	5	2	2	6	7	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.7	8	1	1	2	3	4	7	18
20-34	17	3.7	19	1	2	2	3	8	15	19
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	59	5.7	10	3	3	5	7	8	11	20
20-34	23	6.2	9	2	3	6	8	11	12	12
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.2	2	1	1	2	3	4	5	7
B. *Operated*	191	4.5	5	2	3	4	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	127	2.8	9	1	1	2	3	5	8	20
B. *Operated*	85	5.8	9	2	3	5	7	9	12	19
1. SINGLE DX	755	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX	212	4.0	11	1	1	3	5	8	9	20
A. NOT OPERATED	691	2.3	4	1	1	2	3	4	5	8
B. OPERATED	276	4.9	7	2	3	4	6	8	9	16
TOTAL 0-19 YRS	802	2.8	5	1	1	2	4	5	6	10
20-34	132	4.1	10	1	1	3	5	8	10	20
35-49	23	3.3	4	1	1	3	5	6	7	8
50-64	7	5.7	55	1	1	4	6	19	22	22
65+	3	4.0	7	2	2	3	6	7	7	7
GRAND TOTAL	**967**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.2	14	1	1	3	5	8	15	16
20-34	9	3.7	6	<1	1	3	6	7	7	7
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	31	3.7	13	<1	<1	3	5	8	14	16
20-34	20	4.5	12	<1	1	3	5	11	12	13
35-49	11	4.5	18	2	2	3	4	11	16	16
50-64	3	4.3	1	3	3	5	5	5	5	5
65+	6	3.5	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.1	8	1	2	5	7	8	10	14
20-34	4	4.5	6	2	2	4	6	7	7	7
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	2	10.0	50	5	5	10	15	15	15	15
B. *Operated*										
0-19 YRS	18	6.3	28	1	2	4	9	16	17	18
20-34	14	3.9	28	<1	1	3	3	7	19	22
35-49	6	7.5	31	<1	<1	7	11	15	16	16
50-64	5	3.0	7	<1	<1	2	5	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.3	14	1	1	3	6	8	14	16
B. *Operated*	71	4.1	12	<1	1	3	5	8	13	16
2. MULTIPLE DX										
A. *Not Operated*	36	5.3	9	2	2	5	7	8	12	15
B. *Operated*	44	5.4	26	<1	1	4	6	16	17	22
1. SINGLE DX	122	4.2	12	<1	1	3	5	8	14	16
2. MULTIPLE DX	80	5.4	18	1	2	4	7	10	16	21
A. NOT OPERATED	87	4.7	12	1	1	4	6	8	14	16
B. OPERATED	115	4.6	18	<1	1	3	5	10	16	19
TOTAL 0-19 YRS	114	4.6	15	<1	1	3	6	9	15	17
20-34	47	4.2	15	<1	1	3	5	8	12	22
35-49	20	6.0	24	1	2	4	9	15	16	16
50-64	11	3.8	4	<1	1	4	5	6	7	7
65+	10	5.3	15	1	2	4	6	11	15	15
GRAND TOTAL	**202**	**4.6**	**15**	**<1**	**1**	**3**	**6**	**9**	**15**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	25	<1	<1	2	4	13	15	15
20-34	21	12.7	125	1	2	9	20	26	35	43
35-49	7	14.3	366	1	1	8	15	48	56	56
50-64	6	20.5	533	1	1	12	30	60	63	63
65+	13	7.5	59	1	1	6	11	22	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.3	34	6	6	8	15	17	17	17
20-34	11	18.4	576	1	1	11	20	58	79	81
35-49	4	7.5	14	3	3	8	10	11	11	11
50-64	25	13.0	117	1	3	8	17	29	35	40
65+	39	15.6	312	2	3	12	18	38	75	99+
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+	3	34.7	474	17	17	28	51	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	11.4	177	1	1	7	17	24	40	63
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	82	14.6	260	1	3	11	17	35	45	99+
B. *Operated*	5	24.8	420	9	9	17	36	59	59	59
1. SINGLE DX	54	11.4	177	1	1	7	17	24	40	63
2. MULTIPLE DX	87	15.2	270	1	3	11	18	37	52	99+
A. NOT OPERATED	136	13.3	228	1	1	8	17	30	43	99
B. OPERATED	5	24.8	420	9	9	17	36	59	59	59
TOTAL 0-19 YRS	10	6.0	33	<1	<1	4	8	16	17	17
20-34	33	14.5	266	1	1	9	20	32	43	81
35-49	12	11.8	214	1	2	8	11	29	52	56
50-64	31	14.5	191	1	2	11	22	32	40	63
65+	55	14.7	285	1	1	11	18	37	57	99+
GRAND TOTAL	**141**	**13.7**	**236**	**1**	**1**	**9**	**17**	**31**	**46**	**99**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.1	24	1	1	1	8	12	14	14
20-34	24	7.3	78	<1	1	3	8	24	29	30
35-49	22	8.9	123	1	2	4	10	33	65	99+
50-64	51	16.4	300	3	4	11	21	38	61	99+
65+	249	20.1	468	1	3	13	30	68	99	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	7.8	55	1	1	8	38	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	23.1	791	1	1	11	37	64	89	98
20-34	27	16.3	628	1	2	6	28	94	99+	99+
35-49	41	21.0	463	2	2	15	31	50	91	99+
50-64	67	16.1	259	3	4	12	22	46	99	99+
65+	541	22.3	433	3	4	16	36	77	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	99+	99+	99+	99+	99+
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	63.0	1503	14	14	70	94	97	97	97
65+	32	37.3	568	12	15	42	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	17.6	405	1	2	11	25	62	96	99+
B. *Operated*	4	7.8	55	1	1	8	38	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	691	21.4	433	2	4	15	33	74	99+	99+
B. *Operated*	38	38.4	718	10	13	42	90	99+	99+	99+
1. SINGLE DX	359	17.5	402	1	2	11	25	62	97	99+
2. MULTIPLE DX	729	22.3	461	2	4	16	36	84	99+	99+
A. NOT OPERATED	1046	20.2	426	2	3	14	31	67	99+	99+
B. OPERATED	42	35.5	735	6	9	41	88	99+	99+	99+
TOTAL 0-19 YRS	24	16.0	579	1	1	8	15	48	74	98
20-34	52	11.9	376	1	1	5	17	88	99+	99+
35-49	64	16.7	369	2	2	10	23	49	90	99+
50-64	122	17.8	378	3	4	12	22	49	97	99+
65+	826	22.2	455	2	4	16	36	81	99+	99+
GRAND TOTAL	**1088**	**20.7**	**446**	**2**	**3**	**14**	**33**	**72**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	9	18.1	677	1	1	6	23	62	82	82
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	14.8	38	10	10	13	19	23	23	23
65+	39	24.8	446	2	4	19	41	69	38	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	16.3	42	7	7	18	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.1	677	1	1	6	23	62	82	82
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	23.9	415	2	4	18	36	64	84	99+
B. *Operated*	4	16.3	42	7	7	18	20	22	22	22
1. SINGLE DX	9	18.1	677	1	1	6	23	62	82	82
2. MULTIPLE DX	47	23.3	386	2	4	18	34	60	79	99+
A. NOT OPERATED	52	22.9	453	2	3	17	34	65	81	99+
B. OPERATED	4	16.3	42	7	7	18	20	22	22	22
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	4	14.8	38	10	10	13	19	23	23	23
65+	52	23.0	451	2	3	18	34	65	81	99+
GRAND TOTAL	**56**	**22.4**	**425**	**2**	**3**	**17**	**32**	**61**	**80**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	62	3.7	9	1	1	3	4	7	12	14
35-49	117	5.3	32	1	1	4	7	11	14	36
50-64	94	6.8	59	1	2	5	8	11	15	49
65+	26	13.3	167	1	2	9	14	39	42	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	133	5.7	34	1	1	4	8	11	14	33
35-49	250	6.5	30	1	2	5	9	13	18	30
50-64	241	10.4	137	1	2	7	13	21	29	58
65+	96	15.4	269	2	4	11	21	37	57	99+
B. *Operated*										
0-19 YRS										
20-34	4	6.5	14	2	2	6	9	11	11	11
35-49	9	14.2	44	5	5	16	19	22	23	23
50-64	14	14.2	62	2	5	12	17	27	29	29
65+	8	36.8	431	11	13	45	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	6.1	52	1	1	4	7	12	15	42
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	721	8.8	108	1	2	6	11	19	27	66
B. *Operated*	35	18.5	232	3	5	15	27	65	99+	99+
1. SINGLE DX	304	6.1	52	1	1	4	7	12	15	42
2. MULTIPLE DX	756	9.3	118	1	2	6	11	21	29	97
A. NOT OPERATED	1024	8.0	93	1	2	5	10	17	25	52
B. OPERATED	36	18.2	229	3	5	15	26	64	99+	99+
TOTAL 0-19 YRS	5	1.6	1	<1	<1	<1	2	3	3	3
20-34	199	5.1	26	1	1	3	7	11	13	27
35-49	376	6.3	33	1	2	5	8	13	17	31
50-64	350	9.6	116	1	2	7	12	20	28	55
65+	130	16.3	282	2	3	11	24	42	87	99+
GRAND TOTAL	**1060**	**8.4**	**101**	**1**	**2**	**5**	**10**	**18**	**27**	**67**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.0	407	<1	<1	3	9	46	60	60
20-34	27	13.7	303	1	2	7	18	34	52	77
35-49	3	4.7	10	<1	<1	6	7	7	7	7
50-64	3	10.0	19	5	5	12	13	13	13	13
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	14.3	300	<1	<1	7	21	38	54	67
20-34	56	12.7	164	<1	1	7	16	36	38	47
35-49	23	13.2	213	1	1	8	21	32	42	60
50-64	21	13.0	214	2	3	7	15	26	48	68
65+	23	15.9	103	3	5	16	19	36	37	38
B. *Operated*										
0-19 YRS										
20-34	3	32.7	1850	3	3	13	65	82	82	82
35-49	2	21.0	578	4	4	21	38	38	38	38
50-64	1	33.0		33	33	33	33	33	33	33
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	12.4	270	<1	1	6	16	30	53	77
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	142	13.5	183	1	1	8	18	35	38	67
B. *Operated*	6	28.8	893	3	3	23	38	78	82	82
1. SINGLE DX	43	12.6	267	1	1	6	16	30	52	77
2. MULTIPLE DX	148	14.2	215	1	1	9	19	36	39	68
A. NOT OPERATED	184	13.3	202	1	1	8	17	35	39	68
B. OPERATED	7	28.1	747	3	3	24	37	73	82	82
TOTAL 0-19 YRS	27	13.3	319	<1	<1	5	19	38	61	67
20-34	86	13.7	256	1	1	7	17	36	43	80
35-49	28	12.8	208	1	1	7	20	32	40	60
50-64	26	13.8	194	2	3	11	16	31	40	68
65+	24	15.9	99	3	6	16	18	36	37	38
GRAND TOTAL	**191**	**13.8**	**226**	**1**	**1**	**8**	**18**	**35**	**39**	**73**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	25.4	338	3	6	18	37	54	62	65
20-34	171	18.9	327	1	2	14	26	50	72	99+
35-49	118	18.9	225	2	4	15	26	46	52	99+
50-64	68	24.1	342	1	5	20	35	49	68	97
65+	13	22.4	379	3	3	17	32	54	65	68
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	27.0		27	27	27	27	27	27	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	110	25.3	395	2	3	21	35	58	72	99+
35-49	81	24.7	444	4	6	18	32	53	78	93
50-64	53	23.7	235	4	5	20	35	46	61	99
65+	13	18.3	312	4	5	14	18	76	95	99+
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	3	30.0	657	3	3	33	49	54	54	54
35-49	1	72.0		72	72	72	72	72	72	72
50-64	2	58.5	3121	19	19	98	99+	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	20.3	303	1	3	15	29	49	66	99+
B. *Operated*	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	257	24.4	372	3	5	19	35	54	73	99+
B. *Operated*	7	44.9	1050	3	8	44	85	99	99+	99+
1. SINGLE DX	391	20.3	303	1	3	15	29	49	66	99+
2. MULTIPLE DX	264	25.0	397	3	5	19	35	57	77	99+
A. NOT OPERATED	647	21.9	334	2	3	17	32	51	69	99+
B. OPERATED	8	42.6	940	3	9	35	78	99	99+	99+
TOTAL 0-19 YRS	21	25.8	325	4	7	18	37	53	62	65
20-34	284	21.5	364	1	2	17	33	55	72	99+
35-49	201	21.5	331	2	5	16	28	50	59	97
50-64	123	24.5	333	3	5	20	36	49	70	99+
65+	26	20.3	336	3	3	14	29	65	77	99+
GRAND TOTAL	**655**	**22.2**	**345**	**2**	**3**	**17**	**32**	**52**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	19	6	6	13	14	14	14	14
20-34	20	19.2	301	1	2	13	29	45	57	66
35-49	5	37.2	537	12	12	28	52	73	73	73
50-64	3	8.7	10	5	5	10	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	25.0	32	21	21	25	29	29	29	29
20-34	9	21.8	454	<1	1	13	37	55	58	58
35-49	5	16.6	130	2	2	18	25	31	31	31
50-64	3	9.7	25	5	5	12	57	99+	99+	99+
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	20.3	335	1	4	13	29	46	65	73
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	19.0	246	1	2	18	29	54	77	99+
B. *Operated*										
1. SINGLE DX	31	20.3	335	1	4	13	29	46	65	73
2. MULTIPLE DX	20	19.0	246	1	2	18	29	54	77	99+
A. NOT OPERATED	51	19.7	295	1	2	14	29	49	65	99+
B. OPERATED										
TOTAL 0-19 YRS	5	16.6	76	6	6	14	23	29	29	29
20-34	29	20.0	336	1	1	13	30	50	58	66
35-49	10	26.9	414	2	5	25	31	59	73	73
50-64	6	9.2	15	5	5	10	14	83	99+	99+
65+	1	21.0		21	21	21	21	21	21	21
GRAND TOTAL	**51**	**19.7**	**295**	**1**	**2**	**14**	**29**	**49**	**65**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	26.1	434	2	3	23	49	71	99+	99+
20-34	564	19.1	305	1	2	14	28	46	65	99+
35-49	298	16.3	236	1	3	12	21	37	52	71
50-64	159	18.9	215	3	5	14	26	36	46	72
65+	44	17.2	361	2	3	11	19	35	66	95
B. *Operated*										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49										
50-64	1	47.0		47	47	47	47	47	47	47
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	31.3	618	4	6	24	45	88	91	99+
20-34	364	23.6	418	2	3	18	37	63	79	99+
35-49	175	20.5	278	2	4	16	31	50	64	99+
50-64	108	23.9	446	2	3	18	33	56	86	99+
65+	44	21.8	405	4	5	15	29	73	99+	99+
B. *Operated*										
0-19 YRS	1	73.0		73	73	73	73	73	73	73
20-34	17	30.8	422	7	10	28	45	71	89	99+
35-49	4	34.8	231	20	20	32	46	55	55	55
50-64	6	47.0	521	21	25	43	79	98	99+	99+
65+	2	37.5	1861	7	7	37	68	68	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1149	18.8	291	1	3	14	26	45	61	99+
B. *Operated*	2	38.0	162	29	29	38	47	47	47	47
2. MULTIPLE DX										
A. *Not Operated*	731	23.2	402	2	3	18	35	59	80	99+
B. *Operated*	30	36.4	499	7	10	39	55	78	99	99+
1. SINGLE DX	1151	18.8	291	1	3	14	26	45	61	99+
2. MULTIPLE DX	761	23.8	412	2	4	18	37	62	85	99+
A. NOT OPERATED	1880	20.5	339	2	3	15	29	51	67	99+
B. OPERATED	32	36.5	472	8	10	39	55	75	98	99+
TOTAL 0-19 YRS	125	28.2	507	2	4	24	47	78	99	99+
20-34	946	21.1	356	1	3	16	32	55	71	99+
35-49	477	18.0	257	1	3	14	24	44	54	95
50-64	274	21.6	332	3	5	16	28	48	64	99
65+	90	19.9	404	3	4	13	25	63	86	99+
GRAND TOTAL	**1912**	**20.8**	**345**	**2**	**3**	**15**	**30**	**52**	**69**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.3	36	6	6	8	14	19	19	19
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	20.8	333	6	6	15	38	80	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	10.3	36	6	6	8	14	19	19	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	20.8	333	6	6	15	38	80	99+	99+
B. *Operated*										
1. SINGLE DX	4	10.3	36	6	6	8	14	19	19	19
2. MULTIPLE DX	9	20.8	333	6	6	15	38	80	99+	99+
A. NOT OPERATED	13	17.5	257	6	6	11	25	65	92	99+
B. OPERATED										
TOTAL 0-19 YRS	13	17.5	257	6	6	11	25	65	92	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**17.5**	**257**	**6**	**6**	**11**	**25**	**65**	**92**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	15.1	426	<1	1	6	23	40	78	78
20-34	248	11.6	152	1	2	7	15	27	35	68
35-49	315	14.0	178	2	3	10	19	29	40	68
50-64	392	18.4	205	3	5	15	24	36	52	76
65+	262	20.2	214	3	5	17	27	42	52	91
B. *Operated*										
0-19 YRS										
20-34	2	16.0	50	11	11	16	21	21	21	21
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	20.5	181	11	11	20	30	30	30	30
65+	2	23.0	2	22	22	23	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	14.9	188	3	4	9	22	37	44	56
20-34	263	19.1	336	2	3	14	27	45	60	93
35-49	265	18.9	255	2	4	15	26	39	51	99
50-64	389	20.4	284	3	4	17	29	43	59	99+
65+	343	23.0	304	3	5	20	32	47	72	99+
B. *Operated*										
0-19 YRS										
20-34	11	21.5	246	1	5	15	35	44	51	52
35-49	27	42.0	456	12	15	35	59	72	74	82
50-64	35	29.5	273	6	12	30	43	59	88	99+
65+	37	40.5	618	11	14	38	72	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1247	16.2	205	2	3	13	22	35	46	76
B. *Operated*	7	19.1	50	11	11	21	23	29	30	30
2. MULTIPLE DX										
A. *Not Operated*	1287	20.4	294	2	4	16	29	44	60	99+
B. *Operated*	110	35.4	471	7	13	33	55	73	97	99+
1. SINGLE DX	1254	16.2	204	2	3	13	22	35	46	76
2. MULTIPLE DX	1397	21.6	324	3	4	17	31	48	70	99+
A. NOT OPERATED	2534	18.4	254	2	3	15	25	39	53	96
B. OPERATED	117	34.5	460	7	12	32	54	73	94	99+
TOTAL 0-19 YRS	57	15.0	308	1	2	7	22	38	52	78
20-34	524	15.6	260	1	2	10	21	38	50	79
35-49	608	17.4	256	2	3	13	23	39	50	86
50-64	818	19.8	250	3	5	16	27	42	57	99+
65+	644	22.9	304	3	6	19	31	48	70	99+
GRAND TOTAL	**2651**	**19.1**	**274**	**2**	**4**	**15**	**26**	**42**	**57**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	26.3	430	1	5	26	37	58	94	99+
20-34	262	19.0	250	1	3	15	27	40	51	80
35-49	206	16.4	196	2	3	12	22	35	44	72
50-64	190	20.4	190	4	5	18	26	41	47	92
65+	80	21.8	240	3	4	20	31	44	54	93
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	19.6	206	1	5	16	28	32	50	62
20-34	224	22.9	327	2	4	21	33	52	70	99+
35-49	219	21.1	266	3	4	17	29	43	56	85
50-64	218	22.8	247	3	5	21	31	44	62	99+
65+	90	23.5	407	3	5	18	35	61	73	99+
B. *Operated*										
0-19 YRS										
20-34	4	30.3	313	7	7	43	59	99+	99+	99+
35-49	11	24.6	85	9	10	24	31	36	39	39
50-64	12	30.1	547	4	5	30	54	82	97	99+
65+	9	52.2	712	18	22	45	67	94	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	760	19.1	228	2	4	16	26	39	49	84
B. *Operated*	3	16.3	64	8	8	17	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	776	22.3	292	3	4	20	31	46	63	99+
B. *Operated*	36	34.0	506	6	9	31	45	88	98	99+
1. SINGLE DX	763	19.1	227	2	4	16	26	39	49	84
2. MULTIPLE DX	812	22.9	307	3	5	20	32	48	64	99+
A. NOT OPERATED	1536	20.8	263	3	4	18	29	43	58	99+
B. OPERATED	39	32.6	492	6	8	30	45	84	97	99+
TOTAL 0-19 YRS	47	22.7	316	1	5	22	32	48	65	99+
20-34	491	20.9	288	2	3	17	30	46	62	99+
35-49	437	19.0	233	3	4	15	26	39	49	84
50-64	421	21.9	231	4	5	20	30	43	59	99+
65+	179	24.2	385	3	5	20	34	56	71	99+
GRAND TOTAL	**1575**	**21.0**	**271**	**3**	**4**	**18**	**29**	**43**	**60**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	21.4	305	1	1	21	36	42	43	63
20-34	130	16.9	265	1	2	12	24	41	52	93
35-49	95	13.1	150	1	2	9	17	27	34	66
50-64	82	16.1	154	3	4	14	19	35	41	64
65+	81	12.8	253	1	2	7	17	50	95	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	25.4	443	<1	1	28	36	48	71	79
20-34	128	17.5	280	1	1	13	25	36	59	74
35-49	104	19.9	267	3	4	15	29	37	48	92
50-64	103	18.2	345	3	4	13	22	42	67	99
65+	209	18.3	296	3	4	12	25	47	68	99+
B. *Operated*										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	5	35.2	1292	6	6	20	50	97	97	97
35-49	3	15.7	44	8	8	19	20	20	20	20
50-64	6	32.8	464	3	5	31	35	66	70	70
65+	18	29.1	311	5	7	35	56	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	417	15.4	221	1	2	11	21	37	50	99+
B. *Operated*	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	559	18.6	299	2	3	13	26	41	64	99+
B. *Operated*	33	30.2	442	5	7	33	50	99	99+	99+
1. SINGLE DX	420	15.3	220	1	2	11	21	37	50	99+
2. MULTIPLE DX	592	19.2	314	2	3	14	27	44	67	99+
A. NOT OPERATED	976	17.2	268	1	3	12	24	40	54	99+
B. OPERATED	36	28.1	453	3	5	31	49	98	99+	99+
TOTAL 0-19 YRS	46	23.0	359	1	1	23	37	42	54	79
20-34	263	17.5	292	1	2	12	24	39	54	90
35-49	202	16.6	218	2	3	12	23	34	40	77
50-64	191	17.8	272	3	4	14	22	36	50	95
65+	310	17.4	297	2	3	11	26	50	93	99+
GRAND TOTAL	**1012**	**17.6**	**278**	**2**	**3**	**12**	**25**	**41**	**58**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.7	26	<1	<1	3	6	9	13	30
20-34	257	5.3	40	<1	1	3	6	12	17	37
35-49	246	5.5	37	<1	1	4	7	12	17	31
50-64	185	6.3	41	1	1	4	9	13	20	37
65+	159	7.1	65	1	1	5	9	16	22	41
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	2	13.5	313	1	1	13	26	26	26	26
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	7.0	60	<1	1	4	9	16	28	32
20-34	337	6.8	63	1	1	4	8	15	21	42
35-49	309	8.0	114	1	1	5	8	18	28	55
50-64	300	9.0	84	1	1	7	10	22	28	48
65+	399	6.7	89	1	2	6	10	17	26	50
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	7.5	122	1	1	4	5	28	37	42
35-49	13	8.0	41	2	3	5	12	19	20	20
50-64	13	11.3	41	5	5	8	16	19	24	25
65+	12	15.3	89	4	5	12	23	28	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	5.8	41	1	1	4	7	13	18	37
B. *Operated*	6	8.3	82	1	1	5	9	24	26	26
2. MULTIPLE DX										
A. *Not Operated*	1405	8.1	86	1	1	5	10	17	26	49
B. *Operated*	70	9.6	91	1	2	5	14	24	33	41
1. SINGLE DX	934	5.8	41	1	1	4	7	13	19	37
2. MULTIPLE DX	1475	8.2	87	1	1	5	10	18	27	49
A. NOT OPERATED	2333	7.2	70	1	1	5	9	15	23	44
B. OPERATED	76	9.5	89	1	1	5	13	25	31	41
TOTAL 0-19 YRS	144	5.6	41	<1	1	4	7	13	18	32
20-34	627	6.3	57	1	1	4	8	14	20	41
35-49	570	6.9	80	1	1	4	8	14	23	50
50-64	498	8.0	69	1	1	6	10	19	26	44
65+	570	8.4	80	1	2	6	10	17	25	48
GRAND TOTAL	**2409**	**7.3**	**70**	**1**	**1**	**5**	**9**	**16**	**23**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	8.8	78	1	1	5	14	21	24	44
20-34	417	9.5	97	1	2	6	12	21	28	51
35-49	329	10.8	107	1	2	7	14	24	32	46
50-64	225	14.8	160	2	3	11	20	32	42	54
65+	135	12.6	94	2	4	10	16	24	30	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	7.7	30	4	4	5	12	14	14	14
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	2	15.5	13	13	13	15	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	12.8	181	1	1	8	18	31	42	64
20-34	539	13.3	148	1	2	10	18	30	39	59
35-49	443	15.0	178	2	3	11	22	35	42	69
50-64	324	15.7	168	3	4	12	23	35	41	75
65+	276	15.9	187	3	4	12	21	34	48	93
B. *Operated*										
0-19 YRS	5	27.2	979	1	1	10	54	72	72	72
20-34	35	25.6	307	2	4	24	35	47	61	72
35-49	25	22.1	321	4	6	17	27	45	59	86
50-64	13	29.6	247	5	8	32	42	50	52	52
65+	17	20.2	152	3	5	18	33	42	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	11.2	114	1	2	8	14	24	32	53
B. *Operated*	7	9.6	31	4	4	9	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1673	14.6	169	2	3	11	20	33	42	71
B. *Operated*	95	24.4	302	3	5	21	34	48	61	94
1. SINGLE DX	1178	11.2	113	1	2	8	14	24	32	53
2. MULTIPLE DX	1768	15.1	181	2	3	11	21	34	44	72
A. NOT OPERATED	2844	13.2	149	2	2	9	18	30	38	62
B. OPERATED	102	23.3	297	3	4	19	33	47	61	93
TOTAL 0-19 YRS	161	11.6	169	1	1	7	16	26	40	65
20-34	991	12.1	141	1	2	8	17	28	36	60
35-49	800	13.5	159	2	2	9	19	31	38	62
50-64	564	15.6	171	3	4	11	22	35	42	69
65+	430	15.0	158	3	4	11	20	31	44	81
GRAND TOTAL	**2946**	**13.6**	**158**	**2**	**2**	**10**	**18**	**31**	**39**	**64**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	9.3	155	<1	<1	4	13	26	34	54
20-34	275	10.6	153	<1	1	6	14	29	41	72
35-49	135	9.8	153	1	1	5	13	24	35	52
50-64	94	10.7	145	1	1	7	14	26	37	91
65+	51	12.2	294	1	1	6	13	33	76	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	9.5	60	<1	2	8	12	22	27	28
35-49	5	10.8	52	3	3	8	15	22	22	22
50-64	11	6.8	23	1	2	5	10	14	16	16
65+	3	4.0	7	1	1	5	53	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	11.6	238	<1	1	5	16	33	44	87
20-34	528	14.2	202	1	1	10	20	35	48	99+
35-49	248	14.6	197	1	2	10	22	36	46	99
50-64	135	15.4	219	1	2	11	22	38	47	84
65+	117	13.7	160	1	3	10	17	31	44	99+
B. *Operated*										
0-19 YRS	5	27.0	311	11	11	21	36	56	56	56
20-34	28	24.6	478	1	3	18	43	56	70	75
35-49	9	23.9	732	5	6	14	29	70	90	90
50-64	18	14.9	194	1	3	10	17	38	46	50
65+	8	15.6	100	4	4	14	21	31	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	10.3	162	<1	1	6	14	27	39	80
B. *Operated*	33	8.2	41	1	2	7	11	21	27	99+
2. MULTIPLE DX										
A. *Not Operated*	1163	14.1	203	1	2	9	20	35	47	99+
B. *Operated*	68	21.1	381	2	3	14	30	50	59	87
1. SINGLE DX	728	10.2	157	<1	1	6	13	27	38	81
2. MULTIPLE DX	1231	14.4	215	1	2	10	21	36	48	99+
A. NOT OPERATED	1858	12.6	191	1	1	8	18	32	44	91
B. OPERATED	101	16.9	305	1	3	11	22	46	57	95
TOTAL 0-19 YRS	281	10.7	201	<1	1	5	15	31	40	78
20-34	844	13.3	200	1	1	8	19	34	48	99
35-49	397	13.1	198	1	1	8	19	34	43	91
50-64	258	13.3	187	1	2	9	19	33	42	81
65+	179	13.2	193	1	2	9	17	32	49	99+
GRAND TOTAL	**1959**	**12.9**	**198**	**1**	**1**	**8**	**18**	**33**	**45**	**92**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.8	22	<1	<1	1	2	6	12	25
20-34	283	6.8	56	<1	1	4	8	24	25	29
35-49	434	6.5	45	1	1	4	7	15	25	30
50-64	323	6.4	37	1	1	4	7	14	22	28
65+	104	9.1	118	1	1	6	11	21	27	91
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	10.7	142	1	1	7	20	24	24	24
50-64	4	6.0	44	<1	<1	4	11	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.2	91	<1	<1	4	11	26	31	35
20-34	371	7.0	66	<1	1	4	8	19	25	34
35-49	660	8.4	78	1	2	5	10	21	25	41
50-64	662	9.3	91	1	2	6	11	22	31	57
65+	275	13.1	208	2	3	8	17	28	41	96
B. *Operated*										
0-19 YRS	2	20.0	450	5	5	20	35	35	35	35
20-34	12	17.9	516	<1	<1	9	24	60	69	70
35-49	18	15.6	186	3	4	13	21	28	48	60
50-64	31	15.6	81	5	6	13	18	33	36	36
65+	16	29.8	761	2	3	20	63	78	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1178	6.7	52	1	1	4	8	17	25	30
B. *Operated*	8	7.9	65	<1	<1	7	11	21	24	24
2. MULTIPLE DX										
A. *Not Operated*	1997	9.1	101	1	2	6	11	22	29	58
B. *Operated*	79	18.9	328	1	4	13	24	50	69	93
1. SINGLE DX	1186	6.7	52	1	1	4	8	17	25	30
2. MULTIPLE DX	2076	9.4	113	1	2	6	12	23	31	65
A. NOT OPERATED	3175	8.2	84	1	1	5	10	21	25	48
B. OPERATED	87	17.9	313	1	3	13	23	43	69	92
TOTAL 0-19 YRS	65	5.7	72	<1	<1	2	6	13	27	35
20-34	666	7.1	71	<1	1	4	8	22	25	32
35-49	1115	7.8	68	1	2	5	9	19	25	41
50-64	1020	8.6	76	1	2	6	11	20	27	50
65+	396	12.7	219	1	2	8	16	28	43	98
GRAND TOTAL	**3262**	**8.4**	**93**	**1**	**1**	**5**	**10**	**21**	**27**	**54**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	3	5.3	6	3	3	5	7	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	10.8	91	1	2	7	15	27	32	34
35-49	5	18.6	191	6	6	18	26	40	40	40
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	11.0	98	4	4	11	18	18	18	18
B. *Operated*										
0-19 YRS										
20-34	2	15.5	113	8	8	15	23	23	23	23
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	5	1	1	3	5	7	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	12.4	109	2	3	9	18	28	36	40
B. *Operated*	2	15.5	113	8	8	15	23	23	23	23
1. SINGLE DX	7	3.9	5	1	1	3	5	7	8	8
2. MULTIPLE DX	25	12.7	105	2	3	9	18	27	35	40
A. NOT OPERATED	30	10.4	97	1	2	6	16	24	34	40
B. OPERATED	2	15.5	113	8	8	15	23	23	23	23
TOTAL 0-19 YRS										
20-34	20	10.0	87	1	1	6	14	25	30	34
35-49	8	13.6	158	3	4	7	20	35	40	40
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	2	11.0	98	4	4	11	18	18	18	18
GRAND TOTAL	**32**	**10.8**	**96**	**1**	**2**	**7**	**17**	**24**	**33**	**40**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	25	7.4	62	<1	1	4	10	22	25	30
35-49	2	10.5	181	1	1	10	20	20	20	20
50-64	2	8.5	41	4	4	8	13	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	11	1	1	4	7	10	10	10
20-34	25	9.8	100	1	1	4	15	28	32	33
35-49	18	13.8	101	3	4	11	21	24	36	43
50-64	7	20.3	155	7	8	19	23	41	45	45
65+	9	12.3	64	2	2	11	19	24	24	24
B. *Operated*										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49										
50-64										
65+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.9	56	<1	1	4	10	20	24	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	65	11.9	103	1	2	10	18	24	32	45
B. *Operated*	2	28.0	2	27	27	28	29	29	29	29
1. SINGLE DX	34	6.9	56	<1	1	4	10	20	24	30
2. MULTIPLE DX	67	12.4	107	1	2	11	19	27	32	45
A. NOT OPERATED	99	10.2	92	1	2	6	15	23	29	44
B. OPERATED	2	28.0	2	27	27	28	29	29	29	29
TOTAL 0-19 YRS	10	3.9	8	1	1	3	5	8	10	10
20-34	51	9.0	88	<1	1	4	14	26	30	33
35-49	20	13.5	101	1	3	11	20	23	34	43
50-64	9	17.7	148	4	5	13	22	37	45	45
65+	11	12.7	83	2	2	11	22	25	27	27
GRAND TOTAL	**101**	**10.6**	**96**	**1**	**2**	**7**	**17**	**24**	**29**	**44**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	1.2		<1	<1	1	1	2	2	4
20-34	42	1.4	1	<1	<1	1	1	2	4	7
35-49	16	2.0	3	<1	<1	1	2	4	7	8
50-64	16	4.6	66	<1	<1	2	4	8	26	34
65+	11	2.4	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.9	29	<1	<1	1	2	6	15	29
20-34	102	4.2	44	<1	<1	1	4	11	25	29
35-49	61	6.2	67	<1	1	2	6	18	28	32
50-64	43	5.3	26	1	1	4	7	10	15	28
65+	24	5.5	33	<1	1	3	9	13	18	24
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	6	13.3	145	1	1	13	21	29	30	30
65+	3	11.0	7	9	9	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	1.6	7	<1	<1	1	1	2	4	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	281	4.7	43	<1	<1	2	5	13	23	29
B. *Operated*	15	8.1	86	<1	<1	4	13	21	28	30
1. SINGLE DX	194	1.6	7	<1	<1	1	1	2	4	8
2. MULTIPLE DX	296	4.8	46	<1	<1	2	5	14	23	29
A. NOT OPERATED	475	3.4	31	<1	<1	1	3	8	15	29
B. OPERATED	15	8.1	86	<1	<1	4	13	21	28	30
TOTAL 0-19 YRS	163	1.7	10	<1	<1	1	1	2	4	21
20-34	145	3.4	33	<1	<1	1	3	7	17	29
35-49	79	5.2	55	<1	<1	2	5	16	27	31
50-64	65	5.9	50	<1	1	3	7	15	23	33
65+	38	5.1	27	<1	1	3	9	12	15	24
GRAND TOTAL	**490**	**3.6**	**33**	**<1**	**<1**	**1**	**3**	**9**	**16**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	4	<1	<1	2	3	5	7	8
20-34	14	4.6	32	<1	1	2	8	11	19	21
35-49	8	10.6	83	1	1	9	19	22	23	23
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	3	6.3	21	1	1	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.7	48	<1	1	2	7	18	20	22
20-34	46	13.2	266	1	1	9	18	28	32	98
35-49	12	9.8	88	1	2	6	17	22	31	32
50-64	17	6.8	16	1	2	6	10	13	14	14
65+	21	8.6	30	2	3	7	14	17	18	20
B. *Operated*										
0-19 YRS	2	15.5	365	2	2	15	29	29	29	29
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.1	36	<1	1	3	8	15	21	23
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	117	9.7	136	1	1	6	15	20	28	57
B. *Operated*	6	9.2	104	2	2	7	24	86	99+	99+
1. SINGLE DX	42	5.1	36	<1	1	3	8	15	21	23
2. MULTIPLE DX	123	9.7	134	1	1	6	15	22	30	99
A. NOT OPERATED	159	8.5	113	1	1	5	13	19	25	37
B. OPERATED	6	9.2	104	2	2	7	24	86	99+	99+
TOTAL 0-19 YRS	38	4.9	46	<1	1	2	4	17	21	29
20-34	61	11.0	221	<1	1	6	17	26	31	91
35-49	22	9.8	75	1	2	6	17	22	27	32
50-64	19	6.5	15	1	2	6	10	13	57	99+
65+	25	8.4	27	1	3	7	12	16	18	20
GRAND TOTAL	**165**	**8.5**	**112**	**1**	**1**	**5**	**13**	**20**	**28**	**88**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.1	14	1	1	3	5	9	11	22
20-34	36	6.4	64	<1	1	4	7	11	17	47
35-49	43	4.9	25	<1	1	3	6	10	15	27
50-64	23	4.6	19	<1	1	3	5	11	16	18
65+	17	5.2	16	<1	1	4	8	12	13	14
B. *Operated*										
0-19 YRS										
20-34	8	6.3	65	<1	<1	3	9	20	23	23
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	7.2	64	1	1	4	8	20	27	33
20-34	53	6.3	104	1	1	5	7	10	16	72
35-49	40	6.2	21	1	1	5	8	13	16	21
50-64	43	7.6	40	1	2	6	10	16	24	28
65+	42	13.4	274	1	2	8	15	29	53	79
B. *Operated*										
0-19 YRS	5	17.0	169	6	6	9	28	36	36	36
20-34	8	10.6	70	<1	<1	9	16	23	25	25
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	11.0	151	1	1	7	20	28	28	28
65+	7	9.0	27	2	3	8	12	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	5.0	28	<1	1	3	6	10	14	26
B. *Operated*	11	5.5	50	<1	<1	2	7	18	23	23
2. MULTIPLE DX										
A. *Not Operated*	218	8.1	107	1	1	5	9	16	26	71
B. *Operated*	26	10.8	87	<1	<1	8	13	25	30	36
1. SINGLE DX	184	5.0	29	<1	1	3	6	10	14	26
2. MULTIPLE DX	244	8.4	105	1	1	5	10	18	27	70
A. NOT OPERATED	391	6.7	74	1	1	4	8	14	21	45
B. OPERATED	37	9.2	80	<1	<1	8	13	24	27	36
TOTAL 0-19 YRS	99	6.0	49	1	1	4	6	13	25	35
20-34	105	6.7	84	<1	1	5	8	13	19	59
35-49	87	5.4	23	1	1	4	7	12	15	25
50-64	71	6.7	40	1	1	5	8	16	23	28
65+	66	10.8	192	1	1	7	12	25	32	78
GRAND TOTAL	**428**	**6.9**	**75**	**1**	**1**	**5**	**8**	**14**	**23**	**42**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	14.1	246	1	2	9	19	33	50	74
20-34	154	5.9	40	1	1	4	8	14	17	32
35-49	97	6.6	34	1	1	4	10	17	19	22
50-64	67	7.5	52	1	1	6	10	16	22	38
65+	33	8.5	62	1	1	7	10	19	29	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	24.6	611	1	2	19	42	83	99+	99+
20-34	211	8.9	102	1	1	5	11	22	29	44
35-49	124	10.1	141	1	1	6	12	24	36	64
50-64	82	13.5	191	1	2	9	20	35	42	94
65+	67	12.9	144	1	1	9	19	30	36	56
B. *Operated*										
0-19 YRS	4	35.5	634	13	13	52	71	99+	99+	99+
20-34	3	23.7	1169	<1	<1	7	49	63	63	63
35-49	4	10.5	60	2	2	10	16	20	20	20
50-64										
65+	5	18.4	32	13	13	16	24	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	8.7	109	1	1	5	11	20	30	58
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	642	14.0	289	1	1	8	19	39	60	99+
B. *Operated*	16	21.7	392	1	3	15	32	63	87	99+
1. SINGLE DX	485	8.7	109	1	1	5	11	20	30	58
2. MULTIPLE DX	658	14.2	292	1	1	8	20	40	62	99+
A. NOT OPERATED	1126	11.7	218	1	1	7	15	30	44	99
B. OPERATED	17	20.9	378	1	3	14	25	63	85	99+
TOTAL 0-19 YRS	295	20.0	474	1	2	13	31	64	91	99+
20-34	368	7.7	86	1	1	5	10	18	27	43
35-49	225	8.6	96	1	1	5	11	20	24	49
50-64	149	10.8	137	1	1	7	14	26	39	83
65+	106	11.7	117	1	1	8	16	28	32	49
GRAND TOTAL	**1143**	**11.9**	**222**	**1**	**1**	**7**	**15**	**31**	**45**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	12.6	193	1	2	8	18	32	38	83
20-34	427	9.8	136	1	2	6	12	21	34	56
35-49	356	10.1	115	1	2	7	13	23	28	56
50-64	263	12.5	152	1	2	8	17	29	37	70
65+	194	14.7	181	2	3	11	20	31	38	89
B. *Operated*										
0-19 YRS	7	8.4	25	3	3	8	13	15	15	15
20-34	12	11.4	135	3	3	8	13	26	42	45
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	4	14.0	81	3	3	14	20	25	25	25
65+	4	4.3	16	1	1	3	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	18.0	277	1	2	12	28	43	57	99+
20-34	547	12.4	207	1	2	7	16	31	47	99+
35-49	459	11.2	139	1	2	7	14	26	38	72
50-64	374	13.9	177	2	3	10	18	30	44	68
65+	430	14.9	169	3	4	11	19	31	45	79
B. *Operated*										
0-19 YRS	20	16.4	180	1	2	16	23	39	46	46
20-34	40	26.0	455	2	4	21	36	48	72	98
35-49	25	17.4	155	5	7	12	22	36	46	51
50-64	22	24.9	803	2	3	12	35	71	89	99
65+	29	28.4	449	2	8	23	40	68	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1609	11.6	155	1	2	7	15	27	34	68
B. *Operated*	30	9.3	79	2	2	6	13	17	25	45
2. MULTIPLE DX										
A. *Not Operated*	2182	13.8	197	1	2	9	18	33	47	87
B. *Operated*	136	23.3	424	2	3	19	31	51	76	99
1. SINGLE DX	1639	11.5	154	1	2	7	15	26	34	67
2. MULTIPLE DX	2318	14.4	215	2	2	10	19	34	49	93
A. NOT OPERATED	3791	12.9	180	1	2	8	17	30	41	78
B. OPERATED	166	20.8	390	2	3	16	25	46	63	99
TOTAL 0-19 YRS	768	15.3	239	1	2	10	23	36	50	92
20-34	1026	11.9	195	1	2	7	15	28	44	88
35-49	843	10.9	130	1	2	7	14	25	35	65
50-64	663	13.7	191	2	3	9	18	30	42	71
65+	657	15.3	192	2	4	11	21	32	46	89
GRAND TOTAL	**3957**	**13.2**	**191**	**1**	**2**	**9**	**17**	**31**	**43**	**82**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	10.3	25	3	3	11	15	15	15	15
20-34	13	10.7	173	1	1	5	15	30	43	46
35-49	2	14.5	61	9	9	14	20	20	20	20
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	14.8	229	1	2	11	23	32	49	99+
20-34	30	18.7	360	2	2	13	26	37	76	78
35-49	15	28.1	718	4	5	17	48	88	97	99+
50-64	14	13.0	91	3	3	12	14	24	37	41
65+	1	4.0		4	4	52	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	2	23.0	288	11	11	67	99+	99+	99+	99+
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	10.1	98	1	1	9	14	20	30	46
B. *Operated*	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	112	17.3	324	2	2	13	23	46	78	99+
B. *Operated*	5	15.8	133	5	7	26	99+	99+	99+	99+
1. SINGLE DX	28	10.2	92	1	1	9	14	19	28	46
2. MULTIPLE DX	117	17.2	314	2	2	13	25	50	93	99+
A. NOT OPERATED	138	16.0	288	1	2	12	22	42	76	99+
B. OPERATED	7	14.4	97	5	6	15	99+	99+	99+	99+
TOTAL 0-19 YRS	61	14.5	207	1	2	11	23	36	87	99+
20-34	46	15.9	294	1	2	12	22	34	52	78
35-49	19	25.1	602	4	5	16	45	82	94	99+
50-64	16	12.2	87	2	3	11	14	21	35	41
65+	3	4.7	4	3	3	7	99+	99+	99+	99+
GRAND TOTAL	**145**	**15.9**	**278**	**2**	**2**	**12**	**22**	**46**	**82**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	9.7	26	1	2	10	13	16	18	35
20-34	17	9.6	106	3	3	7	11	14	36	47
35-49	11	7.4	65	<1	1	3	11	20	26	27
50-64	7	7.1	73	1	1	6	6	22	26	26
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	8	13.3	21	5	6	13	16	19	20	20
20-34	7	3.9	17	1	1	3	4	11	13	13
35-49	6	8.2	28	3	3	6	12	16	17	17
50-64	3	10.0	73	2	2	9	16	19	19	19
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	14.2	152	3	4	12	16	21	33	84
20-34	23	10.6	112	2	3	8	12	21	33	53
35-49	13	7.8	37	2	2	5	11	18	19	19
50-64	9	12.0	63	1	1	12	18	22	24	24
65+	7	22.4	126	11	12	17	28	41	44	44
B. *Operated*										
0-19 YRS	17	26.9	399	4	7	21	33	60	71	76
20-34	12	31.8	565	6	7	22	49	70	75	76
35-49	13	13.3	77	1	2	15	22	34	85	99+
50-64	13	22.6	359	1	1	29	43	57	90	99+
65+	3	32.7	362	13	13	34	47	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	9.4	37	1	2	10	13	16	18	43
B. *Operated*	25	8.8	37	1	2	9	13	18	19	20
2. MULTIPLE DX										
A. *Not Operated*	144	13.3	134	2	3	11	16	22	31	68
B. *Operated*	58	24.2	371	1	3	18	35	57	76	99+
1. SINGLE DX	194	9.4	37	1	2	10	13	16	19	38
2. MULTIPLE DX	202	16.4	226	2	3	13	19	35	52	98
A. NOT OPERATED	313	11.2	85	1	2	11	14	18	22	58
B. OPERATED	83	19.6	319	1	2	14	28	51	70	99+
TOTAL 0-19 YRS	250	12.6	115	1	3	11	15	19	28	76
20-34	59	13.8	269	2	3	8	14	42	52	75
35-49	43	9.4	59	1	2	7	16	22	26	99+
50-64	32	15.1	217	1	1	9	27	44	51	99+
65+	12	22.7	198	8	9	17	32	46	50	51
GRAND TOTAL	**396**	**13.0**	**145**	**1**	**2**	**11**	**16**	**25**	**37**	**87**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	8	12.8	205	3	3	6	18	38	42	42
50-64	23	16.3	244	4	6	12	20	33	86	99+
65+	76	12.3	72	3	4	11	16	28	43	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	14.3	35	6	6	14	16	23	24	24
65+	2	9.5	41	5	5	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	8	9.4	25	3	3	9	14	16	16	16
50-64	40	16.3	178	4	5	14	20	43	53	99+
65+	263	17.6	304	3	4	12	22	44	87	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	17.3	184	3	3	24	65	99+	99+	99+
65+	24	31.4	573	4	7	29	54	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	13.0	118	3	4	11	16	29	44	99+
B. *Operated*	8	13.1	36	5	5	14	15	22	24	24
2. MULTIPLE DX										
A. *Not Operated*	314	17.1	280	3	4	12	22	41	77	99+
B. *Operated*	27	29.8	541	3	5	29	54	99+	99+	99+
1. SINGLE DX	117	13.0	112	3	4	11	16	28	43	99+
2. MULTIPLE DX	341	18.1	311	3	4	13	24	52	89	99+
A. NOT OPERATED	423	16.1	241	3	4	12	20	38	74	99+
B. OPERATED	35	26.0	472	3	5	24	40	98	99+	99+
TOTAL 0-19 YRS										
20-34	5	4.2	12	<1	<1	2	8	8	8	8
35-49	16	11.1	110	3	3	7	14	27	38	42
50-64	72	16.2	181	3	5	14	21	40	73	99+
65+	365	17.4	289	3	4	13	23	45	88	99+
GRAND TOTAL	**458**	**16.8**	**265**	**3**	**4**	**12**	**22**	**42**	**87**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	10.2	35	4	5	9	12	18	25	26
20-34	143	10.4	87	2	3	8	12	18	32	44
35-49	112	13.1	201	2	3	9	16	25	37	79
50-64	47	13.1	94	3	4	10	16	23	37	45
65+	4	24.5	387	6	6	20	39	51	51	51
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	26	8.4	69	2	2	5	10	25	29	32
35-49	13	7.6	24	2	3	6	10	16	18	18
50-64	14	9.9	51	1	2	8	13	18	27	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	79	13.2	237	1	3	9	14	31	60	95
35-49	109	14.0	219	2	3	9	15	29	43	78
50-64	83	14.8	164	4	6	11	18	30	64	99+
65+	14	22.6	317	2	4	22	42	51	88	99+
B. *Operated*										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	14	23.8	392	1	4	20	33	53	70	75
35-49	29	19.4	474	1	2	11	30	62	90	99+
50-64	23	21.0	371	3	5	21	40	99+	99+	99+
65+	7	19.1	202	2	3	15	25	42	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	11.9	132	2	3	9	14	24	34	66
B. *Operated*	54	8.6	51	2	2	7	10	17	28	32
2. MULTIPLE DX										
A. *Not Operated*	287	14.4	213	2	3	10	17	34	60	99+
B. *Operated*	75	20.5	382	1	3	15	32	77	99+	99+
1. SINGLE DX	371	11.4	121	2	3	9	14	23	32	66
2. MULTIPLE DX	362	15.6	253	2	3	10	20	41	66	99+
A. NOT OPERATED	604	13.1	172	2	3	9	15	28	42	85
B. OPERATED	129	15.5	276	2	3	10	23	42	84	99+
TOTAL 0-19 YRS	16	10.0	34	3	4	9	11	19	24	26
20-34	262	11.7	155	2	3	9	13	26	36	74
35-49	263	13.9	232	2	3	9	16	29	44	86
50-64	167	14.8	168	3	4	11	19	34	66	99+
65+	25	22.0	274	2	4	18	41	50	61	99+
GRAND TOTAL	**733**	**13.5**	**191**	**2**	**3**	**9**	**16**	**31**	**46**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	4.1	31	1	1	3	5	9	12	23
20-34	309	4.3	30	<1	1	3	5	9	15	33
35-49	159	4.5	25	1	1	3	5	10	13	26
50-64	85	5.8	62	1	1	4	7	10	14	49
65+	80	6.6	67	1	1	4	7	15	28	41
B. *Operated*										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	5	23.2	334	3	3	20	41	44	44	44
35-49	3	7.3	33	4	4	4	12	14	14	14
50-64	3	8.7	36	3	3	8	13	15	15	15
65+	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	6.3	57	1	1	4	8	13	19	51
20-34	291	7.6	125	1	1	4	8	19	27	63
35-49	183	6.4	58	1	1	4	8	13	19	44
50-64	192	10.2	182	1	2	6	12	21	35	82
65+	181	11.2	204	1	2	6	12	26	42	79
B. *Operated*										
0-19 YRS	13	14.3	172	1	2	12	18	34	45	47
20-34	27	12.6	253	2	2	6	17	31	57	64
35-49	17	11.0	187	1	1	6	13	31	46	52
50-64	13	11.4	107	1	2	9	15	27	33	34
65+	22	19.5	246	4	4	17	28	55	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	4.5	35	1	1	3	5	9	14	30
B. *Operated*	15	13.6	165	3	3	9	16	40	43	44
2. MULTIPLE DX										
A. *Not Operated*	1177	8.0	120	1	1	5	9	18	25	67
B. *Operated*	92	14.0	209	1	2	9	20	32	52	85
1. SINGLE DX	1142	4.6	38	1	1	3	5	10	14	34
2. MULTIPLE DX	1269	8.5	129	1	1	5	9	19	29	68
A. NOT OPERATED	2304	6.3	82	1	1	4	7	13	20	52
B. OPERATED	107	14.0	201	1	2	9	19	33	52	80
TOTAL 0-19 YRS	839	5.2	46	1	1	3	6	11	15	33
20-34	632	6.3	91	1	1	3	7	14	24	55
35-49	362	5.8	51	1	1	4	7	12	18	38
50-64	293	9.0	145	1	1	5	10	20	29	69
65+	285	10.6	177	1	2	6	13	28	37	78
GRAND TOTAL	**2411**	**6.7**	**89**	**1**	**1**	**4**	**7**	**14**	**22**	**55**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	8.3	231	1	1	4	8	15	20	93
20-34	90	7.8	122	1	2	5	9	17	22	96
35-49	69	7.5	52	2	2	6	10	14	16	47
50-64	75	12.7	214	2	3	8	15	31	63	99+
65+	101	15.0	251	1	3	11	20	37	68	99+
B. *Operated*										
0-19 YRS	51	9.2	140	<1	2	5	10	22	26	65
20-34	56	10.1	133	2	3	6	12	20	33	67
35-49	48	7.7	54	<1	1	6	10	17	20	39
50-64	53	10.2	63	2	3	8	13	21	29	37
65+	21	8.3	54	<1	1	8	14	20	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	10.0	138	1	1	6	12	25	36	92
20-34	102	9.3	110	1	2	6	11	21	36	99+
35-49	95	9.7	70	1	2	7	14	20	34	99+
50-64	165	14.2	219	2	3	10	18	33	54	99+
65+	319	18.3	342	3	4	12	27	71	99+	99+
B. *Operated*										
0-19 YRS	102	10.6	171	2	2	6	13	20	29	85
20-34	139	13.4	184	1	2	10	18	30	41	99+
35-49	104	10.7	96	<1	1	8	14	27	34	99+
50-64	164	13.8	162	1	2	11	19	27	46	97
65+	113	20.1	364	2	3	17	30	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	10.5	187	1	2	6	12	22	43	99+
B. *Operated*	229	9.3	94	1	2	6	12	19	28	53
2. MULTIPLE DX										
A. *Not Operated*	865	13.8	232	2	3	9	18	39	72	99+
B. *Operated*	622	13.8	204	1	2	10	18	32	54	99+
1. SINGLE DX	638	10.1	154	1	2	6	12	21	35	95
2. MULTIPLE DX	1487	13.8	220	1	2	10	18	36	62	99+
A. NOT OPERATED	1274	12.7	220	1	2	8	16	35	62	99+
B. OPERATED	851	12.6	178	1	2	9	17	28	46	99+
TOTAL 0-19 YRS	411	9.8	162	1	2	6	12	21	32	86
20-34	387	10.5	147	1	2	6	14	24	36	99+
35-49	316	9.2	73	1	2	7	12	19	31	99+
50-64	457	13.4	180	1	3	10	18	28	46	99+
65+	554	17.7	324	2	3	13	24	62	99+	99+
GRAND TOTAL	**2125**	**12.7**	**203**	**1**	**2**	**8**	**16**	**32**	**56**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.9	5	1	1	2	4	6	8	11
20-34	319	3.2	9	<1	1	2	4	7	8	12
35-49	226	2.9	9	1	1	2	3	6	8	18
50-64	67	3.7	11	<1	<1	3	5	9	11	17
65+	14	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	23	4.9	7	1	2	5	6	9	11	11
35-49	22	6.4	11	2	3	6	8	12	13	13
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.3	12	1	1	5	7	11	12	15
20-34	184	4.9	31	1	1	3	6	9	12	26
35-49	127	4.6	22	1	1	3	6	9	11	22
50-64	74	5.3	23	1	1	4	7	11	14	24
65+	18	5.7	15	1	2	5	7	12	15	16
B. *Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	18	13.4	442	1	2	6	11	51	71	74
35-49	9	5.1	5	2	2	5	7	8	8	8
50-64	9	6.6	23	2	2	4	10	14	15	15
65+	5	9.2	13	4	4	10	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	3.1	8	1	1	2	4	6	8	13
B. *Operated*	48	5.5	9	1	2	5	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	449	4.9	25	1	1	4	6	10	12	24
B. *Operated*	44	9.3	195	2	2	6	9	15	31	74
1. SINGLE DX	786	3.3	9	1	1	2	4	7	8	13
2. MULTIPLE DX	493	5.3	41	1	1	4	7	10	13	26
A. NOT OPERATED	1187	3.8	15	1	1	3	5	8	10	18
B. OPERATED	92	7.3	100	2	2	5	8	12	15	71
TOTAL 0-19 YRS	163	3.7	8	1	1	3	5	7	10	13
20-34	544	4.2	33	1	1	3	5	8	10	24
35-49	384	3.8	15	1	1	3	5	8	10	17
50-64	150	4.6	18	<1	1	3	6	10	12	22
65+	38	5.3	14	1	1	4	7	10	14	16
GRAND TOTAL	**1279**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	5.2	21	1	1	4	7	13	13	13
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	141	2.1	1	<1	<1	2	2	3	4	7
35-49	171	2.2	1	<1	<1	2	2	3	4	7
50-64	183	2.3	3	<1	<1	2	2	4	5	11
65+	99	2.5	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	7	5.4	76	<1	<1	3	4	21	25	25
50-64	7	4.3	9	1	1	4	7	8	8	8
65+	5	4.0	8	1	1	3	7	7	7	7
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	31	3.6	16	1	1	2	3	8	13	19
35-49	52	3.3	8	1	1	2	4	8	9	13
50-64	108	3.9	19	<1	<1	2	4	10	13	25
65+	95	4.8	20	<1	1	3	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	14	1	1	3	4	10	13	13
B. *Operated*	599	2.2	2	<1	<1	2	3	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	23	4.2	26	<1	1	3	5	8	14	25
B. *Operated*	287	4.1	17	<1	1	3	4	10	13	24
1. SINGLE DX	608	2.3	3	<1	<1	2	3	4	4	10
2. MULTIPLE DX	310	4.1	18	<1	1	3	4	9	13	24
A. NOT OPERATED	32	4.1	22	1	1	3	5	8	13	25
B. OPERATED	886	2.8	8	<1	<1	2	3	5	9	15
TOTAL 0-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
20-34	180	2.4	5	<1	<1	2	3	4	5	13
35-49	230	2.5	5	<1	<1	2	3	4	6	11
50-64	299	2.9	10	<1	<1	2	3	5	10	17
65+	201	3.7	13	<1	1	3	4	8	10	19
GRAND TOTAL	**918**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**5**	**9**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.7	73	1	1	4	7	15	28	38
20-34	59	6.9	101	1	1	4	8	15	19	57
35-49	71	5.4	22	1	1	4	7	12	16	21
50-64	60	8.0	43	1	2	6	11	18	20	31
65+	65	8.6	134	1	2	6	9	15	26	75
B. *Operated*										
0-19 YRS	35	4.6	9	1	2	4	6	9	9	15
20-34	155	4.5	13	1	2	4	6	8	10	19
35-49	196	5.1	23	1	1	4	6	11	15	23
50-64	181	5.4	45	1	2	3	6	11	16	35
65+	70	4.7	22	1	2	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.7	92	3	3	4	8	26	32	33
20-34	40	6.2	24	<1	1	5	9	12	14	25
35-49	69	8.8	82	1	2	5	11	17	33	42
50-64	87	10.0	99	2	2	7	13	20	27	60
65+	134	12.5	172	2	3	9	14	24	41	63
B. *Operated*										
0-19 YRS	20	11.4	171	<1	<1	5	13	37	42	44
20-34	100	6.9	49	1	2	5	8	15	21	72
35-49	113	8.5	86	2	2	6	11	16	21	60
50-64	152	8.1	52	1	2	5	11	18	23	32
65+	98	14.8	273	1	2	10	18	41	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	7.1	74	1	1	5	8	15	20	49
B. *Operated*	637	5.0	26	1	2	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	341	10.2	119	1	2	7	12	21	32	56
B. *Operated*	483	9.4	116	1	2	6	11	20	32	62
1. SINGLE DX	917	5.6	41	1	1	4	7	11	16	34
2. MULTIPLE DX	824	9.7	117	1	2	6	11	21	32	57
A. NOT OPERATED	621	8.8	101	1	2	6	11	18	27	55
B. OPERATED	1120	6.9	69	1	2	4	8	15	20	49
TOTAL 0-19 YRS	91	7.2	76	1	1	4	8	16	33	42
20-34	354	5.7	40	1	1	4	7	11	16	46
35-49	449	6.6	50	1	1	4	8	13	18	37
50-64	480	7.4	59	1	2	5	10	17	21	35
65+	367	10.9	176	2	2	7	12	23	41	80
GRAND TOTAL	**1741**	**7.6**	**81**	**1**	**2**	**5**	**9**	**16**	**22**	**50**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	23	6.1	9	3	3	5	8	10	12	14
20-34	61	5.9	12	1	2	6	8	10	12	16
35-49	47	7.1	12	2	3	7	10	11	13	16
50-64	125	7.0	16	2	2	7	10	12	14	17
65+	104	6.9	21	2	2	6	10	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	8	<1	<1	<1	5	6	6	6
35-49	3	7.7	52	3	3	4	13	16	16	16
50-64	6	3.8	31	<1	<1	1	4	14	15	15
65+	8	4.1	28	1	1	1	6	13	16	16
B. *Operated*										
0-19 YRS	14	6.8	12	1	3	6	9	11	13	13
20-34	46	6.2	13	2	3	5	8	10	11	22
35-49	38	6.8	25	2	2	5	8	14	19	23
50-64	112	6.9	17	2	4	6	8	12	14	24
65+	149	8.2	23	3	4	7	10	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		1	1	1	1	2	2	2
B. *Operated*	360	6.8	16	2	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	20	4.4	27	<1	<1	1	5	15	16	16
B. *Operated*	359	7.3	20	2	3	6	9	13	16	23
1. SINGLE DX	367	6.6	16	2	2	6	9	12	14	18
2. MULTIPLE DX	379	7.2	21	2	3	6	9	13	16	23
A. NOT OPERATED	27	3.5	22	<1	<1	1	4	13	16	16
B. OPERATED	719	7.0	18	2	2	6	9	12	15	23
TOTAL 0-19 YRS	38	6.2	10	1	3	5	9	11	12	14
20-34	113	5.8	12	1	2	5	7	10	12	18
35-49	90	6.9	18	2	2	6	9	12	16	22
50-64	243	6.9	17	2	2	6	9	12	14	23
65+	262	7.5	23	2	2	6	10	14	17	23
GRAND TOTAL	**746**	**6.9**	**18**	**2**	**2**	**6**	**9**	**12**	**15**	**23**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	5	3.6	7	1	1	4	5	7	7	7
65+	23	4.3	7	1	1	4	6	8	10	12
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	8.0	81	1	1	5	14	21	21	21
35-49	28	6.6	16	1	2	6	8	12	15	20
50-64	59	5.2	14	1	2	4	6	11	13	18
65+	117	6.7	26	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.8	9	2	2	4	6	10	10	10
65+	19	9.5	103	1	1	5	13	28	31	32
B. *Operated*										
0-19 YRS	2	42.0	8	40	40	42	44	44	44	44
20-34	3	12.3	146	3	3	8	21	26	26	26
35-49	11	14.3	326	3	4	7	13	44	61	63
50-64	45	10.0	43	3	3	8	12	21	24	27
65+	99	8.8	85	2	3	6	9	16	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	7	1	1	4	6	7	9	12
B. *Operated*	209	6.3	22	2	2	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	24	8.5	86	1	1	4	11	25	31	32
B. *Operated*	160	10.0	102	2	3	7	11	23	35	63
1. SINGLE DX	239	6.1	21	1	2	5	8	12	15	22
2. MULTIPLE DX	184	9.8	100	2	3	7	11	23	32	62
A. NOT OPERATED	54	6.1	46	1	1	4	7	12	24	32
B. OPERATED	369	7.9	60	2	2	6	9	15	23	44
TOTAL 0-19 YRS	3	31.3	345	10	10	40	43	44	44	44
20-34	7	9.9	95	1	1	7	18	25	26	26
35-49	41	8.5	106	2	2	6	8	14	25	63
50-64	114	7.0	31	2	2	5	10	13	20	26
65+	258	7.5	54	2	2	6	9	14	23	43
GRAND TOTAL	**423**	**7.7**	**58**	**2**	**2**	**6**	**9**	**14**	**23**	**43**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	7	3.6	4	1	1	4	5	6	6	6
65+	7	2.6	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	6.8	11	2	3	6	8	12	13	13
35-49	7	8.0	12	3	3	9	10	12	13	13
50-64	22	7.6	29	2	3	6	9	15	21	23
65+	46	6.9	33	2	2	6	8	10	21	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.6	3	2	2	5	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	8	5.6	14	1	1	5	8	11	12	12
65+	22	12.3	333	1	1	6	11	30	59	81
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	6.0	25	1	1	5	7	14	15	15
35-49	9	8.6	21	3	4	7	10	16	17	17
50-64	29	7.7	34	2	2	6	9	17	21	22
65+	45	10.2	76	2	3	8	12	29	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.6	5	1	1	3	5	7	8	9
B. *Operated*	84	7.2	27	2	2	6	9	13	20	28
2. MULTIPLE DX										
A. *Not Operated*	37	9.2	213	1	1	5	10	18	37	81
B. *Operated*	91	8.9	53	2	3	7	11	18	29	74
1. SINGLE DX	105	6.5	25	2	2	6	8	10	18	27
2. MULTIPLE DX	128	9.0	98	2	2	6	10	18	29	85
A. NOT OPERATED	58	7.2	143	1	1	4	7	12	21	78
B. OPERATED	175	8.1	41	2	3	6	9	17	22	36
TOTAL 0-19 YRS	5	5.8	10	2	2	5	9	9	9	9
20-34	22	5.7	12	1	2	6	7	10	14	15
35-49	20	7.3	18	1	2	7	9	14	16	17
50-64	66	7.0	28	2	2	6	9	16	19	23
65+	120	8.9	106	2	2	6	10	20	31	86
GRAND TOTAL	**233**	**7.8**	**66**	**2**	**2**	**6**	**9**	**17**	**22**	**51**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	8	2.9	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	130	5.0	7	2	2	5	6	8	10	15
50-64	760	4.8	7	2	2	4	6	7	10	14
65+	2616	5.0	8	2	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.7		1	1	2	2	2	2	2
50-64	23	3.8	18	<1	<1	2	6	10	13	17
65+	109	3.8	25	<1	<1	2	4	11	14	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	91	5.3	10	2	2	5	7	9	12	18
50-64	582	5.6	22	2	2	5	6	11	14	21
65+	2474	6.0	28	2	2	5	7	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*	3506	5.0	8	2	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	135	3.8	23	<1	<1	2	4	10	14	25
B. *Operated*	3147	5.9	27	2	2	5	7	11	14	27
1. SINGLE DX	3515	5.0	8	2	2	4	6	8	11	14
2. MULTIPLE DX	3282	5.8	27	2	2	5	7	11	14	27
A. NOT OPERATED	144	3.7	22	<1	<1	2	4	10	13	24
B. OPERATED	6653	5.4	17	2	2	5	7	9	12	20
TOTAL 0-19 YRS										
20-34										
35-49	224	5.1	8	2	2	5	6	8	11	15
50-64	1366	5.1	14	2	2	4	6	9	11	16
65+	5207	5.5	18	2	2	5	7	9	13	21
GRAND TOTAL	**6797**	**5.4**	**17**	**2**	**2**	**4**	**7**	**9**	**13**	**20**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	21	4.3	12	2	2	4	5	6	12	18
20-34	34	3.9	5	2	2	3	5	7	9	11
35-49	22	4.3	7	2	2	4	6	7	10	13
50-64	11	3.9	3	2	2	4	5	6	7	7
65+	27	3.1	8	<1	1	2	4	5	7	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. Operated										
0-19 YRS	13	7.1	38	2	3	4	7	20	22	22
20-34	33	6.5	53	2	2	5	7	10	22	40
35-49	25	5.8	9	2	3	5	6	11	13	13
50-64	24	6.0	20	1	2	5	8	11	17	18
65+	26	6.5	37	2	2	5	7	13	24	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	115	3.9	7	1	2	3	5	7	7	16
2. MULTIPLE DX										
A. Not Operated	6	4.8	28	<1	<1	3	5	14	15	15
B. Operated	121	6.3	31	2	2	5	7	11	18	30
1. SINGLE DX	115	3.9	7	1	2	3	5	7	7	16
2. MULTIPLE DX	127	6.2	31	2	2	5	7	12	18	29
A. NOT OPERATED	6	4.8	28	<1	<1	3	5	14	15	15
B. OPERATED	236	5.1	21	2	2	4	6	8	13	24
TOTAL 0-19 YRS	35	5.3	22	2	2	4	5	8	19	22
20-34	67	5.2	30	2	2	4	6	8	11	37
35-49	48	5.3	11	2	2	5	6	11	13	15
50-64	37	5.1	15	1	2	4	6	10	15	18
65+	55	4.7	24	<1	1	3	6	8	15	26
GRAND TOTAL	**242**	**5.1**	**21**	**2**	**2**	**4**	**6**	**9**	**14**	**24**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.0	4	<1	<1	1	2	6	7	7
20-34	4	6.3	26	1	1	5	10	13	13	13
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	2	14.5	145	6	6	14	23	23	23	23
65+	3	5.3	4	3	3	6	7	7	7	7
B. Operated										
0-19 YRS	833	1.9	1	<1	1	2	2	2	3	4
20-34	198	2.2		1	2	2	2	3	3	5
35-49	60	2.4	1	2	2	2	3	3	4	7
50-64	27	2.7	3	1	2	2	2	5	7	9
65+	13	2.2		2	2	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	1.6	3	<1	<1	1	1	3	8	8
20-34	8	4.8	25	<1	<1	1	9	12	13	13
35-49	5	3.4	14	<1	<1	2	5	10	10	10
50-64	10	9.3	11	5	5	9	11	14	15	15
65+	9	11.3	84	3	3	10	14	25	33	33
B. Operated										
0-19 YRS	153	2.0	2	<1	1	2	2	3	3	9
20-34	36	3.0	10	<1	1	2	3	8	11	16
35-49	34	3.3	15	2	2	2	3	5	7	24
50-64	18	3.2	2	2	2	3	4	6	6	6
65+	6	13.7	635	2	2	4	6	59	65	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	5.4	30	<1	<1	4	7	11	18	23
B. Operated	1131	2.0	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	62	4.8	33	<1	<1	2	8	12	14	31
B. Operated	247	2.7	21	<1	1	2	2	3	6	16
1. SINGLE DX	1150	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	309	3.1	24	<1	1	2	3	6	10	19
A. NOT OPERATED	81	4.9	32	<1	<1	2	8	12	14	30
B. OPERATED	1378	2.1	4	<1	1	2	2	3	3	7
TOTAL 0-19 YRS	1024	1.9	1	<1	1	2	2	2	3	5
20-34	246	2.4	3	1	1	2	2	3	4	13
35-49	101	2.8	7	1	2	2	3	4	7	17
50-64	57	4.4	16	2	2	2	6	10	13	22
65+	31	7.4	153	2	2	3	7	14	32	65
GRAND TOTAL	**1459**	**2.3**	**6**	**<1**	**1**	**2**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.0	10	<1	1	2	4	6	10	17
20-34	40	4.5	26	<1	1	3	5	9	17	25
35-49	34	5.3	25	<1	1	3	8	14	16	19
50-64	29	5.6	38	1	1	3	7	16	20	25
65+	41	6.7	35	1	2	4	9	15	21	25
B. *Operated*										
0-19 YRS	77	2.1	5	<1	<1	1	2	4	7	13
20-34	114	3.5	10	<1	<1	2	5	7	9	17
35-49	149	2.5	4	<1	<1	2	3	5	6	10
50-64	195	3.4	9	<1	<1	3	4	7	8	12
65+	254	3.5	7	1	2	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	6.6	38	1	1	5	9	13	15	36
20-34	33	3.8	9	1	1	3	5	8	11	12
35-49	16	5.6	29	1	1	4	7	12	19	22
50-64	46	6.1	51	1	1	5	8	9	15	42
65+	82	11.1	102	1	2	8	14	23	33	52
B. *Operated*										
0-19 YRS	34	3.4	5	<1	1	3	5	7	7	8
20-34	50	5.5	22	1	2	4	7	11	14	27
35-49	58	3.4	8	<1	1	2	4	7	10	15
50-64	112	4.4	18	<1	1	3	5	9	12	25
65+	201	6.1	36	2	2	4	7	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	4.4	23	<1	1	3	5	11	15	24
B. *Operated*	789	3.2	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	308	7.4	59	1	1	6	9	14	20	41
B. *Operated*	455	5.1	25	1	2	3	6	11	13	27
1. SINGLE DX	1046	3.5	11	<1	<1	2	4	7	10	20
2. MULTIPLE DX	763	6.0	40	1	1	4	7	12	16	34
A. NOT OPERATED	565	6.0	44	1	1	4	8	13	18	35
B. OPERATED	1244	3.9	15	<1	<1	3	5	8	11	22
TOTAL 0-19 YRS	355	4.2	22	<1	1	2	5	10	13	18
20-34	237	4.1	16	<1	<1	3	6	9	12	23
35-49	257	3.3	10	<1	<1	2	4	7	10	16
50-64	382	4.2	19	<1	1	3	5	8	11	28
65+	578	5.7	38	1	2	3	7	12	17	34
GRAND TOTAL	**1809**	**4.5**	**25**	**<1**	**1**	**3**	**6**	**10**	**13**	**26**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.8	11	1	1	4	6	9	10	17
20-34	65	5.4	17	1	2	4	6	11	16	20
35-49	36	5.9	12	2	2	6	7	11	13	14
50-64	39	5.6	15	1	2	5	7	11	14	20
65+	52	7.1	39	2	2	6	9	11	17	42
B. *Operated*										
0-19 YRS	28	3.9	26	<1	<1	2	4	12	16	22
20-34	26	4.2	5	<1	<1	4	6	7	7	7
35-49	14	3.9	17	<1	1	3	4	8	15	17
50-64	63	5.5	15	2	2	4	7	11	13	21
65+	114	5.0	9	2	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	7.8	112	1	2	6	8	12	16	72
20-34	39	5.5	13	1	2	4	8	10	13	15
35-49	59	6.3	13	1	2	6	9	10	14	17
50-64	46	8.2	49	2	3	6	10	18	33	99+
65+	58	6.7	18	<1	1	6	9	12	15	22
B. *Operated*										
0-19 YRS	20	7.3	25	<1	1	6	9	15	17	18
20-34	59	6.4	16	1	2	5	8	12	13	22
35-49	48	7.5	28	2	2	7	8	16	18	25
50-64	87	6.7	26	2	2	6	7	12	14	31
65+	179	7.4	49	2	2	6	8	15	21	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	5.7	19	1	2	5	7	10	13	20
B. *Operated*	245	4.8	13	<1	1	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	266	6.9	44	1	2	6	9	11	16	43
B. *Operated*	393	7.1	35	2	2	6	8	14	18	29
1. SINGLE DX	506	5.3	16	1	2	4	7	10	12	20
2. MULTIPLE DX	659	7.0	39	2	2	6	8	13	17	33
A. NOT OPERATED	527	6.3	32	1	2	5	8	11	15	34
B. OPERATED	638	6.2	28	1	2	5	7	12	16	24
TOTAL 0-19 YRS	181	6.0	52	<1	1	4	7	11	15	38
20-34	189	5.6	14	1	2	5	7	11	12	19
35-49	157	6.4	19	1	2	6	8	13	16	20
50-64	235	6.5	26	2	2	5	7	12	16	34
65+	403	6.6	33	2	2	5	8	12	17	27
GRAND TOTAL	**1165**	**6.3**	**30**	**1**	**2**	**5**	**8**	**11**	**15**	**25**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.0	5	<1	1	3	6	7	8	8
20-34	7	2.9	2	<1	<1	2	4	5	5	5
35-49	8	4.3	17	1	1	3	6	11	12	12
50-64	9	3.7	14	1	1	2	4	10	13	13
65+	10	7.4	38	<1	1	6	10	17	21	21
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	4.5	7	1	1	5	7	7	7	7
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	5	5.2	7	2	2	4	8	8	8	8
65+	3	6.7	6	4	4	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	3	<1	<1	3	4	5	6	7
20-34	15	5.8	20	1	2	5	8	14	15	15
35-49	8	6.5	14	3	3	5	9	12	13	13
50-64	16	6.4	15	<1	1	6	9	11	14	15
65+	27	12.1	127	2	2	9	16	24	33	56
B. *Operated*										
0-19 YRS	3	4.3	16	2	2	2	7	9	9	9
20-34	7	4.7	3	2	2	5	5	7	8	8
35-49	13	5.2	21	1	1	3	6	12	16	17
50-64	8	7.4	38	1	1	7	8	17	21	21
65+	10	6.4	119	1	1	3	5	21	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.5	16	<1	1	3	6	10	13	21
B. *Operated*	20	4.5	6	1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	81	7.6	61	1	1	6	9	15	20	48
B. *Operated*	41	5.8	42	1	1	5	7	10	19	37
1. SINGLE DX	68	4.5	13	1	1	3	6	9	12	20
2. MULTIPLE DX	122	7.0	55	1	1	5	8	14	19	42
A. NOT OPERATED	129	6.4	47	1	1	4	8	14	17	35
B. OPERATED	61	5.4	30	1	1	4	7	9	14	35
TOTAL 0-19 YRS	34	3.4	5	<1	1	3	4	7	8	9
20-34	35	4.8	11	1	2	4	7	8	13	15
35-49	33	5.1	16	1	1	4	7	11	13	17
50-64	38	5.8	19	1	1	5	8	11	14	21
65+	50	9.7	104	1	1	6	13	22	29	56
GRAND TOTAL	**190**	**6.1**	**41**	**1**	**1**	**4**	**8**	**13**	**17**	**34**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	912	4.1	12	1	1	3	5	8	10	18
20-34	33	4.2	11	1	1	4	5	8	13	14
35-49	14	4.3	11	1	1	3	6	10	11	11
50-64	3	5.7	14	3	3	4	8	10	10	10
65+	7	4.3	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	748	1.8	6	<1	<1	1	2	3	5	11
20-34	148	2.7	2	<1	<1	2	3	5	5	7
35-49	102	2.7	2	<1	1	2	3	5	6	7
50-64	67	3.1	4	<1	<1	3	4	5	7	11
65+	27	2.9	7	1	1	2	2	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1450	5.0	15	1	1	4	6	10	12	20
20-34	32	4.9	11	<1	1	4	8	10	12	12
35-49	25	7.3	22	1	2	7	12	14	15	17
50-64	15	8.9	82	<1	<1	7	9	18	31	36
65+	21	5.0	7	2	2	5	6	9	10	10
B. *Operated*										
0-19 YRS	779	3.5	19	<1	<1	2	3	8	12	24
20-34	220	4.8	10	1	2	4	7	9	10	16
35-49	151	4.7	15	1	1	3	7	8	11	24
50-64	109	4.8	13	1	1	3	7	8	11	19
65+	48	6.0	28	2	2	4	8	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	4.1	12	1	1	3	5	8	10	18
B. *Operated*	1092	2.1	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1543	5.0	16	1	1	4	7	10	13	20
B. *Operated*	1307	4.1	18	<1	1	2	5	8	12	22
1. SINGLE DX	2061	3.0	9	<1	<1	2	4	6	8	16
2. MULTIPLE DX	2850	4.6	17	1	1	3	6	9	12	20
A. NOT OPERATED	2512	4.7	14	1	1	4	6	9	12	19
B. OPERATED	2399	3.2	13	<1	<1	2	3	7	9	19
TOTAL 0-19 YRS	3889	3.9	15	<1	1	2	5	8	11	20
20-34	433	4.0	9	<1	1	3	5	8	10	14
35-49	292	4.2	12	1	1	3	6	8	11	17
50-64	194	4.5	17	<1	1	3	6	8	11	20
65+	103	4.9	18	1	2	3	6	10	16	19
GRAND TOTAL	**4911**	**3.9**	**14**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	4.7	24	1	1	3	6	10	13	27
20-34	33	4.5	6	2	2	4	6	8	10	11
35-49	22	5.7	11	2	2	5	7	12	13	13
50-64	12	5.1	8	1	1	5	7	9	10	10
65+	3	5.3	4	3	3	6	7	7	7	7
B. *Operated*										
0-19 YRS	104	2.7	14	<1	<1	1	3	6	8	22
20-34	43	4.5	5	2	3	4	5	7	9	14
35-49	23	3.9	2	1	2	4	5	6	7	7
50-64	20	4.1	3	1	2	4	5	6	8	9
65+	11	5.9	43	<1	1	4	6	16	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	194	5.6	21	1	2	4	7	11	14	25
20-34	22	3.5	4	<1	1	3	5	6	7	7
35-49	21	6.6	13	2	2	6	8	12	13	15
50-64	11	6.4	23	1	2	5	8	13	18	19
65+	14	6.4	16	1	2	5	10	12	13	13
B. *Operated*										
0-19 YRS	93	4.4	27	<1	1	3	5	10	14	31
20-34	46	4.7	10	2	2	4	5	8	12	17
35-49	27	4.0	4	1	2	3	5	7	8	9
50-64	18	6.4	16	3	3	5	8	13	16	17
65+	19	11.4	145	1	2	6	17	27	40	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	4.8	18	1	1	4	6	10	12	22
B. *Operated*	201	3.5	12	<1	<1	3	5	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	262	5.5	19	1	2	4	7	11	14	21
B. *Operated*	203	5.2	34	1	2	3	5	10	16	32
1. SINGLE DX	389	4.2	15	<1	1	3	5	8	10	22
2. MULTIPLE DX	465	5.4	25	1	2	4	7	11	15	27
A. NOT OPERATED	450	5.2	19	1	1	4	7	10	13	21
B. OPERATED	404	4.4	23	<1	1	3	5	8	12	26
TOTAL 0-19 YRS	509	4.6	22	<1	1	3	6	9	13	26
20-34	144	4.4	7	1	2	4	5	7	9	14
35-49	93	5.0	8	2	2	5	6	9	11	14
50-64	61	5.4	12	1	2	5	6	9	12	19
65+	47	8.2	78	1	2	5	10	19	25	49
GRAND TOTAL	**854**	**4.8**	**21**	**<1**	**1**	**4**	**6**	**9**	**13**	**24**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.9	7	1	1	3	5	8	10	11
20-34	77	4.4	32	1	1	3	5	10	13	36
35-49	89	4.0	7	1	1	3	5	7	9	13
50-64	134	4.2	10	1	1	4	6	8	10	17
65+	191	5.6	26	1	2	4	7	11	13	24
B. *Operated*										
0-19 YRS										
20-34	8	4.5	6	2	2	4	7	8	8	8
35-49	9	4.7	5	2	2	4	6	8	9	9
50-64	20	4.7	7	2	3	4	5	9	11	12
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	4	1	1	3	5	7	8	8
20-34	35	3.9	6	1	1	3	6	6	8	13
35-49	66	5.0	15	1	1	4	7	11	14	17
50-64	131	6.1	18	1	2	6	8	11	15	20
65+	242	6.7	36	2	2	6	8	12	16	29
B. *Operated*										
0-19 YRS										
20-34	2	10.0	72	4	4	10	16	16	16	16
35-49	6	6.7	35	1	1	4	14	14	14	14
50-64	14	8.0	19	3	3	7	11	15	15	15
65+	19	15.2	173	3	4	11	17	31	49	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	4.7	19	1	1	3	6	9	12	20
B. *Operated*	39	4.7	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	485	6.0	26	1	2	5	8	11	15	21
B. *Operated*	41	11.2	105	2	3	10	15	20	29	58
1. SINGLE DX	550	4.7	18	1	1	4	6	9	11	19
2. MULTIPLE DX	526	6.4	34	1	2	5	8	12	16	26
A. NOT OPERATED	996	5.3	23	1	1	4	7	10	13	21
B. OPERATED	80	8.1	67	2	3	5	10	15	20	52
TOTAL 0-19 YRS	31	3.8	6	1	1	3	5	8	9	11
20-34	122	4.4	23	1	1	3	5	9	12	25
35-49	170	4.5	11	1	1	3	6	9	11	16
50-64	299	5.2	15	1	1	4	7	10	13	18
65+	454	6.6	41	1	2	5	8	12	16	36
GRAND TOTAL	**1076**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	2.8	1	<1	<1	3	4	4	4	4
20-34	65	3.4	1	2	2	3	4	5	6	7
35-49	107	3.4	2	2	2	3	4	5	6	7
50-64	80	3.6	2	2	2	3	4	5	6	9
65+	19	3.6	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	3.2	3	1	2	3	4	5	6	9
35-49	26	3.4	1	2	2	3	4	4	6	6
50-64	29	3.9	6	2	2	3	4	7	10	13
65+	5	2.0	1	1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	277	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	5	2.8	9	<1	<1	1	4	8	8	8
B. *Operated*	84	3.4	3	1	2	3	4	5	7	12
1. SINGLE DX	279	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX	89	3.4	4	1	2	3	4	5	7	12
A. NOT OPERATED	7	2.7	7	<1	<1	1	4	7	8	8
B. OPERATED	361	3.4	2	2	2	3	4	5	6	9
TOTAL 0-19 YRS	7	2.9	1	<1	<1	3	4	4	4	4
20-34	88	3.4	2	2	2	3	4	5	5	8
35-49	137	3.3	2	2	2	3	4	5	6	7
50-64	110	3.6	3	2	2	3	4	6	7	11
65+	26	3.5	4	1	1	3	4	6	8	9
GRAND TOTAL	**368**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	8	<1	1	2	4	8	9	10
20-34	8	6.0	33	<1	<1	4	10	14	15	15
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	10	5.8	19	1	1	4	10	12	12	12
65+	4	8.3	51	<1	<1	7	13	18	18	18
B. *Operated*										
0-19 YRS	181	2.4	3	<1	<1	2	3	4	6	11
20-34	202	2.8	2	<1	1	2	3	4	6	8
35-49	145	2.8	4	1	1	3	3	4	5	9
50-64	109	3.2	10	1	2	3	3	5	6	21
65+	18	2.9	3	<1	1	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.4	17	<1	<1	3	6	9	11	20
20-34	8	3.8	31	<1	<1	2	4	13	17	17
35-49	18	4.1	8	<1	<1	4	7	7	10	11
50-64	4	5.8	27	1	1	5	10	12	12	12
65+	14	8.6	52	1	2	6	16	25	81	99+
B. *Operated*										
0-19 YRS	134	3.9	15	1	1	2	5	8	12	23
20-34	163	3.1	3	1	2	3	3	5	7	9
35-49	111	3.6	9	2	2	3	4	6	9	19
50-64	99	3.6	7	2	2	3	4	6	10	14
65+	21	4.7	11	1	1	3	7	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.6	19	<1	<1	3	8	12	13	18
B. *Operated*	655	2.8	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	73	5.1	25	<1	1	4	7	12	18	82
B. *Operated*	528	3.6	8	1	2	3	4	7	9	15
1. SINGLE DX	701	2.9	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	601	3.8	10	1	2	3	4	7	10	19
A. NOT OPERATED	119	4.9	23	<1	<1	3	7	12	17	47
B. OPERATED	1183	3.1	6	<1	1	3	3	5	7	14
TOTAL 0-19 YRS	364	3.2	9	<1	<1	2	3	7	9	15
20-34	381	3.0	4	1	1	3	3	5	7	10
35-49	278	3.2	6	1	1	3	3	5	7	15
50-64	222	3.6	9	1	2	3	4	6	10	14
65+	57	5.4	25	1	1	4	7	14	18	94
GRAND TOTAL	**1302**	**3.3**	**8**	**<1**	**1**	**3**	**3**	**6**	**8**	**16**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	9.1	85	2	3	7	11	14	29	46
20-34	3	14.3	152	4	4	11	24	28	28	28
35-49	3	11.7	90	2	2	12	19	21	21	21
50-64	1	12.0		12	12	12	12	12	12	12
65+	6	11.7	42	4	4	9	18	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	20.5	113	13	13	20	28	28	28	28
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	8	2	2	4	8	8	8	8
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	18.0	257	3	3	12	33	38	38	38
50-64	5	11.6	17	8	8	10	15	17	17	17
65+	6	19.5	775	6	6	7	14	70	76	76
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	16.5	61	11	11	16	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.4	76	2	3	8	12	21	27	46
B. *Operated*	3	14.3	170	2	2	13	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	22	13.6	272	2	3	8	14	34	53	76
B. *Operated*	3	11.7	100	2	2	11	19	22	22	22
1. SINGLE DX	37	10.7	80	2	2	9	13	21	28	46
2. MULTIPLE DX	25	13.4	247	2	3	8	14	32	47	76
A. NOT OPERATED	56	11.6	152	2	3	8	12	21	36	74
B. OPERATED	6	13.0	110	2	2	12	22	27	28	28
TOTAL 0-19 YRS	26	8.3	72	2	2	7	10	14	21	46
20-34	4	13.3	106	4	4	10	19	28	28	28
35-49	10	16.6	159	2	2	13	28	35	38	38
50-64	8	9.3	30	2	2	9	13	16	17	17
65+	14	15.7	333	4	6	9	18	27	65	76
GRAND TOTAL	**62**	**11.8**	**146**	**2**	**3**	**8**	**13**	**24**	**34**	**72**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.5	6	3	3	4	6	8	8	8
35-49	5	4.4	7	1	1	4	6	8	8	8
50-64	6	8.8	18	3	3	10	12	13	13	13
65+	7	2.9	3	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	13	5.6	24	<1	1	3	11	13	14	14
35-49	29	6.4	23	1	1	4	11	13	13	14
50-64	39	5.8	24	<1	1	3	10	13	15	18
65+	19	6.3	34	1	1	3	13	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34	13	5.4	25	1	2	4	6	10	19	21
35-49	33	8.4	49	2	2	7	11	18	23	30
50-64	78	8.6	58	2	2	7	12	15	20	47
65+	120	13.0	119	2	4	11	16	26	37	57
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	11.3	262	2	2	8	11	14	44	83
35-49	46	9.2	40	1	2	11	14	17	18	23
50-64	133	11.4	93	1	2	11	15	19	37	68
65+	63	13.4	118	1	1	12	19	28	40	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	13	1	2	4	7	11	12	13
B. *Operated*	100	6.0	25	1	1	3	11	13	14	17
2. MULTIPLE DX										
A. *Not Operated*	247	10.5	90	2	2	8	14	20	28	53
B. *Operated*	267	11.5	105	1	2	11	15	22	33	79
1. SINGLE DX	123	5.8	23	1	1	3	11	13	14	17
2. MULTIPLE DX	514	11.0	98	1	2	9	14	21	30	57
A. NOT OPERATED	270	10.0	86	2	2	7	13	20	27	51
B. OPERATED	367	10.0	89	1	2	10	14	19	27	59
TOTAL 0-19 YRS	5	3.4	5	1	1	3	5	7	7	7
20-34	54	8.0	134	2	2	5	10	13	20	81
35-49	113	8.1	38	1	2	7	13	16	18	26
50-64	256	9.7	74	1	2	8	13	17	24	54
65+	209	12.2	113	1	2	11	16	26	38	58
GRAND TOTAL	**637**	**10.0**	**87**	**1**	**2**	**8**	**13**	**19**	**27**	**53**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.1	14	2	3	5	7	13	14	14
20-34	80	4.0	12	1	1	3	5	8	11	19
35-49	139	5.0	16	1	1	4	6	11	13	17
50-64	285	5.7	17	1	2	5	7	11	15	19
65+	369	6.9	29	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	5	4.8	18	<1	<1	4	8	11	11	11
20-34	11	3.9	6	1	1	4	5	8	9	9
35-49	22	7.9	50	1	1	5	11	19	22	25
50-64	18	6.1	18	1	2	5	9	13	14	14
65+	6	6.5	7	4	4	6	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.0	92	1	2	5	9	15	33	42
20-34	88	5.4	12	2	2	4	7	10	12	18
35-49	261	7.0	40	1	2	6	8	14	18	28
50-64	713	7.4	37	2	2	6	10	14	18	36
65+	1179	10.1	92	2	3	7	12	20	30	65
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	20	6.0	32	1	1	4	7	14	19	23
35-49	21	12.4	98	2	4	9	17	30	34	35
50-64	80	11.1	91	1	2	9	13	24	37	41
65+	61	15.1	114	2	4	15	20	30	40	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	5.9	22	1	2	5	8	12	15	22
B. *Operated*	62	6.3	27	1	1	5	9	13	18	24
2. MULTIPLE DX										
A. *Not Operated*	2258	8.7	68	2	2	7	11	17	24	48
B. *Operated*	184	11.9	99	1	2	9	16	25	37	52
1. SINGLE DX	946	6.0	22	1	2	5	8	12	15	22
2. MULTIPLE DX	2442	9.0	71	2	2	7	11	18	25	49
A. NOT OPERATED	3142	7.9	57	1	2	6	10	15	21	43
B. OPERATED	246	10.5	87	1	2	8	14	23	32	42
TOTAL 0-19 YRS	35	6.7	52	1	1	5	8	13	15	42
20-34	199	4.8	14	1	1	4	7	10	12	21
35-49	443	6.7	38	1	1	5	8	14	18	28
50-64	1096	7.2	37	1	2	6	9	14	18	37
65+	1615	9.6	81	2	3	7	12	19	27	58
GRAND TOTAL	**3388**	**8.1**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64	13	6.8	5	3	4	7	9	10	10	10
65+	41	9.4	78	2	3	8	10	16	21	56
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.3	9	<1	<1	5	6	7	7	7
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	15	9.6	49	<1	2	10	13	15	25	29
50-64	79	9.2	65	2	3	7	10	16	29	46
65+	251	12.1	152	3	3	9	14	20	32	96
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	6.2	45	1	1	3	8	18	19	19
50-64	7	8.1	124	2	2	3	7	28	33	33
65+	18	21.6	234	3	5	18	39	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	8.8	58	2	3	8	10	14	19	53
B. *Operated*	7	5.3	23	<1	<1	4	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	347	11.3	129	2	3	8	13	20	29	75
B. *Operated*	31	15.6	217	2	2	11	31	48	93	99+
1. SINGLE DX	65	8.4	55	2	3	7	9	14	18	51
2. MULTIPLE DX	378	11.6	137	2	3	8	14	22	35	97
A. NOT OPERATED	405	10.9	119	2	3	8	13	19	28	72
B. OPERATED	38	13.7	196	1	2	8	20	44	76	99+
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	10.5	28	5	5	11	15	15	15	15
35-49	24	8.5	45	1	2	7	13	15	22	29
50-64	102	8.7	60	2	3	7	9	15	28	43
65+	312	12.2	152	2	3	9	14	22	40	98
GRAND TOTAL	**443**	**11.2**	**126**	**2**	**3**	**8**	**13**	**21**	**33**	**96**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.8	6	<1	<1	6	6	6	6	6
35-49	8	6.3	49	<1	<1	4	8	18	22	22
50-64	67	1.9	8	1	1	1	1	4	9	15
65+	10	8.2	54	1	2	5	9	21	23	23
B. *Operated*										
0-19 YRS										
20-34	11	9.8	35	3	3	10	14	19	20	20
35-49	9	6.0	21	2	2	5	7	14	17	17
50-64	14	9.6	36	<1	1	9	13	16	22	24
65+	7	12.4	82	1	1	16	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.6	31	2	2	7	13	15	15	15
20-34	10	8.1	35	1	2	5	13	17	18	18
35-49	12	10.3	70	2	2	8	14	24	28	29
50-64	95	4.9	54	1	1	1	6	14	24	34
65+	49	15.7	181	3	3	11	22	34	39	72
B. *Operated*										
0-19 YRS	4	11.3	34	5	5	11	16	18	18	18
20-34	11	15.2	79	8	9	13	15	29	39	40
35-49	31	16.0	112	2	3	14	22	30	40	44
50-64	50	21.2	228	6	7	17	24	45	56	68
65+	26	19.5	223	1	2	16	25	53	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	3.1	20	1	1	1	3	8	11	23
B. *Operated*	41	9.4	41	1	2	8	14	19	22	24
2. MULTIPLE DX										
A. *Not Operated*	173	8.6	110	1	1	4	12	23	29	43
B. *Operated*	122	18.6	181	3	6	15	24	38	55	77
1. SINGLE DX	131	5.1	35	1	1	1	8	15	20	23
2. MULTIPLE DX	295	12.8	163	1	1	10	18	29	38	65
A. NOT OPERATED	263	6.8	86	1	1	3	9	18	27	39
B. OPERATED	163	16.3	162	2	4	14	21	32	46	67
TOTAL 0-19 YRS	12	8.4	32	2	2	7	14	16	18	18
20-34	36	10.4	55	1	3	10	14	18	21	40
35-49	60	12.1	98	1	2	9	17	26	31	44
50-64	226	7.9	130	1	1	1	11	22	31	57
65+	92	15.7	178	1	3	13	23	34	43	88
GRAND TOTAL	**426**	**10.4**	**136**	**1**	**1**	**7**	**15**	**25**	**34**	**60**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	43	12.2	20	3	7	12	15	18	20	22
35-49	300	12.4	22	4	6	12	15	19	21	24
50-64	802	13.8	35	5	7	13	16	21	25	31
65+	795	15.0	52	5	7	14	18	24	30	44
B. *Operated*										
0-19 YRS										
20-34	4	11.8	1	11	11	12	12	13	13	13
35-49	17	11.6	119	1	1	11	17	25	37	43
50-64	34	12.9	41	1	3	13	16	22	24	26
65+	15	20.1	45	12	14	19	23	28	35	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	17.8	245	<1	<1	16	28	41	41	41
20-34	27	12.1	26	3	4	12	16	19	20	21
35-49	408	13.1	43	5	8	13	16	19	21	32
50-64	1400	14.8	64	6	8	14	17	23	28	52
65+	2185	17.1	105	6	8	15	20	29	37	62
B. *Operated*										
0-19 YRS										
20-34	8	12.5	28	3	4	13	17	18	18	18
35-49	71	15.3	135	1	2	12	21	28	36	61
50-64	189	18.0	115	4	8	17	22	30	34	65
65+	214	23.4	190	10	12	20	27	39	53	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1940	14.0	41	5	7	13	17	21	25	36
B. *Operated*	70	14.1	67	1	2	14	18	24	26	42
2. MULTIPLE DX										
A. *Not Operated*	4025	15.9	86	6	8	14	18	25	32	56
B. *Operated*	482	19.9	160	4	9	18	24	34	42	81
1. SINGLE DX	2010	14.0	42	5	7	13	17	22	26	37
2. MULTIPLE DX	4507	16.3	95	6	8	14	19	26	34	58
A. NOT OPERATED	5965	15.3	72	6	8	14	18	24	30	52
B. OPERATED	552	19.1	152	3	8	17	23	33	40	73
TOTAL 0-19 YRS	5	17.8	245	<1	<1	16	28	41	41	41
20-34	82	12.2	21	3	6	12	15	18	20	22
35-49	796	13.0	45	3	6	12	16	20	23	36
50-64	2425	14.7	59	6	8	14	17	23	27	46
65+	3209	17.0	101	6	8	15	20	28	36	61
GRAND TOTAL	**6517**	**15.6**	**80**	**6**	**8**	**14**	**18**	**25**	**31**	**54**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	11	2.3	3	1	1	1	4	5	5	5
35-49	143	4.4	10	1	1	3	5	8	12	16
50-64	400	4.8	17	1	1	4	6	9	12	23
65+	439	5.8	22	1	2	5	8	11	14	18
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	9	1.7	1	<1	<1	1	2	3	3	3
50-64	24	2.8	21	<1	<1	1	3	5	12	23
65+	8	4.5	57	<1	<1	2	3	17	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	14	3.6	6	1	1	3	6	7	8	8
35-49	220	6.1	49	1	2	4	7	11	15	41
50-64	787	6.7	25	2	2	6	9	12	16	25
65+	1280	8.3	58	2	2	6	10	16	21	45
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	4.8	27	<1	<1	3	5	9	18	22
35-49	196	6.3	27	<1	2	4	10	12	15	29
50-64	597	7.0	54	<1	<1	4	10	14	17	39
65+	248	8.7	85	<1	2	4	11	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	5.2	19	1	1	4	7	10	13	18
B. *Operated*	42	3.0	23	<1	<1	1	3	5	13	23
2. MULTIPLE DX										
A. *Not Operated*	2303	7.5	46	2	2	6	9	14	19	38
B. *Operated*	1059	7.2	56	<1	1	4	10	15	19	39
1. SINGLE DX	1037	5.1	19	1	1	4	7	10	13	20
2. MULTIPLE DX	3362	7.4	49	1	2	5	10	14	19	39
A. NOT OPERATED	3298	6.8	39	1	2	5	8	13	17	32
B. OPERATED	1101	7.1	56	<1	<1	4	10	15	19	38
TOTAL 0-19 YRS	5	4.4	11	2	2	3	6	10	10	10
20-34	43	3.8	14	<1	1	3	5	8	9	22
35-49	568	5.7	32	1	1	4	8	11	14	27
50-64	1808	6.3	34	1	1	4	9	12	16	26
65+	1975	7.8	54	1	2	6	10	15	20	40
GRAND TOTAL	**4399**	**6.9**	**43**	**1**	**2**	**5**	**9**	**14**	**18**	**33**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	9.0	23	2	2	11	13	13	13	13
35-49	127	7.5	20	2	2	7	10	14	16	21
50-64	378	8.1	28	2	3	7	11	14	17	28
65+	427	8.6	29	2	3	7	11	15	19	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	11.3	20	4	4	12	14	17	17	17
50-64	16	10.2	32	<1	1	10	13	13	21	22
65+	7	21.1	10	17	17	21	23	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	4.7	10	2	2	4	5	10	12	13
35-49	171	8.5	70	2	3	7	10	15	18	59
50-64	848	8.7	33	2	3	8	11	16	20	28
65+	1417	10.2	50	3	4	9	13	18	24	39
B. *Operated*										
0-19 YRS										
20-34	5	5.8	13	3	3	4	9	11	11	11
35-49	80	11.4	55	<1	3	10	16	20	25	38
50-64	245	13.4	90	2	4	11	17	23	28	64
65+	183	18.2	172	4	6	15	23	34	42	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	8.3	27	2	3	7	11	15	17	26
B. *Operated*	29	13.1	45	1	3	13	18	22	23	26
2. MULTIPLE DX										
A. *Not Operated*	2452	9.6	46	2	3	8	12	17	22	35
B. *Operated*	513	14.7	120	3	4	12	19	27	35	73
1. SINGLE DX	967	8.4	28	2	3	7	11	15	18	26
2. MULTIPLE DX	2965	10.5	62	2	3	9	13	19	25	41
A. NOT OPERATED	3390	9.2	41	2	3	8	12	17	21	34
B. OPERATED	542	14.7	116	3	4	12	18	26	34	71
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	5.9	15	2	2	4	10	13	13	13
35-49	384	8.8	51	2	3	7	11	16	19	39
50-64	1487	9.4	44	2	3	8	12	18	22	31
65+	2034	10.6	63	3	3	9	13	20	25	41
GRAND TOTAL	**3932**	**9.9**	**55**	**2**	**3**	**8**	**12**	**18**	**23**	**38**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	18	5.2	14	<1	1	4	6	11	13	14
35-49	108	6.4	22	1	2	6	8	12	15	24
50-64	290	6.7	27	1	2	5	9	14	17	24
65+	399	7.9	37	2	2	6	10	15	18	30
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	4.1	21	1	1	2	7	12	12	12
35-49	177	4.4	19	<1	<1	2	7	12	13	17
50-64	404	5.3	34	<1	1	2	9	13	16	28
65+	156	5.7	39	<1	1	2	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	77	3	3	5	14	22	22	22
20-34	15	8.0	32	1	2	8	12	17	19	20
35-49	202	6.8	22	1	2	6	9	13	15	22
50-64	936	8.4	45	2	2	7	11	16	20	34
65+	2144	11.2	103	2	3	8	14	23	32	67
B. *Operated*										
0-19 YRS	3	4.3	33	<1	<1	1	8	11	11	11
20-34	36	4.4	14	<1	<1	3	6	11	12	12
35-49	364	5.9	43	<1	<1	3	9	14	17	35
50-64	1035	7.4	79	<1	<1	3	11	17	23	41
65+	479	10.8	116	<1	1	9	15	26	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	817	7.2	31	1	2	6	9	14	18	27
B. *Operated*	746	5.1	31	<1	1	2	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	3301	10.1	83	2	3	8	13	20	28	60
B. *Operated*	1917	7.9	83	<1	<1	4	12	18	25	46
1. SINGLE DX	1563	6.2	32	1	1	4	9	13	17	26
2. MULTIPLE DX	5218	9.3	84	1	1	7	12	19	27	55
A. NOT OPERATED	4118	9.5	74	2	2	7	12	19	26	54
B. OPERATED	2663	7.1	70	<1	<1	3	11	17	23	42
TOTAL 0-19 YRS	10	6.6	42	<1	<1	4	11	17	22	22
20-34	77	5.3	19	<1	1	4	8	12	13	19
35-49	851	5.9	31	<1	1	4	9	13	16	28
50-64	2665	7.3	56	<1	1	5	11	16	20	34
65+	3178	10.4	96	1	2	8	13	22	30	64
GRAND TOTAL	**6781**	**8.6**	**74**	**1**	**1**	**6**	**12**	**18**	**25**	**47**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	32	7.3	14	1	2	8	10	11	12	16
35-49	29	11.8	53	2	3	12	14	19	31	31
50-64	45	13.1	38	4	7	13	15	21	23	38
65+	46	12.0	16	7	8	12	14	17	19	24
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	12.0		12	12	12	12	12	12	12
35-49	12	11.8	24	3	4	12	16	18	18	18
50-64	12	15.6	75	4	8	13	17	30	35	36
65+	6	18.8	29	12	12	18	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	23	11.7	24	6	7	11	13	16	22	30
35-49	38	13.4	60	4	5	12	15	27	30	36
50-64	107	14.4	71	6	7	13	15	21	30	52
65+	177	19.0	195	7	8	16	22	34	45	97
B. *Operated*										
0-19 YRS										
20-34	9	13.9	53	7	7	12	18	25	29	29
35-49	14	17.1	103	8	9	15	20	27	43	47
50-64	27	17.3	62	6	8	17	22	25	34	39
65+	44	22.8	229	9	10	18	28	41	51	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	11.3	33	2	4	11	14	17	21	31
B. *Operated*	33	14.6	46	3	8	13	18	24	28	36
2. MULTIPLE DX										
A. *Not Operated*	346	16.4	136	6	8	13	19	28	36	76
B. *Operated*	94	19.5	152	7	9	16	23	34	42	75
1. SINGLE DX	186	11.9	37	3	4	12	14	18	23	34
2. MULTIPLE DX	440	17.1	141	7	8	14	20	30	39	76
A. NOT OPERATED	499	14.9	110	4	7	13	17	25	33	70
B. OPERATED	127	18.2	129	7	9	15	22	33	40	70
TOTAL 0-19 YRS	3	11.7	20	7	7	12	15	16	16	16
20-34	66	9.9	28	2	4	10	12	15	19	30
35-49	93	13.2	61	3	5	12	16	25	30	42
50-64	191	14.6	63	5	7	13	17	22	30	51
65+	273	18.4	176	7	8	15	21	33	42	90
GRAND TOTAL	**626**	**15.5**	**116**	**5**	**7**	**13**	**18**	**27**	**35**	**69**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64	3	22.0	211	8	8	21	33	37	37	37
65+	3	10.0	21	5	5	11	13	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	52.0		52	52	52	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	33.3	1440	6	6	20	60	87	87	87
20-34	6	27.5	32	18	19	29	30	34	34	34
35-49	3	27.3	80	17	17	32	33	33	33	33
50-64	13	31.5	225	3	13	30	37	52	62	64
65+	13	29.8	357	2	2	34	45	70	93	99+
B. *Operated*										
0-19 YRS	2	48.0	338	35	35	48	61	61	61	61
20-34	3	44.3	616	24	24	37	63	72	72	72
35-49										
50-64	4	27.0	627	5	5	20	42	63	63	63
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	13.0	128	3	4	9	17	32	37	37
B. *Operated*	1	52.0		52	52	52	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	39	30.2	309	2	6	30	36	56	77	99+
B. *Operated*	9	37.4	532	5	11	35	61	68	72	72
1. SINGLE DX	9	17.3	281	3	4	11	25	46	52	52
2. MULTIPLE DX	48	31.6	349	2	6	30	38	64	73	99+
A. NOT OPERATED	47	27.3	318	2	5	29	35	48	69	99+
B. OPERATED	10	38.9	494	5	12	36	61	67	72	72
TOTAL 0-19 YRS	8	29.6	957	3	4	20	48	79	87	87
20-34	9	33.1	245	18	20	30	35	58	72	72
35-49	3	27.3	80	17	17	32	33	33	33	33
50-64	20	29.2	276	3	6	29	37	56	63	64
65+	17	27.6	370	2	3	31	45	62	87	99+
GRAND TOTAL	**57**	**29.3**	**360**	**3**	**5**	**30**	**37**	**62**	**70**	**99**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	5	<1	<1	1	3	5	8	9
20-34	29	2.9	6	<1	1	2	4	7	7	10
35-49	53	2.8	10	<1	<1	2	3	6	12	13
50-64	63	2.9	5	<1	1	2	4	6	8	9
65+	64	5.3	36	1	1	4	6	11	18	33
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	9.0		9	9	9	9	9	9	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	21	5.0	29	<1	1	2	7	15	17	20
35-49	46	3.8	11	1	1	3	5	7	11	16
50-64	89	4.4	24	1	1	3	6	9	10	30
65+	155	7.6	63	1	2	5	10	18	26	57
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	7.7	36	2	2	7	12	14	14	14
50-64	7	9.7	103	1	1	6	15	26	28	28
65+	7	23.9	444	7	8	20	49	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	3.5	16	<1	1	2	5	8	10	21
B. *Operated*	5	6.4	17	<1	<1	9	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	319	5.8	44	1	1	4	7	13	19	34
B. *Operated*	17	15.2	266	1	1	12	24	57	87	99+
1. SINGLE DX	227	3.6	16	<1	1	2	5	8	10	21
2. MULTIPLE DX	336	6.3	58	1	1	4	7	15	23	60
A. NOT OPERATED	541	4.9	34	1	1	3	6	10	15	30
B. OPERATED	22	13.2	220	<1	1	10	16	38	79	99+
TOTAL 0-19 YRS	21	2.2	4	<1	<1	1	3	4	6	9
20-34	51	3.9	17	<1	1	2	5	9	15	20
35-49	104	3.5	12	<1	1	2	5	8	13	15
50-64	160	4.0	21	<1	1	3	5	8	10	27
65+	227	7.4	75	1	1	5	9	18	26	75
GRAND TOTAL	**563**	**5.2**	**43**	**1**	**1**	**3**	**6**	**11**	**18**	**34**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	22	2.5	4	1	1	2	3	5	7	9
35-49	55	3.1	10	<1	<1	2	4	8	11	12
50-64	139	3.6	8	<1	1	3	5	7	10	13
65+	241	5.6	21	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	3	5.3	56	1	1	1	11	14	14	14
65+	4	9.0	27	5	5	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	117	1	1	3	5	27	29	29
20-34	22	5.0	71	<1	1	2	4	11	28	37
35-49	97	4.6	17	1	1	3	6	11	13	20
50-64	347	6.3	48	1	1	5	8	13	17	25
65+	954	9.0	101	1	2	6	11	18	28	93
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	13.0	66	5	5	11	17	26	27	27
50-64	30	12.6	101	1	2	10	15	29	33	43
65+	79	19.1	253	3	5	14	22	42	54	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	4.5	16	<1	1	3	6	9	12	18
B. *Operated*	8	6.9	34	1	1	5	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1426	8.0	84	1	1	5	10	16	24	60
B. *Operated*	115	17.1	210	2	4	13	21	33	47	74
1. SINGLE DX	469	4.5	16	<1	1	3	6	10	12	18
2. MULTIPLE DX	1541	8.7	99	1	2	6	11	18	27	65
A. NOT OPERATED	1887	7.1	70	1	1	5	9	15	21	50
B. OPERATED	123	16.4	205	2	4	13	19	32	47	72
TOTAL 0-19 YRS	10	5.5	71	1	1	3	5	17	29	29
20-34	45	3.7	37	1	1	2	3	6	12	37
35-49	158	4.4	19	<1	1	3	6	11	13	23
50-64	519	5.9	44	1	1	4	8	13	16	30
65+	1278	9.0	103	1	2	6	11	18	28	67
GRAND TOTAL	**2010**	**7.7**	**83**	**1**	**1**	**5**	**10**	**16**	**23**	**58**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	20	<1	1	3	5	9	14	21
20-34	65	3.6	9	<1	1	2	5	9	10	13
35-49	114	4.2	17	<1	1	3	5	10	12	22
50-64	176	4.1	11	<1	1	3	5	9	11	15
65+	248	5.9	19	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	3	6.3	21	<1	<1	9	9	9	9	9
35-49	16	3.9	9	<1	<1	3	5	10	11	11
50-64	46	5.3	10	<1	2	5	6	11	12	14
65+	135	6.8	19	1	3	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.3	14	1	1	3	5	8	13	19
20-34	47	3.9	13	<1	1	2	5	9	11	17
35-49	162	5.3	37	1	1	4	6	11	14	38
50-64	422	6.6	38	1	2	5	8	13	18	32
65+	836	8.5	53	2	2	7	11	17	22	46
B. *Operated*										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	14	14.4	249	<1	<1	6	27	36	48	52
35-49	36	8.7	84	<1	<1	6	10	19	31	40
50-64	116	10.8	106	1	3	8	14	20	24	59
65+	474	12.2	122	3	4	9	14	23	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	4.8	16	1	1	4	6	10	13	20
B. *Operated*	203	6.2	17	<1	2	5	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1493	7.4	47	1	2	6	9	15	21	36
B. *Operated*	643	11.8	120	3	3	9	14	23	32	67
1. SINGLE DX	839	5.1	17	1	1	4	7	10	13	21
2. MULTIPLE DX	2136	8.7	73	1	2	6	11	17	24	51
A. NOT OPERATED	2129	6.6	39	1	1	5	8	14	18	32
B. OPERATED	846	10.4	101	2	3	8	13	20	29	59
TOTAL 0-19 YRS	65	4.3	16	1	1	3	5	9	12	21
20-34	129	5.0	46	<1	1	3	6	10	15	38
35-49	328	5.2	35	<1	1	4	6	11	15	34
50-64	760	6.6	44	1	1	5	8	13	18	33
65+	1693	9.0	69	2	3	7	11	17	24	53
GRAND TOTAL	**2975**	**7.7**	**60**	**1**	**2**	**6**	**10**	**15**	**21**	**43**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.7	95	1	1	2	7	24	28	28
20-34										
35-49	17	6.1	6	3	3	6	8	9	10	11
50-64	138	8.7	66	2	3	6	10	17	24	42
65+	867	9.7	82	2	3	7	12	19	29	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	8	19.6	407	6	8	13	15	53	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	9.0	75	1	2	6	11	26	29	31
20-34	15	9.1	23	3	4	8	10	15	20	22
35-49	99	9.0	57	1	2	7	11	18	25	39
50-64	795	10.8	97	2	3	8	13	20	29	59
65+	4402	13.1	149	3	4	10	16	26	37	90
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34	2	9.5	41	5	5	9	14	14	14	14
35-49	14	15.1	189	<1	2	10	28	34	43	45
50-64	90	19.0	165	2	5	17	27	34	46	57
65+	272	24.1	310	6	8	20	31	53	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1029	9.5	79	2	3	7	11	19	28	44
B. *Operated*	10	18.4	326	6	8	13	16	43	69	69
2. MULTIPLE DX										
A. *Not Operated*	5338	12.6	140	3	4	9	15	25	35	82
B. *Operated*	379	22.6	276	5	7	18	30	48	63	99+
1. SINGLE DX	1039	9.6	82	2	3	7	12	19	28	45
2. MULTIPLE DX	5717	13.3	155	3	4	10	16	28	38	90
A. NOT OPERATED	6367	12.1	131	2	3	9	15	24	33	78
B. OPERATED	389	22.4	277	5	7	18	29	48	64	99+
TOTAL 0-19 YRS	35	9.5	107	1	2	6	11	28	30	42
20-34	17	9.1	23	3	4	8	11	15	20	22
35-49	130	9.3	68	1	2	7	11	19	30	42
50-64	1025	11.2	105	2	3	8	14	23	31	58
65+	5549	13.1	155	3	4	10	16	27	38	92
GRAND TOTAL	**6756**	**12.7**	**146**	**3**	**3**	**9**	**16**	**26**	**36**	**85**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.9	19	2	2	4	8	12	14	20
20-34	88	5.2	18	1	2	4	6	9	11	27
35-49	94	6.2	20	1	2	5	9	12	16	21
50-64	93	6.9	31	1	2	5	9	15	20	24
65+	59	9.8	78	2	2	7	12	21	29	42
B. *Operated*										
0-19 YRS	16	4.1	16	1	2	2	3	11	13	14
20-34	31	5.3	18	<1	<1	3	9	12	14	15
35-49	38	5.4	27	<1	<1	3	10	12	13	23
50-64	72	5.0	25	1	1	3	8	13	14	21
65+	37	6.1	36	1	1	3	12	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.2	38	1	2	4	7	15	23	24
20-34	77	8.0	61	1	2	6	10	15	24	41
35-49	119	8.4	51	2	2	6	11	18	23	37
50-64	261	11.0	122	2	3	7	14	23	32	50
65+	380	12.8	109	3	4	10	16	25	32	59
B. *Operated*										
0-19 YRS	17	8.5	54	1	1	6	10	20	27	29
20-34	40	11.0	86	1	2	9	15	23	32	37
35-49	77	10.0	69	1	1	9	14	24	29	81
50-64	192	10.3	101	<1	1	9	14	23	30	58
65+	188	11.6	149	1	1	10	15	26	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	6.7	33	1	2	5	8	13	19	29
B. *Operated*	194	5.3	25	<1	1	3	10	13	14	22
2. MULTIPLE DX										
A. *Not Operated*	864	11.0	102	2	3	8	14	22	31	50
B. *Operated*	514	10.7	111	<1	1	9	14	24	32	63
1. SINGLE DX	558	6.2	31	1	1	4	9	13	17	25
2. MULTIPLE DX	1378	10.9	105	1	2	8	14	23	31	52
A. NOT OPERATED	1228	9.7	86	2	2	7	12	20	28	44
B. OPERATED	708	9.2	93	<1	1	7	13	21	28	53
TOTAL 0-19 YRS	90	6.2	31	1	2	4	8	13	20	27
20-34	236	7.1	47	1	2	5	9	14	21	36
35-49	328	7.8	46	1	2	6	11	17	23	34
50-64	618	9.5	94	1	1	6	13	21	26	48
65+	664	11.8	116	1	2	9	15	24	32	60
GRAND TOTAL	**1936**	**9.5**	**88**	**1**	**2**	**7**	**13**	**20**	**28**	**46**

151: Cardiovascular disease, unspecified (429.2)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+	13	8.8	132	1	2	6	9	19	40	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	8.5	52	1	1	7	11	20	22	22
65+	72	12.7	121	2	2	10	19	33	45	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	8.0	2	7	7	8	9	9	9	9
65+	2	15.0	2	14	14	15	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.3	126	1	2	6	11	19	39	45
B. *Operated*	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	82	12.2	113	2	2	10	18	33	43	99+
B. *Operated*	4	11.5	18	7	7	11	15	16	16	16
1. SINGLE DX	16	9.3	111	1	2	6	12	16	36	45
2. MULTIPLE DX	86	12.1	109	2	2	10	18	31	42	99+
A. NOT OPERATED	96	11.7	115	1	2	9	16	31	44	99+
B. OPERATED	6	10.7	19	5	5	11	14	16	16	16
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	13	9.0	44	1	2	8	12	20	22	22
65+	89	12.1	118	2	2	9	16	33	45	99+
GRAND TOTAL	**102**	**11.7**	**109**	**2**	**2**	**9**	**16**	**29**	**43**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	132	<1	<1	<1	12	24	24	24
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	3	8.3	161	<1	<1	<1	17	23	23	23
50-64	1	20.0		20	20	20	20	20	20	20
65+	3	12.7	114	1	1	15	20	22	22	22
B. *Operated*										
0-19 YRS	2	12.0	162	3	3	12	21	21	21	21
20-34	11	14.9	129	2	3	10	18	33	40	41
35-49	10	16.9	119	1	3	16	23	32	40	40
50-64	7	16.9	83	3	5	15	25	29	29	29
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	51	99+	99+	99+	99+
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	4	11.5	153	2	2	8	21	28	28	28
65+	5	42.0	647	10	10	42	56	79	79	79
B. *Operated*										
0-19 YRS	3	20.7	85	10	10	26	26	26	26	26
20-34	8	18.5	72	9	10	15	25	31	33	33
35-49	11	36.9	820	13	13	24	47	89	95	96
50-64	13	24.9	67	13	15	24	33	46	88	99+
65+	13	40.0	295	14	17	41	49	83	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.0	100	<1	<1	1	20	23	24	24
B. *Operated*	31	16.0	104	2	3	16	22	29	39	41
2. MULTIPLE DX										
A. *Not Operated*	13	21.2	557	<1	2	12	42	81	96	99+
B. *Operated*	48	30.4	355	12	12	26	38	67	96	99+
1. SINGLE DX	44	14.0	111	<1	<1	14	21	28	32	41
2. MULTIPLE DX	61	28.5	404	3	10	26	39	79	97	99+
A. NOT OPERATED	26	15.1	354	<1	<1	10	24	48	82	99+
B. OPERATED	79	24.8	304	4	9	21	33	48	82	99+
TOTAL 0-19 YRS	10	11.4	131	<1	<1	6	24	26	26	26
20-34	22	14.6	110	1	3	12	23	35	62	99+
35-49	26	23.7	527	<1	1	17	25	49	86	96
50-64	25	20.3	101	2	4	20	29	33	52	99+
65+	22	35.9	408	7	12	36	48	79	88	99+
GRAND TOTAL	**105**	**22.4**	**331**	**<1**	**2**	**20**	**31**	**48**	**81**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	5	56.2	477	38	38	51	62	94	94	94
50-64	4	27.3	418	3	3	41	60	99+	99+	99+
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*				99+	99+	99+	99+	99+	99+	99+
B. *Operated*	11	40.0	558	4	13	43	51	96	99	99+
1. SINGLE DX										
2. MULTIPLE DX	11	40.0	558	5	15	46	62	99+	99+	99+
A. NOT OPERATED				99+	99+	99+	99+	99+	99+	99+
B. OPERATED	11	40.0	558	4	13	43	51	96	99	99+
TOTAL 0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	5	56.2	477	38	38	51	62	94	94	94
50-64	4	27.3	418	3	3	41	60	99+	99+	99+
65+	1	24.0		24	24	62	99+	99+	99+	99+
GRAND TOTAL	**11**	**40.0**	**558**	**5**	**15**	**46**	**62**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34										
35-49										
50-64	5	15.8	489	2	2	7	21	55	55	55
65+	9	13.2	129	1	2	12	20	31	33	33
B. *Operated*										
0-19 YRS	3	16.0	97	8	8	13	23	27	27	27
20-34	1	19.0		19	19	19	19	19	19	19
35-49	7	11.9	21	7	7	12	15	18	19	19
50-64	3	20.0	49	15	15	17	25	28	28	28
65+	12	12.5	37	8	8	10	15	22	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.0	18	7	7	12	15	16	16	16
20-34										
35-49	4	18.3	375	2	2	12	31	46	46	46
50-64	5	19.8	194	5	5	20	27	41	41	41
65+	26	33.3	660	2	9	21	58	73	81	82
B. *Operated*										
0-19 YRS	2	28.5	545	12	12	28	45	45	45	45
20-34	5	14.6	67	5	5	13	22	24	24	24
35-49	5	18.6	113	7	7	21	28	30	30	30
50-64	13	27.5	669	6	9	18	31	64	91	97
65+	34	26.7	326	6	11	22	36	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	13.6	207	1	2	9	17	32	48	55
B. *Operated*	26	13.8	41	7	8	13	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	39	27.8	550	2	6	20	40	69	77	82
B. *Operated*	59	25.2	362	6	8	20	32	56	76	99+
1. SINGLE DX	42	13.8	101	2	4	12	17	28	30	55
2. MULTIPLE DX	98	26.3	434	5	7	20	35	60	77	99
A. NOT OPERATED	55	23.7	487	2	3	16	35	60	72	82
B. OPERATED	85	21.8	290	6	8	17	27	45	61	99
TOTAL 0-19 YRS	11	15.7	131	4	6	13	16	34	44	45
20-34	6	15.3	57	5	5	16	22	24	24	24
35-49	16	15.6	125	3	7	12	20	30	41	46
50-64	26	22.9	458	4	5	17	24	55	64	97
65+	81	25.2	421	3	7	19	34	62	76	94
GRAND TOTAL	**140**	**22.5**	**366**	**4**	**6**	**17**	**28**	**55**	**70**	**97**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	27.1	610	3	3	26	58	91	99+	99+
65+	5	30.0	586	14	14	53	99+	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	57.0		57	57	57	57	57	57	57
35-49	1	24.0		24	24	24	24	24	24	24
50-64	6	38.7	1377	7	7	22	79	91	92	92
65+	1	97.0		97	97	98	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	28.3	548	3	5	36	85	99+	99+	99+
B. *Operated*	9	45.6	1301	7	8	41	92	98	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	21	35.7	898	4	7	36	92	99+	99+	99+
A. NOT OPERATED	12	28.3	548	3	5	36	85	99+	99+	99+
B. OPERATED	9	45.6	1301	7	8	41	92	98	99+	99+
TOTAL 0-19 YRS										
20-34	1	57.0		57	57	57	57	57	57	57
35-49	1	24.0		24	24	24	24	24	24	24
50-64	13	32.5	914	3	4	22	70	93	98	99+
65+	6	41.2	1217	14	14	83	99+	99+	99+	99+
GRAND TOTAL	**21**	**35.7**	**898**	**4**	**7**	**36**	**92**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	14.8	364	1	1	7	25	43	43	43
65+	10	5.7	52	1	1	4	7	16	25	25
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	20	7.5	26	1	2	5	11	14	17	20
50-64	91	10.2	55	1	2	10	14	21	26	34
65+	88	8.5	42	1	1	8	11	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	11.0	128	3	3	11	19	19	19	19
50-64	16	7.9	49	1	1	6	11	18	24	26
65+	29	10.6	78	2	2	7	16	28	31	99+
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	3	4.7	22	<1	<1	3	8	10	10	10
35-49	23	16.7	389	1	3	13	16	33	66	94
50-64	241	11.2	60	1	2	9	15	22	26	38
65+	300	11.6	72	1	1	10	15	21	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.3	138	1	1	4	8	27	39	43
B. *Operated*	200	9.2	47	1	1	8	13	18	23	30
2. MULTIPLE DX										
A. *Not Operated*	47	9.7	68	1	2	7	14	25	30	99+
B. *Operated*	568	11.6	80	1	2	10	15	22	26	42
1. SINGLE DX	214	9.1	52	1	1	8	12	18	24	33
2. MULTIPLE DX	615	11.4	79	1	2	10	15	22	27	43
A. NOT OPERATED	61	9.4	82	1	1	7	12	25	30	93
B. OPERATED	768	10.9	72	1	2	10	14	21	25	39
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	4	5.8	20	<1	<1	6	9	10	10	10
35-49	45	12.3	229	1	2	10	14	20	34	94
50-64	352	10.8	61	1	2	9	14	22	26	38
65+	427	10.7	68	1	1	10	15	21	25	42
GRAND TOTAL	**829**	**10.8**	**73**	**1**	**2**	**10**	**14**	**21**	**26**	**40**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	34.0	2048	2	2	34	66	66	66	66
65+	5	17.4	171	5	5	13	24	39	39	39
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	46.5	2813	9	9	84	96	99+	99+	99+
50-64	14	15.5	82	6	7	13	17	28	37	39
65+	12	22.6	495	4	5	15	41	75	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	19.9	488	2	3	12	29	58	66	66
B. *Operated*	28	20.8	410	5	6	14	27	76	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	36	20.6	414	4	5	14	27	68	93	99+
A. NOT OPERATED	8	19.9	488	2	3	12	29	58	66	66
B. OPERATED	28	20.8	410	5	6	14	27	76	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	32.3	2008	4	4	46	92	99+	99+	99+
50-64	16	17.8	248	3	5	13	20	38	58	66
65+	17	21.1	389	4	5	14	33	68	88	99+
GRAND TOTAL	**36**	**20.6**	**414**	**4**	**5**	**14**	**27**	**68**	**93**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.0	28	5	5	9	14	17	17	17
35-49	6	12.0	71	4	4	12	13	26	27	27
50-64	17	9.9	65	2	3	8	12	26	29	29
65+	57	15.8	126	3	4	13	25	34	40	96
B. *Operated*										
0-19 YRS										
20-34	3	15.7	6	13	13	16	17	18	18	18
35-49	8	9.5	29	2	2	10	14	15	15	15
50-64	5	9.4	71	3	3	7	24	92	99+	99+
65+	8	13.8	190	2	2	9	30	76	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	85	9	9	15	22	22	22	22
20-34	8	11.8	39	2	4	11	19	68	99+	99+
35-49	20	14.6	84	3	4	13	18	30	33	33
50-64	73	13.4	159	3	4	11	17	26	38	75
65+	264	22.0	409	4	5	15	34	68	99+	99+
B. *Operated*										
0-19 YRS										
20-34	8	19.0	415	1	2	11	27	53	63	63
35-49	23	11.5	178	2	3	9	13	17	36	69
50-64	34	13.5	94	2	5	12	18	31	41	99+
65+	50	18.2	294	2	3	13	32	54	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	14.0	110	3	3	12	19	30	36	82
B. *Operated*	24	11.7	86	2	2	10	18	39	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	367	19.6	345	4	4	13	26	59	89	99+
B. *Operated*	115	15.5	222	2	3	12	20	43	66	99+
1. SINGLE DX	108	13.5	104	2	3	12	18	30	40	99+
2. MULTIPLE DX	482	18.7	318	3	4	13	25	56	83	99+
A. NOT OPERATED	451	18.6	306	3	4	13	25	55	80	99+
B. OPERATED	139	14.9	200	2	3	12	19	42	72	99+
TOTAL 0-19 YRS	2	15.5	85	9	9	15	22	22	22	22
20-34	23	14.5	163	2	4	12	18	34	74	99+
35-49	57	12.4	112	2	3	11	15	24	31	66
50-64	129	12.8	126	3	3	10	17	27	38	99+
65+	379	20.4	352	3	5	14	30	63	99+	99+
GRAND TOTAL	**590**	**17.7**	**283**	**3**	**4**	**12**	**24**	**51**	**79**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49	2	17.5	85	11	11	17	24	24	24	24
50-64	25	31.2	705	6	10	17	63	93	99+	99+
65+	68	34.2	639	5	9	28	56	90	99+	99+
B. *Operated*										
0-19 YRS										
20-34	4	21.3	418	5	5	14	34	51	51	51
35-49	2	19.5	13	17	17	19	22	22	22	22
50-64	6	13.7	141	4	4	26	99+	99+	99+	99+
65+	9	21.4	165	6	10	99+	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	13.0	72	7	7	13	19	19	19	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	96	32.9	640	6	9	25	57	90	99+	99+
B. *Operated*	21	19.0	177	4	5	32	99+	99+	99+	99+
1. SINGLE DX	2	13.0	72	7	7	13	19	19	19	19
2. MULTIPLE DX	117	30.4	583	5	8	26	65	99+	99+	99+
A. NOT OPERATED	98	32.5	636	6	9	24	56	90	99+	99+
B. OPERATED	21	19.0	177	4	5	32	99+	99+	99+	99+
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	4	21.3	418	5	5	14	34	51	51	51
35-49	4	18.5	34	11	11	19	23	24	24	24
50-64	32	27.6	619	5	6	19	65	99+	99+	99+
65+	78	32.4	599	5	8	33	68	99+	99+	99+
GRAND TOTAL	**119**	**30.1**	**579**	**5**	**8**	**25**	**64**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.5	6	1	1	3	4	8	8	8
35-49	26	4.8	11	1	1	4	7	10	11	12
50-64	107	4.1	10	1	1	3	6	8	9	17
65+	385	6.3	48	1	2	4	7	13	18	34
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	4.0	8	2	2	2	7	7	7	7
35-49	20	5.2	8	2	2	5	8	9	10	10
50-64	79	5.3	14	1	1	4	8	11	13	14
65+	43	7.6	33	1	2	6	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	4	2	2	4	6	6	6	6
20-34	11	6.5	29	<1	1	5	11	15	17	17
35-49	45	6.2	43	1	1	4	7	15	18	37
50-64	236	6.6	24	1	2	5	8	14	16	24
65+	1053	9.5	115	2	2	7	11	20	31	89
B. *Operated*										
0-19 YRS										
20-34	3	5.7	5	3	3	7	7	7	7	7
35-49	29	7.8	29	2	3	6	10	15	22	23
50-64	135	8.9	51	1	2	7	13	18	24	33
65+	170	13.0	180	1	2	9	17	29	50	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	5.8	39	1	1	4	7	11	16	28
B. *Operated*	148	5.9	19	1	2	5	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	1350	8.8	97	2	2	6	10	18	27	76
B. *Operated*	337	10.9	118	1	2	8	14	23	33	71
1. SINGLE DX	672	5.8	34	1	1	4	7	12	15	28
2. MULTIPLE DX	1687	9.2	102	1	2	6	11	19	28	73
A. NOT OPERATED	1874	8.0	83	1	2	5	9	16	24	61
B. OPERATED	485	9.4	93	1	2	7	12	19	27	61
TOTAL 0-19 YRS	6	4.3	4	2	2	5	6	6	6	6
20-34	25	5.2	17	1	1	4	7	12	14	17
35-49	120	6.1	28	1	1	5	8	11	16	27
50-64	557	6.5	29	1	1	5	8	14	17	26
65+	1651	9.1	107	1	2	6	11	19	28	75
GRAND TOTAL	**2359**	**8.3**	**85**	**1**	**2**	**6**	**10**	**17**	**25**	**61**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	2	1	1	3	4	5	5	5
20-34	6	2.7	4	<1	<1	2	4	6	6	6
35-49	20	8.5	96	<1	1	5	10	26	31	36
50-64	83	14.3	247	2	3	9	17	30	47	82
65+	397	18.1	359	2	3	11	25	49	83	99+
B. *Operated*										
0-19 YRS										
20-34	3	6.3	2	5	5	6	7	8	8	8
35-49	7	7.3	12	2	3	8	10	12	12	12
50-64	7	9.4	42	1	1	9	14	18	19	19
65+	12	14.7	683	2	2	4	11	54	86	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	12.3	205	1	1	8	16	33	48	54
20-34	10	7.3	17	4	4	6	8	14	17	17
35-49	28	13.8	318	2	3	8	11	36	48	88
50-64	184	17.1	269	3	4	13	22	49	78	99+
65+	1090	22.3	422	3	5	16	34	72	99+	99+
B. *Operated*										
0-19 YRS										
20-34	5	8.2	26	2	2	8	11	16	16	16
35-49	11	14.8	146	3	4	12	20	63	95	99+
50-64	47	19.9	432	3	4	12	23	55	89	99+
65+	120	30.4	581	5	8	26	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	16.7	330	2	3	10	23	42	71	99+
B. *Operated*	29	10.8	292	2	2	6	10	17	41	91
2. MULTIPLE DX										
A. *Not Operated*	1328	21.2	399	3	4	15	32	68	99+	99+
B. *Operated*	183	26.2	536	3	6	20	51	98	99+	99+
1. SINGLE DX	542	16.4	330	2	3	10	22	41	70	99+
2. MULTIPLE DX	1511	21.8	418	3	4	15	33	72	99+	99+
A. NOT OPERATED	1841	19.9	384	2	4	14	29	62	93	99+
B. OPERATED	212	24.0	529	2	4	17	42	92	99+	99+
TOTAL 0-19 YRS	23	9.5	159	1	1	4	10	24	41	54
20-34	24	6.2	17	1	1	6	8	11	16	17
35-49	66	11.7	193	1	2	9	12	28	44	98
50-64	321	16.6	284	2	3	11	21	44	72	99+
65+	1619	21.8	428	3	4	15	33	71	99+	99+
GRAND TOTAL	**2053**	**20.4**	**400**	**2**	**4**	**14**	**30**	**64**	**98**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	4	19.5	140	8	8	22	51	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	21.0	588	7	7	7	39	49	49	49
35-49	7	34.6	715	10	11	22	62	73	73	73
50-64	60	25.8	478	4	5	22	48	99+	99+	99+
65+	303	30.6	624	4	6	26	60	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	12.0	31	7	7	11	16	18	18	18
50-64	8	46.3	737	15	16	43	71	80	81	81
65+	22	37.6	752	7	9	55	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	17.8	120	8	8	17	35	93	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	373	29.8	601	4	6	25	58	99+	99+	99+
B. *Operated*	33	37.4	737	7	9	52	90	99+	99+	99+
1. SINGLE DX	5	17.8	120	8	8	17	35	93	99+	99+
2. MULTIPLE DX	406	30.5	615	4	6	27	62	99+	99+	99+
A. NOT OPERATED	378	29.7	597	4	6	25	58	99+	99+	99+
B. OPERATED	33	37.4	737	7	9	52	90	99+	99+	99+
TOTAL 0-19 YRS										
20-34	3	21.0	588	7	7	7	39	49	49	49
35-49	10	27.8	602	7	8	19	31	72	73	73
50-64	69	28.0	538	4	6	23	56	99+	99+	99+
65+	329	31.0	629	4	6	28	63	99+	99+	99+
GRAND TOTAL	**411**	**30.3**	**610**	**4**	**6**	**26**	**62**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.7	50	1	1	2	4	16	23	23
35-49	9	4.4	21	1	1	2	6	12	14	14
50-64	35	7.4	43	1	1	6	10	14	31	99+
65+	163	11.3	161	2	3	7	14	25	39	98
B. *Operated*										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	3	7.7	65	3	3	3	14	17	17	17
35-49	9	10.6	43	2	2	10	13	21	23	23
50-64	16	7.2	86	1	1	4	7	21	30	34
65+	27	8.6	219	1	1	3	9	24	34	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	35	2	2	4	10	15	15	15
20-34	4	1.5		1	1	2	27	99+	99+	99+
35-49	17	6.9	38	1	2	5	8	18	22	24
50-64	105	12.1	197	1	2	8	15	28	45	97
65+	602	16.2	304	2	3	10	23	58	99+	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	11.3	27	8	8	9	14	19	19	19
35-49	18	14.6	345	2	2	9	16	31	63	81
50-64	48	11.3	85	1	2	10	14	25	36	38
65+	81	18.8	397	1	2	14	31	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	10.1	136	1	2	6	12	22	36	99+
B. *Operated*	58	8.3	133	1	1	4	10	22	26	70
2. MULTIPLE DX										
A. *Not Operated*	732	15.3	285	2	3	10	21	50	95	99+
B. *Operated*	152	15.6	289	1	2	11	21	42	90	99+
1. SINGLE DX	274	9.7	135	1	1	6	12	22	34	96
2. MULTIPLE DX	884	15.3	285	2	3	10	21	49	94	99+
A. NOT OPERATED	948	14.1	255	2	3	9	19	43	80	99+
B. OPERATED	210	13.6	256	1	1	9	18	34	78	99+
TOTAL 0-19 YRS	8	6.0	19	2	2	4	8	13	15	15
20-34	20	5.8	43	1	1	3	9	21	58	99+
35-49	53	9.7	150	1	2	6	12	20	24	80
50-64	204	10.7	138	1	1	7	14	22	38	97
65+	873	15.3	289	2	3	10	21	50	94	99+
GRAND TOTAL	**1158**	**14.0**	**255**	**2**	**2**	**9**	**19**	**40**	**80**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	3	5.3	17	2	2	4	8	10	10	10
50-64	3	9.7	42	3	3	10	14	16	16	16
65+	38	11.1	149	2	3	7	17	51	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	14	5.5	26	1	1	4	8	10	18	20
50-64	62	5.3	22	1	1	3	9	12	13	20
65+	57	7.5	63	<1	1	5	11	16	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	25	9.6	51	3	4	8	11	21	26	31
65+	212	15.4	252	1	3	10	25	45	99+	99+
B. *Operated*										
0-19 YRS										
20-34	5	10.0	14	5	5	11	12	15	15	15
35-49	46	11.8	130	1	1	9	15	28	30	64
50-64	247	12.5	132	1	1	12	15	26	36	99+
65+	328	16.2	219	1	2	13	21	35	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	10.4	132	2	3	7	14	45	99+	99+
B. *Operated*	135	6.3	40	1	1	4	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*	241	14.6	232	1	3	10	23	42	98	99+
B. *Operated*	626	14.4	180	1	2	12	19	31	45	99+
1. SINGLE DX	180	7.3	66	1	1	6	10	16	22	99+
2. MULTIPLE DX	867	14.4	194	1	2	11	19	34	55	99+
A. NOT OPERATED	286	13.9	218	2	3	9	21	43	99+	99+
B. OPERATED	761	12.9	164	1	1	11	17	29	40	99+
TOTAL 0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	7	10.0	10	5	6	11	11	14	15	15
35-49	65	9.9	108	1	1	8	12	23	29	59
50-64	337	10.9	112	1	1	10	14	22	31	99+
65+	635	14.8	218	1	2	11	21	39	68	99+
GRAND TOTAL	**1047**	**13.2**	**179**	**1**	**1**	**10**	**18**	**31**	**48**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	5	6.2	21	<1	<1	7	10	11	11	11
65+	19	5.3	12	<1	1	5	7	11	13	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	13.0	200	3	3	13	23	23	23	23
35-49										
50-64	32	12.4	30	1	5	12	16	20	21	24
65+	56	15.8	94	3	8	15	18	24	27	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	9.5	85	3	3	9	16	16	16	16
50-64	9	5.9	22	1	1	6	7	13	17	17
65+	74	13.4	200	2	3	9	17	29	41	76
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	11.0		11	11	11	11	11	11	11
35-49	11	9.3	12	1	5	10	11	13	14	14
50-64	99	17.4	142	3	7	14	19	31	42	64
65+	277	19.0	152	6	10	15	23	37	45	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.6	13	<1	1	5	7	11	12	14
B. *Operated*	91	14.4	74	2	4	14	17	23	25	54
2. MULTIPLE DX										
A. *Not Operated*	86	12.5	181	2	2	8	16	28	36	73
B. *Operated*	389	18.3	148	4	9	15	21	34	45	88
1. SINGLE DX	116	12.5	74	1	3	12	16	21	24	43
2. MULTIPLE DX	475	17.2	158	3	5	14	21	33	44	80
A. NOT OPERATED	111	10.9	151	1	2	7	14	23	30	67
B. OPERATED	480	17.5	136	4	8	14	21	31	43	74
TOTAL 0-19 YRS	3	11.3	69	2	2	14	17	18	18	18
20-34	4	11.0	75	3	3	9	17	23	23	23
35-49	13	9.3	17	1	3	10	12	14	16	16
50-64	145	15.2	118	2	4	13	17	28	34	64
65+	426	17.0	157	3	4	14	20	32	43	85
GRAND TOTAL	**591**	**16.3**	**145**	**3**	**4**	**14**	**20**	**30**	**42**	**74**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49										
50-64										
65+	3	5.0	21	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS										
20-34	3	5.7	30	2	2	3	10	12	12	12
35-49	3	13.3	56	6	6	13	19	21	21	21
50-64	15	10.3	23	1	2	12	13	14	17	18
65+	10	12.0	41	2	2	11	16	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	15.0	121	4	4	13	23	29	29	29
B. *Operated*										
0-19 YRS	5	13.8	84	5	5	12	18	29	29	29
20-34	4	9.3	55	1	1	8	14	19	19	19
35-49	8	7.1	16	1	2	7	9	13	14	14
50-64	40	15.9	121	1	5	13	21	34	38	47
65+	44	15.9	226	2	3	13	17	32	42	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.6	15	<1	<1	4	8	10	10	10
B. *Operated*	31	10.7	33	2	2	12	14	18	21	22
2. MULTIPLE DX										
A. *Not Operated*	7	10.3	96	2	2	5	16	27	29	29
B. *Operated*	101	14.8	157	1	3	12	17	30	36	71
1. SINGLE DX	36	9.9	34	1	2	11	13	18	20	22
2. MULTIPLE DX	108	14.5	154	1	3	12	18	29	36	69
A. NOT OPERATED	12	7.9	66	<1	1	5	9	21	28	29
B. OPERATED	132	13.8	131	1	3	12	17	26	35	62
TOTAL 0-19 YRS	5	13.8	84	5	5	12	18	29	29	29
20-34	9	6.9	36	<1	<1	7	10	16	19	19
35-49	12	8.5	29	1	3	7	11	16	20	21
50-64	57	14.0	100	1	2	12	17	28	36	46
65+	61	14.6	182	2	3	12	17	28	34	84
GRAND TOTAL	**144**	**13.3**	**128**	**1**	**2**	**11**	**16**	**26**	**34**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	2	11.0		11	11	11	11	11	11	11
35-49	9	6.6	26	1	1	7	11	13	15	15
50-64	10	8.6	80	<1	1	5	9	22	32	32
65+	22	7.2	60	<1	1	7	10	20	58	99+
B. *Operated*										
0-19 YRS										
20-34	9	6.3	14	1	2	5	9	12	13	13
35-49	37	12.0	72	2	3	12	15	22	25	44
50-64	176	8.9	41	1	2	9	13	16	20	26
65+	169	6	69	1	2	8	13	21	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	9.3	2	8	8	9	10	11	11	11
35-49	5	7.6	13	5	5	7	14	91	99+	99+
50-64	26	7.5	41	<1	1	6	10	19	22	22
65+	55	9.3	75	1	1	8	12	18	25	48
B. *Operated*										
0-19 YRS										
20-34	15	14.1	117	1	2	11	20	32	36	37
35-49	93	14.3	186	1	1	12	17	26	45	93
50-64	399	12.7	112	1	2	12	15	23	33	67
65+	557	14.4	145	1	1	13	19	30	41	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.4	51	1	1	6	11	15	33	99+
B. *Operated*	391	9.4	56	1	2	9	13	18	23	33
2. MULTIPLE DX										
A. *Not Operated*	90	8.8	59	1	1	7	12	19	22	79
B. *Operated*	1064	13.8	136	1	1	12	17	27	37	73
1. SINGLE DX	436	9.2	56	1	2	9	13	18	23	37
2. MULTIPLE DX	1154	13.4	132	1	1	12	17	26	36	73
A. NOT OPERATED	135	8.3	57	1	1	7	11	18	25	99+
B. OPERATED	1455	12.6	118	1	1	11	16	25	33	68
TOTAL 0-19 YRS	3	8.0	49	3	3	5	13	16	16	16
20-34	29	11.0	75	1	3	9	12	26	32	37
35-49	144	13.0	144	1	1	11	16	24	44	99+
50-64	611	11.3	91	1	1	11	14	21	27	59
65+	803	12.9	127	1	1	11	17	27	35	76
GRAND TOTAL	**1590**	**12.2**	**114**	**1**	**1**	**11**	**16**	**24**	**33**	**69**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.8	34	1	2	7	11	17	21	23
20-34	22	4.8	18	1	1	4	6	10	14	19
35-49	14	4.3	8	1	2	3	6	9	10	10
50-64	30	5.7	25	1	1	4	9	15	16	16
65+	53	7.4	103	1	2	6	9	12	18	99
B. *Operated*										
0-19 YRS	8	6.3	26	2	2	4	9	14	16	16
20-34	16	4.7	5	1	2	5	6	8	8	8
35-49	56	7.8	37	1	2	6	11	17	20	24
50-64	136	9.0	61	1	2	8	13	17	27	39
65+	128	10.5	98	1	2	8	16	24	35	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	10.7	54	2	3	10	15	22	24	24
20-34	10	5.4	13	1	2	4	9	11	12	12
35-49	28	5.4	21	1	1	4	8	11	17	18
50-64	75	10.4	199	1	1	7	12	21	35	86
65+	184	14.5	284	2	2	9	17	39	68	99+
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	24	14.5	148	2	3	11	21	30	38	52
35-49	57	13.4	177	1	2	10	18	39	81	99+
50-64	257	14.0	213	1	2	10	18	31	53	92
65+	373	17.3	231	2	3	14	23	42	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	6.6	54	1	1	5	9	14	17	76
B. *Operated*	344	9.1	69	1	2	7	13	20	26	49
2. MULTIPLE DX										
A. *Not Operated*	309	12.2	230	1	2	8	14	31	47	99+
B. *Operated*	713	15.7	220	1	2	12	21	39	57	99+
1. SINGLE DX	487	8.4	66	1	2	6	11	18	24	51
2. MULTIPLE DX	1022	14.6	225	1	2	10	19	37	55	99+
A. NOT OPERATED	452	10.4	181	1	2	7	12	22	39	99+
B. OPERATED	1057	13.5	180	1	2	10	18	31	49	99+
TOTAL 0-19 YRS	46	8.5	39	1	2	7	12	17	21	24
20-34	72	8.1	77	1	2	5	9	19	27	48
35-49	155	9.1	94	1	2	7	12	21	32	99+
50-64	498	11.6	164	1	2	8	15	25	38	73
65+	738	14.7	222	2	2	11	21	38	57	99+
GRAND TOTAL	**1509**	**12.6**	**182**	**1**	**2**	**9**	**16**	**30**	**46**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.7	28	1	2	5	8	15	18	23
20-34	89	7.9	22	2	3	7	10	14	16	24
35-49	100	8.5	19	2	3	8	11	14	17	21
50-64	151	9.7	39	2	3	9	12	18	22	32
65+	167	9.9	48	2	3	8	12	16	22	34
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	31	8.6	29	2	2	8	13	15	18	23
35-49	42	8.3	20	2	3	8	11	14	16	21
50-64	36	8.6	30	1	2	8	11	17	18	21
65+	32	14.5	156	2	5	15	16	21	28	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	9.7	15	4	5	9	13	15	16	16
20-34	46	11.2	84	2	3	8	15	21	23	54
35-49	73	10.8	52	2	4	9	13	18	24	42
50-64	180	11.3	58	3	4	9	14	19	26	44
65+	294	14.2	150	3	5	11	17	25	37	85
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	24	13.4	62	2	4	12	19	24	28	31
35-49	39	12.9	48	3	4	12	15	23	28	34
50-64	73	12.1	85	3	4	11	15	20	23	94
65+	85	16.7	90	4	6	15	22	29	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	9.1	35	2	3	8	12	16	21	29
B. *Operated*	143	9.8	60	2	3	8	14	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	606	12.6	105	3	4	10	15	22	28	62
B. *Operated*	223	14.1	80	3	5	13	18	26	30	80
1. SINGLE DX	675	9.3	41	2	3	8	12	16	21	29
2. MULTIPLE DX	829	13.0	99	3	4	11	16	23	28	64
A. NOT OPERATED	1138	11.0	76	3	4	9	14	20	24	46
B. OPERATED	366	12.4	76	2	4	11	16	22	28	69
TOTAL 0-19 YRS	42	7.8	23	2	3	7	11	14	16	23
20-34	190	9.5	47	2	3	8	13	19	21	29
35-49	254	9.8	36	2	3	9	12	16	19	34
50-64	440	10.7	55	3	4	9	14	19	22	43
65+	578	13.3	117	3	4	11	16	24	30	74
GRAND TOTAL	**1504**	**11.3**	**76**	**3**	**4**	**9**	**14**	**21**	**26**	**47**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	6.4	25	<1	1	5	10	14	15	15
35-49	16	11.9	125	2	3	8	15	28	39	44
50-64	38	10.8	60	1	2	10	15	19	25	37
65+	95	17.7	255	2	3	15	22	46	58	99+
B. *Operated*										
0-19 YRS	18	4.1	4	1	2	4	5	7	9	10
20-34	345	4.2	5	2	2	4	5	6	8	11
35-49	677	4.9	15	2	2	4	6	8	10	19
50-64	492	5.9	30	2	2	4	7	11	14	28
65+	151	10.3	148	1	2	6	11	30	37	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.7	28	<1	<1	2	7	13	17	17
35-49	9	8.2	78	<1	<1	4	13	22	26	26
50-64	63	17.1	214	1	3	13	23	37	48	60
65+	202	22.6	307	3	5	18	35	54	75	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	73	5.7	12	2	2	5	8	9	11	21
35-49	217	6.5	36	2	3	5	7	12	17	33
50-64	258	9.8	122	2	3	6	11	21	33	69
65+	156	23.2	475	2	3	20	37	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	14.8	194	2	3	12	19	30	47	99
B. *Operated*	1683	5.5	32	2	2	4	6	9	12	36
2. MULTIPLE DX										
A. *Not Operated*	283	20.3	287	1	4	16	31	46	63	99+
B. *Operated*	705	11.3	204	2	3	6	12	30	51	99+
1. SINGLE DX	1841	6.3	52	2	2	4	7	11	18	44
2. MULTIPLE DX	988	13.9	244	2	3	8	19	39	55	99+
A. NOT OPERATED	441	18.3	261	2	3	14	27	44	59	99+
B. OPERATED	2388	7.2	89	2	2	4	7	13	26	64
TOTAL 0-19 YRS	20	4.2	4	1	2	4	5	7	8	10
20-34	435	4.5	7	2	2	4	5	7	9	15
35-49	919	5.4	23	2	2	4	6	9	12	28
50-64	851	8.1	82	2	2	5	9	16	27	54
65+	604	18.9	329	2	3	13	28	50	75	99+
GRAND TOTAL	**2829**	**9.0**	**132**	**2**	**3**	**5**	**9**	**22**	**36**	**82**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	45	3.1	5	<1	<1	3	4	6	8	10
35-49	59	3.8	13	<1	1	3	5	7	9	21
50-64	36	3.5	6	<1	1	2	5	7	8	9
65+	28	4.6	7	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	17	4.2	5	<1	<1	4	6	8	8	8
20-34	431	5.2	4	2	3	5	6	8	9	11
35-49	578	5.4	5	3	3	5	7	8	9	13
50-64	349	5.7	7	3	3	5	7	9	11	14
65+	128	6.4	12	2	3	6	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	32	3.6	8	<1	<1	3	5	8	10	11
35-49	35	5.1	13	1	1	4	7	9	13	16
50-64	50	5.7	23	1	1	4	8	12	14	23
65+	73	7.8	27	2	3	7	10	15	16	29
B. *Operated*										
0-19 YRS	7	5.9	9	3	3	5	7	11	12	12
20-34	366	5.4	7	2	3	5	6	8	9	15
35-49	474	6.1	8	3	3	6	7	9	11	18
50-64	401	6.9	18	3	4	6	8	12	15	22
65+	196	9.4	49	3	3	7	11	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.7	9	<1	1	3	5	7	9	15
B. *Operated*	1503	5.5	6	2	3	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	192	6.0	22	1	1	5	8	12	15	25
B. *Operated*	1444	6.6	18	3	3	6	7	10	14	24
1. SINGLE DX	1674	5.3	6	2	3	5	7	8	10	14
2. MULTIPLE DX	1636	6.5	18	2	3	6	7	11	14	24
A. NOT OPERATED	363	4.9	17	<1	1	4	7	10	12	22
B. OPERATED	2947	6.0	12	3	3	5	7	9	11	20
TOTAL 0-19 YRS	29	4.4	7	<1	1	4	6	8	8	12
20-34	874	5.1	6	1	2	5	6	8	9	12
35-49	1146	5.6	7	2	3	5	7	8	10	16
50-64	836	6.2	14	2	3	5	7	10	13	20
65+	425	7.9	34	2	3	7	9	15	19	31
GRAND TOTAL	**3310**	**5.9**	**13**	**2**	**3**	**5**	**7**	**9**	**12**	**20**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	8	1	1	3	5	8	9	11
20-34	79	7.3	24	1	2	6	10	13	17	23
35-49	71	9.2	48	2	2	8	11	16	20	40
50-64	132	8.7	42	1	2	8	11	16	21	31
65+	110	10.1	53	2	2	9	14	19	25	36
B. *Operated*										
0-19 YRS	26	4.3	10	1	2	3	6	8	12	15
20-34	127	4.9	21	1	1	3	7	12	14	23
35-49	62	8.5	34	1	2	7	11	17	19	25
50-64	63	9.3	32	2	2	9	13	17	19	23
65+	41	8.7	23	1	2	9	12	16	19	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.6	31	1	1	7	9	14	21	23
20-34	64	10.9	86	1	2	10	14	21	23	55
35-49	90	9.8	68	2	2	8	14	20	35	99+
50-64	162	10.9	115	1	3	9	13	22	28	80
65+	326	12.0	88	2	3	10	15	23	31	47
B. *Operated*										
0-19 YRS	10	7.2	36	2	2	4	12	17	19	19
20-34	95	6.6	37	1	2	4	9	14	17	31
35-49	53	10.0	87	2	2	7	14	20	30	43
50-64	111	13.8	150	2	3	11	16	28	37	67
65+	152	16.6	139	3	5	14	22	33	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	422	8.5	42	1	2	7	11	16	20	33
B. *Operated*	319	6.9	29	1	2	5	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	657	11.2	91	2	3	9	15	22	30	59
B. *Operated*	421	12.5	124	2	2	10	16	28	36	81
1. SINGLE DX	741	7.8	37	1	2	7	11	16	19	30
2. MULTIPLE DX	1078	11.7	104	2	2	9	15	24	32	70
A. NOT OPERATED	1079	10.2	73	2	2	8	13	20	25	46
B. OPERATED	740	10.1	91	1	2	8	14	21	29	63
TOTAL 0-19 YRS	81	5.2	18	1	1	4	7	11	14	22
20-34	365	6.9	41	1	2	4	10	14	20	30
35-49	276	9.4	59	2	2	8	13	18	25	47
50-64	468	10.7	94	1	2	9	13	20	28	60
65+	629	12.6	95	2	3	11	16	25	32	64
GRAND TOTAL	**1819**	**10.2**	**81**	**2**	**2**	**8**	**13**	**20**	**28**	**53**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6570	3.6	11	1	1	3	5	7	9	16
20-34	299	3.4	3	1	1	3	4	6	7	9
35-49	93	3.4	3	1	2	3	4	6	8	9
50-64	82	4.4	7	1	1	4	6	8	9	12
65+	147	6.1	16	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	191	2.9	7	2	2	2	3	4	7	17
20-34	48	3.3	7	1	2	3	3	6	8	14
35-49	14	3.1	3	<1	<1	3	4	5	7	7
50-64	9	4.1	33	<1	<1	2	3	13	19	19
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5223	4.8	16	1	1	4	6	9	11	19
20-34	328	4.3	11	1	1	3	5	8	10	17
35-49	145	4.3	11	1	2	3	5	8	10	23
50-64	201	6.7	25	2	2	5	8	14	16	26
65+	458	8.7	63	2	3	7	10	16	21	62
B. *Operated*										
0-19 YRS	100	7.2	86	1	2	4	9	14	20	53
20-34	25	7.7	56	1	2	5	9	20	24	34
35-49	19	7.2	68	1	2	3	8	22	29	30
50-64	19	9.2	85	1	2	6	13	23	31	36
65+	21	7.5	47	1	1	4	10	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7191	3.7	11	1	1	3	5	7	9	16
B. *Operated*	263	3.1	8	2	2	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	6355	5.1	20	1	2	4	6	9	12	21
B. *Operated*	184	7.5	74	1	2	4	9	16	24	41
1. SINGLE DX	7454	3.7	11	1	1	3	5	7	9	16
2. MULTIPLE DX	6539	5.1	22	1	2	4	6	10	13	22
A. NOT OPERATED	13546	4.3	16	1	1	3	5	8	11	19
B. OPERATED	447	4.9	40	1	2	3	5	11	16	35
TOTAL 0-19 YRS	12084	4.1	14	1	1	3	5	8	10	18
20-34	700	4.0	10	1	1	3	5	7	9	16
35-49	271	4.1	13	1	2	3	5	7	9	25
50-64	311	6.2	25	1	2	5	8	12	15	27
65+	627	8.0	52	2	3	6	10	15	20	48
GRAND TOTAL	**13993**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2887	5.1	15	1	2	4	6	9	12	20
20-34	104	3.9	5	1	1	4	5	7	9	11
35-49	92	5.0	11	2	2	4	7	8	11	20
50-64	120	5.6	10	2	2	5	7	10	12	15
65+	235	7.4	20	2	3	6	10	14	16	27
B. *Operated*										
0-19 YRS	4	12.3	73	1	1	13	18	21	21	21
20-34										
35-49										
50-64	2	12.5	25	9	9	12	16	16	16	16
65+	2	12.5	221	2	2	12	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1591	6.5	28	2	2	5	8	12	15	28
20-34	108	5.4	21	2	2	4	6	9	17	25
35-49	161	5.4	13	1	2	5	6	10	12	21
50-64	317	8.4	63	2	3	7	10	14	20	40
65+	832	9.8	60	3	3	8	12	18	24	45
B. *Operated*										
0-19 YRS	21	12.3	92	3	4	11	14	19	34	48
20-34	5	11.8	59	2	2	11	16	23	23	23
35-49	5	10.8	52	2	2	10	14	22	22	22
50-64	15	11.1	121	2	3	8	13	15	40	48
65+	27	14.9	43	4	6	15	21	28	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3438	5.2	15	1	2	4	7	9	12	20
B. *Operated*	8	12.4	66	1	1	13	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	3009	7.5	42	2	2	6	9	14	19	34
B. *Operated*	73	12.8	74	2	3	4	12	16	24	43	99+
1. SINGLE DX	3446	5.2	15	1	2	4	7	10	12	20
2. MULTIPLE DX	3082	7.6	43	2	2	6	9	14	19	36
A. NOT OPERATED	6447	6.3	29	2	2	5	8	12	15	28
B. OPERATED	81	12.8	72	2	4	12	16	23	35	99+
TOTAL 0-19 YRS	4503	5.6	21	1	2	4	7	10	13	23
20-34	217	4.9	15	1	2	4	6	9	11	22
35-49	258	5.4	14	1	2	5	7	10	12	22
50-64	454	7.8	52	2	3	6	9	14	17	32
65+	1096	9.4	53	3	3	8	12	18	24	46
GRAND TOTAL	**6528**	**6.4**	**30**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	305	3.0	1	2	2	3	4	4	5	6
20-34	857	2.9	1	2	2	3	3	4	4	5
35-49	319	3.0	1	2	2	3	3	4	4	6
50-64	145	3.0	1	2	2	3	4	4	5	6
65+	36	3.2	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	23	2.3	9	<1	<1	1	2	6	9	13
35-49	7	1.4		<1	<1	1	2	2	2	2
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	3	5.0	27	2	2	2	9	11	11	11
B. *Operated*										
0-19 YRS	235	3.2	2	2	2	3	4	5	5	8
20-34	785	3.2	3	2	2	3	4	5	5	8
35-49	326	3.3	6	2	2	3	4	4	5	16
50-64	186	3.5	3	2	2	3	4	5	7	12
65+	58	3.4	3	2	2	3	4	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	2	<1	<1	3	3	5	5	5
B. *Operated*	1662	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	48	2.1	6	<1	<1	1	2	5	7	13
B. *Operated*	1590	3.3	3	2	2	3	4	5	5	9
1. SINGLE DX	1669	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX	1638	3.2	3	1	2	3	4	5	5	9
A. NOT OPERATED	55	2.2	6	<1	<1	1	2	5	7	13
B. OPERATED	3252	3.1	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	552	3.1	1	1	2	3	4	5	5	6
20-34	1666	3.0	2	1	2	3	4	4	5	7
35-49	653	3.1	3	2	2	3	4	4	5	7
50-64	338	3.2	2	2	2	3	4	5	6	9
65+	98	3.4	3	2	2	3	4	5	6	12
GRAND TOTAL	**3307**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	10	2.0		1	1	2	2	3	3	3
20-34	32	2.5	1	<1	1	2	3	4	4	4
35-49	43	2.5	1	<1	<1	2	3	4	4	5
50-64	45	2.7	1	1	2	2	3	4	5	6
65+	37	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	19	2.6	2	<1	1	2	3	4	6	7
20-34	53	2.9	3	1	1	3	3	4	6	12
35-49	88	2.8	1	1	2	3	3	4	5	6
50-64	119	3.2	3	2	2	3	3	5	6	12
65+	56	4.2	17	1	2	3	4	7	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	167	2.5	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	335	3.2	5	1	2	3	3	5	7	13
1. SINGLE DX	170	2.5	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	343	3.1	5	1	2	3	3	5	6	13
A. NOT OPERATED	11	2.3	1	<1	<1	2	3	4	4	4
B. OPERATED	502	3.0	4	1	2	3	3	4	6	11
TOTAL 0-19 YRS	29	2.4	1	1	1	2	3	4	4	7
20-34	87	2.7	2	1	1	3	3	4	5	10
35-49	135	2.7	1	<1	2	3	3	4	4	6
50-64	166	3.0	3	2	2	3	3	5	6	10
65+	96	3.6	11	1	2	3	4	6	8	22
GRAND TOTAL	**513**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.9	5	<1	1	2	4	6	7	12
20-34	12	3.4	4	1	1	3	5	6	7	7
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	8188	2.2	2	1	2	2	2	3	3	5
20-34	1609	2.9	1	2	2	3	3	4	5	6
35-49	184	3.1	3	1	2	3	3	4	5	12
50-64	28	3.3	3	2	2	3	4	5	6	11
65+	10	3.7	12	1	1	3	4	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	2.1	4	<1	<1	1	2	4	6	11
20-34	24	1.5	2	<1	<1	1	1	3	5	6
35-49	6	4.2	20	<1	<1	2	7	11	12	12
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	3004	2.3	2	1	2	2	2	3	4	9
20-34	299	3.1	3	2	2	3	3	4	6	12
35-49	50	3.2	3	2	2	3	4	4	6	10
50-64	17	3.6	6	1	1	3	5	8	9	9
65+	10	3.1	3	2	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.0	5	<1	1	2	4	6	7	11
B. *Operated*	10019	2.3	2	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	223	2.1	4	<1	<1	1	2	4	7	11
B. *Operated*	3380	2.4	2	1	2	2	2	3	4	9
1. SINGLE DX	10122	2.4	2	1	2	2	3	3	4	6
2. MULTIPLE DX	3603	2.4	2	1	1	2	2	3	4	10
A. NOT OPERATED	326	2.4	5	<1	<1	1	3	5	7	11
B. OPERATED	13399	2.4	2	1	2	2	3	3	4	7
TOTAL 0-19 YRS	11469	2.2	2	1	2	2	2	3	4	6
20-34	1944	2.9	1	1	2	3	3	4	5	7
35-49	243	3.1	3	1	2	3	4	4	6	12
50-64	46	3.6	5	1	2	3	4	7	9	11
65+	23	3.5	7	1	1	3	4	7	9	13
GRAND TOTAL	**13725**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.7	8	1	1	3	5	7	8	15
20-34	170	3.3	3	1	1	3	4	6	7	10
35-49	66	3.6	5	1	1	3	5	6	7	13
50-64	42	5.5	98	<1	1	3	5	8	18	61
65+	29	4.9	16	1	1	4	7	10	12	18
B. *Operated*										
0-19 YRS	172	3.0	5	1	1	2	4	5	7	14
20-34	299	2.8	3	<1	<1	2	4	4	6	10
35-49	187	2.7	3	<1	1	2	3	5	6	10
50-64	156	3.3	9	1	1	3	3	5	8	20
65+	75	3.6	13	1	2	2	3	7	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	5.0	15	1	2	4	6	10	13	22
20-34	71	4.3	9	<1	1	4	6	8	10	17
35-49	44	5.2	22	<1	1	4	7	11	16	19
50-64	71	5.3	19	1	1	4	7	11	12	25
65+	65	7.9	88	1	2	6	9	16	20	61
B. *Operated*										
0-19 YRS	128	4.0	28	1	1	3	4	7	9	38
20-34	302	3.0	6	<1	<1	3	3	5	7	14
35-49	184	3.9	28	<1	<1	3	4	7	10	35
50-64	217	3.8	18	<1	1	3	4	7	11	25
65+	109	6.7	63	1	2	4	8	17	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	3.8	13	1	1	3	5	7	8	16
B. *Operated*	889	3.0	5	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	400	5.4	28	1	1	4	7	10	14	23
B. *Operated*	940	3.9	24	<1	<1	3	4	7	11	32
1. SINGLE DX	1484	3.3	9	<1	1	3	4	6	7	14
2. MULTIPLE DX	1340	4.4	26	<1	1	3	5	9	13	29
A. NOT OPERATED	995	4.5	20	1	1	3	5	8	10	21
B. OPERATED	1829	3.5	15	<1	1	3	4	6	9	22
TOTAL 0-19 YRS	737	3.9	13	1	1	3	5	7	9	18
20-34	842	3.1	5	<1	<1	3	4	5	7	12
35-49	481	3.5	15	<1	1	3	4	6	9	19
50-64	486	4.0	22	1	1	3	4	8	11	26
65+	278	6.0	53	1	2	4	7	14	19	58
GRAND TOTAL	**2824**	**3.8**	**17**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3954	6.0	24	2	2	5	7	11	14	23
20-34	679	5.7	11	2	2	5	7	10	12	17
35-49	495	6.3	14	2	3	6	8	11	14	19
50-64	443	7.4	21	2	3	6	9	13	16	24
65+	895	9.1	41	3	3	7	11	17	22	34
B. *Operated*										
0-19 YRS	6	17.0	234	3	3	15	24	40	42	42
20-34	10	10.5	11	6	6	10	13	15	17	17
35-49	14	8.9	29	1	2	11	13	15	17	17
50-64	17	9.9	30	3	4	9	14	18	21	22
65+	30	13.0	89	<1	1	13	20	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2489	7.4	36	2	2	6	9	14	18	31
20-34	352	7.1	26	2	3	6	9	13	17	25
35-49	384	8.2	48	2	3	6	10	15	20	34
50-64	855	9.5	47	3	4	8	11	17	23	36
65+	2522	13.2	123	3	4	10	16	25	35	65
B. *Operated*										
0-19 YRS	43	17.2	237	4	5	12	21	37	46	81
20-34	23	14.9	63	5	7	13	21	30	54	99+
35-49	36	17.6	114	5	8	14	24	33	43	47
50-64	110	17.6	157	4	5	15	21	35	44	63
65+	207	24.3	305	7	9	20	32	56	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6466	6.5	25	2	2	5	8	12	15	25
B. *Operated*	77	11.6	67	1	2	11	15	23	26	39
2. MULTIPLE DX										
A. *Not Operated*	6602	9.9	78	2	3	8	12	19	26	48
B. *Operated*	419	20.7	241	5	7	16	26	44	59	99+
1. SINGLE DX	6543	6.6	26	2	2	5	8	12	15	25
2. MULTIPLE DX	7021	10.6	94	2	3	8	13	21	29	56
A. NOT OPERATED	13068	8.2	55	2	3	6	10	16	21	39
B. OPERATED	496	19.3	225	3	6	15	24	41	57	99+
TOTAL 0-19 YRS	6492	6.6	31	2	2	5	8	12	16	28
20-34	1064	6.4	19	2	2	5	8	11	14	23
35-49	929	7.6	37	2	3	6	9	14	18	33
50-64	1425	9.5	53	3	3	8	11	18	23	39
65+	3654	12.8	124	3	4	10	15	25	35	68
GRAND TOTAL	**13564**	**8.7**	**65**	**2**	**3**	**7**	**10**	**16**	**23**	**45**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	732	4.2	14	1	1	3	5	8	11	20
20-34	199	3.1	4	1	1	3	4	6	7	10
35-49	119	3.4	4	1	2	3	4	6	7	10
50-64	161	4.4	7	1	2	4	6	8	10	11
65+	274	6.1	16	2	2	5	8	12	15	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+	4	8.0	18	3	3	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	4.8	19	1	1	4	6	9	12	21
20-34	181	3.8	10	1	1	3	5	7	9	18
35-49	135	4.6	11	1	1	4	6	9	11	17
50-64	222	6.0	32	1	2	5	7	11	13	20
65+	611	8.6	61	2	3	6	10	16	22	43
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	19.0	98	12	12	19	26	26	26	26
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	5	10.2	18	4	4	10	13	15	15	15
65+	10	22.7	535	5	6	12	41	86	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	4.4	12	1	1	3	5	9	11	18
B. *Operated*	6	9.5	52	3	3	8	12	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	1550	6.3	39	1	2	5	8	12	17	36
B. *Operated*	22	15.3	301	3	4	9	22	50	84	99+
1. SINGLE DX	1491	4.4	13	1	1	3	5	9	11	18
2. MULTIPLE DX	1572	6.5	44	1	2	5	8	12	17	39
A. NOT OPERATED	3035	5.4	27	1	1	4	7	10	14	26
B. OPERATED	28	14.1	250	3	3	9	17	41	77	99+
TOTAL 0-19 YRS	1136	4.4	16	1	1	3	5	9	12	20
20-34	382	3.5	8	1	1	3	4	6	9	12
35-49	258	4.1	9	1	1	3	5	8	9	17
50-64	388	5.4	22	1	2	4	7	10	12	18
65+	899	8.0	56	2	2	6	9	15	20	42
GRAND TOTAL	**3063**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1234	4.8	14	1	1	4	6	9	12	19
20-34	107	3.9	5	1	2	3	5	7	8	11
35-49	103	5.4	12	1	2	4	7	11	14	16
50-64	225	6.6	24	2	2	5	8	11	16	27
65+	399	7.8	38	2	3	6	10	14	20	34
B. *Operated*										
0-19 YRS	5	7.2	29	1	1	10	11	13	13	13
20-34	8	5.5	45	2	2	3	4	17	22	22
35-49	18	6.3	35	1	2	5	6	14	20	24
50-64	17	5.1	6	2	2	5	7	8	8	8
65+	13	7.8	40	2	2	5	12	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	843	6.5	24	1	2	5	8	12	14	23
20-34	113	6.3	84	1	2	4	6	11	17	57
35-49	131	6.3	26	1	2	5	7	12	18	28
50-64	360	8.4	55	2	3	6	10	16	21	39
65+	893	10.1	96	2	3	8	12	18	26	85
B. *Operated*										
0-19 YRS	7	13.4	145	5	5	8	16	35	39	39
20-34	13	7.2	25	<1	1	5	12	15	17	17
35-49	22	11.8	129	1	3	9	14	22	40	53
50-64	55	14.5	250	2	2	10	16	30	52	84
65+	61	17.3	129	3	4	17	23	33	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2068	5.5	21	1	2	4	7	11	14	24
B. *Operated*	61	6.2	28	2	2	5	7	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	2340	8.2	62	2	2	6	10	15	20	48
B. *Operated*	158	14.6	169	2	3	11	19	30	38	65
1. SINGLE DX	2129	5.6	21	1	2	4	7	11	14	24
2. MULTIPLE DX	2498	8.6	71	2	2	6	10	16	22	53
A. NOT OPERATED	4408	6.9	44	1	2	5	8	13	17	35
B. OPERATED	219	12.3	143	2	2	8	17	25	34	61
TOTAL 0-19 YRS	2089	5.5	20	1	2	4	7	11	13	21
20-34	241	5.3	45	1	2	4	6	8	12	49
35-49	274	6.4	32	1	2	5	7	12	16	29
50-64	657	8.2	63	2	3	6	10	15	21	39
65+	1366	9.8	84	2	3	7	12	18	25	65
GRAND TOTAL	**4627**	**7.2**	**50**	**1**	**2**	**5**	**9**	**14**	**18**	**37**

182: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	9.1	26	4	4	9	14	68	99+	99+
50-64	51	10.5	86	2	3	8	13	19	22	62
65+	117	12.6	120	2	4	10	15	29	40	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	8.0	5	5	5	8	9	10	10	10
50-64	4	8.5	10	5	5	8	11	12	12	12
65+	5	7.6	6	5	5	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	9	8.7	42	2	2	6	15	18	19	19
50-64	117	13.8	182	1	3	9	17	30	44	69
65+	336	13.2	188	3	3	9	16	30	46	99+
B. *Operated*										
0-19 YRS										
20-34	4	12.8	48	8	8	10	17	23	23	23
35-49	8	13.5	35	6	7	13	17	22	24	24
50-64	15	20.5	203	7	8	17	39	46	84	99+
65+	44	22.7	320	4	7	18	30	43	59	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	11.8	105	2	3	9	14	24	36	99+
B. *Operated*	15	8.1	5	5	5	8	10	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	464	13.2	184	2	3	9	16	30	45	99+
B. *Operated*	71	20.6	255	6	7	15	28	44	57	99
1. SINGLE DX	193	11.5	98	2	4	9	13	23	34	99+
2. MULTIPLE DX	535	14.2	199	2	3	10	17	32	46	99+
A. NOT OPERATED	642	12.8	162	2	3	9	16	28	43	99+
B. OPERATED	86	18.5	233	5	6	13	24	43	48	99
TOTAL 0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	8	9.8	35	3	4	8	10	19	23	23
35-49	29	10.0	33	2	4	9	14	19	24	99+
50-64	187	13.3	159	2	3	9	16	29	44	76
65+	502	13.8	189	3	4	10	17	32	45	99+
GRAND TOTAL	**728**	**13.5**	**173**	**2**	**3**	**10**	**17**	**30**	**44**	**99+**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4508	4.1	13	1	1	3	5	7	9	17
20-34	789	4.2	12	1	1	3	5	8	10	16
35-49	685	5.0	19	1	2	4	6	9	11	19
50-64	872	6.0	18	1	2	5	8	11	13	21
65+	688	7.7	43	1	2	6	10	14	20	37
B. *Operated*										
0-19 YRS	3	12.0	148	4	4	6	21	26	26	26
20-34	3	10.0	61	5	5	6	16	19	19	19
35-49	7	7.3	14	3	3	7	11	12	12	12
50-64	11	5.8	20	<1	1	5	8	12	17	17
65+	6	15.3	59	5	5	16	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1716	5.3	22	1	2	4	6	10	13	26
20-34	352	5.9	28	1	2	4	8	12	14	32
35-49	367	7.1	35	1	2	5	9	14	19	30
50-64	800	8.8	57	2	3	7	11	16	23	39
65+	1126	10.4	101	2	3	8	13	20	26	71
B. *Operated*										
0-19 YRS	20	11.0	31	4	5	10	13	20	23	25
20-34	21	14.4	86	2	3	12	21	30	31	31
35-49	24	11.0	47	1	2	9	18	22	42	99+
50-64	45	15.4	121	3	5	12	20	28	38	52
65+	59	19.7	204	5	8	16	23	48	59	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7542	4.8	18	1	1	4	6	9	11	21
B. *Operated*	30	9.1	48	2	3	6	12	21	24	26
2. MULTIPLE DX										
A. *Not Operated*	4361	7.5	55	2	2	5	9	14	20	37
B. *Operated*	169	15.6	134	2	5	13	21	30	49	92
1. SINGLE DX	7572	4.8	18	1	1	4	6	9	12	21
2. MULTIPLE DX	4530	7.8	60	2	2	6	9	15	22	43
A. NOT OPERATED	11903	5.7	33	1	2	4	7	11	15	29
B. OPERATED	199	14.6	126	2	4	12	19	27	40	82
TOTAL 0-19 YRS	6247	4.5	16	1	1	3	5	8	11	19
20-34	1165	4.9	21	1	1	4	6	9	12	24
35-49	1083	5.8	27	1	2	5	7	11	14	24
50-64	1728	7.5	42	2	2	6	9	14	19	34
65+	1879	9.8	88	2	3	7	12	19	25	56
GRAND TOTAL	**12102**	**5.9**	**36**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	6.4	30	<1	1	5	8	12	16	29
20-34	13	5.0	10	<1	1	4	8	9	11	11
35-49	63	6.7	17	2	2	6	10	12	16	89
50-64	300	10.0	108	2	3	7	11	17	28	71
65+	665	9.8	80	2	3	7	12	20	25	50
B. *Operated*										
0-19 YRS										
20-34	3	12.7	116	5	5	8	21	25	25	25
35-49	10	14.7	72	4	6	12	19	29	30	30
50-64	15	9.6	49	2	3	9	11	20	26	28
65+	12	11.1	59	2	3	9	12	24	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.2	30	2	3	7	9	16	22	23
20-34	23	9.3	29	2	3	9	14	17	19	20
35-49	102	9.5	41	3	4	8	12	16	23	34
50-64	677	11.4	111	3	4	9	13	22	31	68
65+	1786	13.5	143	3	4	10	17	28	37	85
B. *Operated*										
0-19 YRS	2	18.5	85	12	12	18	25	25	25	25
20-34	8	18.0	420	3	3	9	28	53	60	60
35-49	13	15.8	94	6	7	12	23	43	87	99+
50-64	87	17.5	161	3	4	15	23	36	46	54
65+	138	21.7	294	4	6	18	27	50	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	9.5	83	2	3	7	11	19	24	53
B. *Operated*	40	11.6	61	2	3	10	13	26	29	30
2. MULTIPLE DX										
A. *Not Operated*	2612	12.7	130	3	4	9	15	25	35	77
B. *Operated*	248	19.8	241	3	5	16	25	45	60	99+
1. SINGLE DX	1112	9.6	82	2	3	7	11	19	25	52
2. MULTIPLE DX	2860	13.3	144	3	4	10	16	27	38	86
A. NOT OPERATED	3684	11.8	118	3	3	9	14	23	32	71
B. OPERATED	288	18.6	224	3	5	15	24	42	56	99+
TOTAL 0-19 YRS	57	7.5	35	1	3	6	9	15	22	29
20-34	47	9.8	104	1	3	7	11	20	27	60
35-49	188	9.3	44	2	3	8	12	19	25	75
50-64	1079	11.5	117	3	3	9	13	22	33	65
65+	2601	13.0	141	3	4	10	16	26	37	85
GRAND TOTAL	**3972**	**12.3**	**129**	**3**	**3**	**9**	**15**	**25**	**35**	**75**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.0	6	1	1	4	6	6	10	12
20-34	72	4.8	12	1	2	4	6	8	11	19
35-49	16	5.6	34	1	2	3	7	8	21	26
50-64	7	7.0	11	<1	1	7	9	11	11	11
65+	9	10.8	208	1	1	5	16	34	46	46
B. *Operated*										
0-19 YRS	35	6.5	18	2	3	5	8	14	16	18
20-34	118	6.5	17	2	2	6	8	11	15	23
35-49	40	7.3	22	2	2	6	10	15	17	20
50-64	14	9.9	53	3	4	8	11	23	28	29
65+	7	12.7	44	6	6	11	15	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	6	1	1	3	5	7	8	8
20-34	11	5.9	21	1	1	6	8	14	14	14
35-49	12	5.8	17	<1	1	5	8	11	14	15
50-64	16	13.9	99	3	4	11	17	33	36	37
65+	12	17.8	412	5	6	10	19	44	73	78
B. *Operated*										
0-19 YRS	17	10.6	32	3	4	11	16	17	20	22
20-34	67	9.8	47	2	3	8	12	19	22	41
35-49	27	9.5	29	3	3	8	14	16	18	22
50-64	19	14.8	71	5	7	14	17	29	34	35
65+	35	15.1	239	4	5	9	20	32	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	5.2	27	1	2	4	6	9	14	29
B. *Operated*	214	7.1	23	2	3	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	59	10.2	140	1	2	7	12	19	33	74
B. *Operated*	165	11.5	90	3	4	9	14	21	26	46
1. SINGLE DX	349	6.4	25	2	2	5	8	12	16	26
2. MULTIPLE DX	224	11.2	103	2	3	8	14	21	30	54
A. NOT OPERATED	194	6.7	66	1	2	5	7	14	19	42
B. OPERATED	379	9.0	57	2	3	7	11	17	22	37
TOTAL 0-19 YRS	91	6.2	21	1	2	5	8	13	17	20
20-34	268	6.9	27	2	2	6	9	12	18	24
35-49	95	7.5	27	2	2	6	10	15	17	24
50-64	56	12.3	72	3	4	10	15	24	34	37
65+	63	14.7	240	3	4	10	18	31	46	81
GRAND TOTAL	**573**	**8.2**	**61**	**2**	**2**	**6**	**10**	**16**	**21**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	5.1	25	1	1	4	7	10	12	23
20-34	89	4.2	17	1	1	3	5	8	11	25
35-49	93	4.9	10	1	1	4	7	9	10	15
50-64	112	6.1	35	1	1	5	7	12	17	34
65+	189	8.2	61	1	2	6	10	17	26	46
B. *Operated*										
0-19 YRS	16	7.4	35	2	2	5	10	14	21	24
20-34	24	9.3	64	<1	1	8	12	22	28	30
35-49	36	8.5	32	2	3	8	11	15	21	26
50-64	72	11.0	135	1	2	8	14	24	34	59
65+	57	9.0	64	1	2	7	12	21	23	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	7.3	46	1	2	6	9	15	19	31
20-34	114	7.3	82	1	1	4	8	16	28	48
35-49	110	7.3	81	1	2	5	9	14	18	54
50-64	309	9.2	74	2	3	7	12	17	22	69
65+	713	11.6	115	2	3	9	14	23	32	93
B. *Operated*										
0-19 YRS	30	17.5	262	2	3	14	20	51	54	99+
20-34	36	15.8	224	2	2	12	20	35	40	76
35-49	63	14.8	210	2	3	9	19	41	48	58
50-64	150	17.0	213	2	3	14	23	32	47	84
65+	184	18.5	300	3	4	13	23	42	62	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	937	5.8	33	1	1	4	7	11	15	32
B. *Operated*	205	9.5	81	1	2	8	12	21	25	50
2. MULTIPLE DX										
A. *Not Operated*	1673	9.5	89	2	2	7	12	19	27	66
B. *Operated*	463	17.2	251	2	3	13	22	40	52	98
1. SINGLE DX	1142	6.4	43	1	1	5	8	13	18	36
2. MULTIPLE DX	2136	11.1	134	2	2	8	14	23	33	74
A. NOT OPERATED	2610	8.1	72	1	2	6	10	16	23	56
B. OPERATED	668	14.9	211	2	3	11	19	33	47	83
TOTAL 0-19 YRS	927	6.6	47	1	2	5	8	13	17	44
20-34	263	7.6	90	1	1	4	9	17	27	40
35-49	302	8.2	92	1	2	5	9	15	26	51
50-64	643	10.7	120	2	2	8	13	23	30	71
65+	1143	12.0	142	2	3	9	15	25	37	96
GRAND TOTAL	**3278**	**9.5**	**107**	**1**	**2**	**7**	**12**	**20**	**29**	**65**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.3	5	<1	1	3	5	6	7	11
20-34	80	3.3	3	<1	1	3	5	6	7	8
35-49	22	4.0	11	1	1	3	5	7	12	16
50-64	17	3.1	9	<1	<1	2	4	7	11	12
65+	5	3.2	3	2	2	2	4	6	6	6
B. *Operated*										
0-19 YRS	1072	1.9	3	<1	<1	1	2	4	5	7
20-34	1294	2.2	2	<1	<1	2	3	4	5	8
35-49	420	2.2	4	<1	<1	2	2	4	6	9
50-64	248	2.2	3	<1	<1	2	2	4	5	10
65+	103	2.1	4	<1	<1	2	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.3	13	1	1	3	5	9	10	22
20-34	59	3.2	6	<1	<1	2	4	7	8	13
35-49	29	3.0	6	<1	<1	2	4	7	7	10
50-64	31	5.8	64	<1	<1	4	7	13	21	41
65+	18	6.1	52	1	1	3	7	11	24	32
B. *Operated*										
0-19 YRS	422	3.3	5	1	1	3	5	6	7	12
20-34	486	3.1	12	<1	1	2	4	5	7	14
35-49	206	2.8	4	<1	1	2	3	5	8	10
50-64	219	3.5	26	<1	1	2	3	6	12	25
65+	168	3.6	14	1	1	2	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	3.3	5	<1	1	3	5	6	7	12
B. *Operated*	3137	2.1	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	258	4.2	20	<1	1	3	5	8	10	23
B. *Operated*	1501	3.2	11	<1	1	2	4	6	8	16
1. SINGLE DX	3376	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1759	3.4	13	<1	1	2	4	6	9	17
A. NOT OPERATED	497	3.8	13	<1	1	3	5	7	9	19
B. OPERATED	4638	2.5	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	1730	2.5	5	<1	<1	2	3	5	6	11
20-34	1919	2.5	5	<1	<1	2	3	5	6	9
35-49	677	2.5	4	<1	<1	2	3	5	6	10
50-64	515	3.0	17	<1	<1	2	3	5	8	22
65+	294	3.2	14	<1	1	2	3	6	9	20
GRAND TOTAL	**5135**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	4.9	9	1	2	4	7	9	10	13
20-34	28	4.1	8	1	1	4	5	7	8	16
35-49	11	5.2	15	2	2	5	5	11	16	16
50-64	12	4.7	6	1	1	5	6	8	9	9
65+	18	7.7	24	1	2	7	9	16	18	18
B. *Operated*										
0-19 YRS	73	3.2	10	<1	<1	2	4	8	9	19
20-34	65	3.8	8	1	1	3	4	8	9	16
35-49	63	3.1	5	<1	<1	3	4	6	7	13
50-64	69	4.1	8	1	1	3	5	8	11	14
65+	45	4.6	16	<1	2	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	6.2	20	1	2	5	8	12	14	21
20-34	21	5.6	9	2	2	5	7	10	12	13
35-49	10	3.2	2	1	1	3	4	5	5	5
50-64	18	7.3	38	1	1	5	9	19	21	21
65+	34	9.2	24	1	3	9	11	18	19	21
B. *Operated*										
0-19 YRS	35	3.9	4	1	2	4	5	6	8	9
20-34	38	4.2	7	2	2	4	5	8	9	13
35-49	37	4.8	10	2	2	4	6	8	12	17
50-64	57	6.1	71	2	2	4	6	11	14	60
65+	50	5.7	18	1	2	4	7	13	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	5.1	11	1	2	4	7	9	11	17
B. *Operated*	315	3.7	9	<1	<1	3	4	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	248	6.5	21	1	2	5	9	12	16	21
B. *Operated*	217	5.1	27	2	2	4	6	8	13	19
1. SINGLE DX	553	4.3	10	<1	1	3	5	8	10	17
2. MULTIPLE DX	465	5.9	24	1	2	5	7	11	15	21
A. NOT OPERATED	486	5.8	17	1	2	5	8	11	14	21
B. OPERATED	532	4.3	17	<1	1	3	5	8	10	18
TOTAL 0-19 YRS	442	5.1	14	1	1	4	7	10	12	20
20-34	152	4.2	8	1	2	4	5	8	10	16
35-49	121	3.8	8	<1	1	3	5	7	8	16
50-64	156	5.2	36	1	2	4	6	10	14	21
65+	147	6.4	23	1	2	5	9	14	18	21
GRAND TOTAL	**1018**	**5.0**	**17**	**1**	**1**	**4**	**6**	**9**	**13**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.7	23	1	1	3	6	9	13	29
20-34	86	3.4	10	<1	1	2	4	7	10	17
35-49	108	4.1	17	<1	1	3	5	9	11	23
50-64	113	3.9	11	<1	<1	3	5	9	11	16
65+	98	5.6	21	<1	1	4	8	13	15	21
B. *Operated*										
0-19 YRS	7	2.9	11	1	1	1	3	9	10	10
20-34	40	6.8	16	<1	<1	7	9	11	13	19
35-49	40	8.4	20	1	2	9	12	14	16	18
50-64	65	6.9	23	<1	1	6	10	14	15	22
65+	77	7.7	61	<1	<1	5	11	15	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	6.8	60	1	1	5	8	13	18	46
20-34	95	5.1	22	1	1	4	6	11	16	25
35-49	170	6.1	32	1	1	5	8	12	16	25
50-64	237	6.9	32	1	2	5	8	13	20	29
65+	333	8.4	54	2	2	7	11	17	22	66
B. *Operated*										
0-19 YRS	33	9.5	133	1	1	4	13	24	41	44
20-34	62	10.9	120	1	2	8	13	23	29	64
35-49	107	11.4	72	2	3	9	13	23	31	43
50-64	164	11.9	82	1	2	10	16	22	27	52
65+	236	12.9	195	1	2	10	16	27	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	503	4.4	17	<1	1	3	5	9	12	20
B. *Operated*	229	7.3	34	<1	1	7	10	14	16	31
2. MULTIPLE DX										
A. *Not Operated*	905	7.1	42	1	2	5	9	14	19	42
B. *Operated*	602	12.0	131	1	2	9	15	25	33	83
1. SINGLE DX	732	5.3	24	<1	1	4	7	11	14	23
2. MULTIPLE DX	1507	9.0	83	1	2	7	11	19	26	58
A. NOT OPERATED	1408	6.1	35	1	1	5	8	13	17	33
B. OPERATED	831	10.7	109	<1	2	9	13	22	30	70
TOTAL 0-19 YRS	208	6.1	55	1	1	4	7	12	19	43
20-34	283	6.1	46	<1	1	4	8	12	17	31
35-49	425	7.2	45	1	1	6	9	14	18	35
50-64	579	7.7	49	<1	1	6	10	16	21	34
65+	744	9.4	101	1	2	7	12	20	28	97
GRAND TOTAL	**2239**	**7.8**	**67**	**1**	**1**	**6**	**10**	**16**	**22**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	16	1	2	4	5	11	15	15
20-34	33	4.9	5	<1	2	5	7	8	9	10
35-49	41	5.6	23	<1	1	5	7	11	14	26
50-64	61	5.7	16	<1	<1	5	8	11	13	18
65+	55	8.4	52	<1	<1	7	10	17	22	41
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	8.7	17	1	3	9	11	14	16	18
35-49	36	10.3	50	2	4	9	12	16	23	41
50-64	39	9.3	34	<1	1	9	12	15	20	30
65+	36	12.0	104	2	2	9	17	25	32	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	13	2	2	6	10	10	10	10
20-34	38	7.9	36	2	3	7	10	16	19	33
35-49	48	6.4	18	1	2	5	8	12	17	20
50-64	79	8.3	49	<1	1	7	10	16	20	41
65+	141	10.3	71	2	3	8	12	23	29	40
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	24	10.9	25	2	5	11	16	17	19	19
35-49	49	11.8	45	2	3	10	17	21	23	26
50-64	83	14.4	136	3	4	11	17	28	35	67
65+	114	15.8	152	3	4	13	21	30	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	6.2	27	<1	1	5	8	11	16	25
B. *Operated*	132	10.2	55	1	2	9	12	18	25	42
2. MULTIPLE DX										
A. *Not Operated*	312	8.8	54	1	3	7	10	18	24	39
B. *Operated*	271	14.2	119	2	4	12	18	25	33	65
1. SINGLE DX	331	7.8	42	<1	1	7	10	15	21	35
2. MULTIPLE DX	583	11.3	91	2	3	9	14	23	29	47
A. NOT OPERATED	511	7.8	45	<1	2	6	10	15	21	37
B. OPERATED	403	12.9	101	2	3	10	16	24	30	55
TOTAL 0-19 YRS	17	5.4	16	<1	1	4	8	11	14	15
20-34	115	7.8	26	1	3	7	10	16	18	24
35-49	174	8.5	40	1	2	7	11	18	21	26
50-64	262	9.7	78	<1	1	8	12	18	25	48
65+	346	12.0	105	2	3	9	15	24	31	47
GRAND TOTAL	**914**	**10.0**	**76**	**1**	**2**	**8**	**12**	**21**	**26**	**45**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	1	1	4	4	5	5	5
20-34	23	5.3	8	1	2	5	7	9	10	10
35-49	39	6.4	15	1	2	6	9	11	12	20
50-64	39	5.3	12	1	1	4	8	11	12	14
65+	54	7.7	25	2	3	7	10	13	16	31
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	8	8.9	14	3	4	9	12	13	14	14
35-49	14	10.5	23	5	5	9	12	18	20	20
50-64	26	13.0	104	3	4	12	15	22	29	54
65+	30	11.2	38	2	5	10	16	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	22	5.0	9	1	2	4	7	9	10	12
35-49	31	5.5	7	2	2	5	6	9	10	14
50-64	69	7.9	21	2	3	6	10	15	16	25
65+	138	11.2	114	3	4	8	12	21	30	73
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	14	10.8	62	2	2	10	12	19	29	32
35-49	33	16.4	197	3	5	13	19	31	42	74
50-64	72	15.7	193	4	5	13	19	30	58	95
65+	155	16.7	194	5	6	12	20	40	51	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	6.3	17	1	2	6	8	11	13	20
B. *Operated*	80	11.3	54	3	5	10	15	19	22	45
2. MULTIPLE DX										
A. *Not Operated*	262	9.1	73	2	3	7	10	17	22	36
B. *Operated*	276	16.0	187	4	5	12	19	34	50	76
1. SINGLE DX	240	8.0	35	2	2	7	11	15	18	26
2. MULTIPLE DX	538	12.6	143	3	4	9	15	26	37	73
A. NOT OPERATED	422	8.0	53	2	3	6	10	14	20	33
B. OPERATED	356	15.0	160	4	5	12	18	28	47	74
TOTAL 0-19 YRS	11	4.8	5	1	2	5	6	7	9	9
20-34	67	6.8	25	2	2	6	9	12	14	30
35-49	117	9.5	85	2	3	7	11	18	24	53
50-64	206	10.8	107	2	3	8	14	21	26	69
65+	377	12.9	138	3	4	9	15	26	38	71
GRAND TOTAL	**778**	**11.2**	**114**	**2**	**3**	**8**	**13**	**22**	**30**	**68**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.2	14	1	1	3	5	7	10	24
20-34	255	4.5	16	1	1	4	6	9	10	20
35-49	190	4.6	13	<1	1	4	6	9	11	19
50-64	159	6.0	75	<1	1	4	7	11	15	28
65+	139	6.8	27	1	1	5	9	12	19	26
B. *Operated*										
0-19 YRS	5	9.6	6	7	7	9	11	13	13	13
20-34	87	9.8	21	6	7	9	10	13	18	30
35-49	68	10.0	18	6	7	9	11	15	19	28
50-64	59	11.0	32	3	6	10	13	20	23	26
65+	19	11.8	56	2	4	10	16	21	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	5.2	13	1	2	4	7	9	14	15
20-34	171	5.6	21	1	2	5	7	10	13	22
35-49	173	5.9	22	1	2	5	7	12	14	27
50-64	234	7.9	56	1	2	6	9	14	24	43
65+	260	10.3	57	2	3	8	13	19	27	47
B. *Operated*										
0-19 YRS	9	15.1	321	2	4	10	13	43	62	62
20-34	70	11.8	42	4	6	10	14	20	28	35
35-49	93	12.5	73	6	7	10	15	20	31	52
50-64	101	16.2	173	5	7	12	18	31	42	72
65+	70	15.9	156	4	7	12	20	27	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	5.2	29	1	1	4	6	10	13	24
B. *Operated*	238	10.3	25	5	7	9	11	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	883	7.6	44	1	2	6	9	15	20	41
B. *Operated*	343	14.2	121	5	7	11	16	25	36	63
1. SINGLE DX	1067	6.3	33	1	1	5	9	12	15	26
2. MULTIPLE DX	1226	9.5	74	2	2	7	12	18	26	48
A. NOT OPERATED	1712	6.4	38	1	2	5	8	13	17	31
B. OPERATED	581	12.6	85	5	7	10	14	21	28	61
TOTAL 0-19 YRS	145	5.4	38	1	1	4	7	10	14	30
20-34	583	6.5	28	1	2	5	9	12	15	29
35-49	524	7.1	36	1	2	6	9	13	17	30
50-64	553	9.2	93	1	2	7	11	18	25	52
65+	488	10.2	70	2	3	8	13	20	27	51
GRAND TOTAL	**2293**	**8.0**	**57**	**1**	**2**	**6**	**10**	**15**	**21**	**40**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.7	6	1	2	4	6	7	9	13
20-34	114	4.6	5	1	2	4	5	8	9	13
35-49	115	5.1	7	2	2	5	7	9	11	12
50-64	106	6.4	31	2	3	5	7	10	13	35
65+	96	7.0	16	2	3	6	9	11	16	21
B. *Operated*										
0-19 YRS	8	7.6	5	5	5	7	9	11	12	12
20-34	54	10.7	41	5	6	9	13	18	24	34
35-49	32	11.0	46	4	5	9	13	19	28	34
50-64	57	10.4	23	5	6	9	12	16	19	26
65+	49	13.5	76	5	6	12	16	21	25	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	21	1	2	6	10	12	16	17
20-34	70	5.2	10	2	2	4	7	10	11	16
35-49	89	5.9	16	2	2	5	7	10	13	23
50-64	155	7.2	25	2	3	6	8	13	16	32
65+	225	11.4	133	3	3	8	13	22	33	66
B. *Operated*										
0-19 YRS	9	10.2	18	3	4	9	14	15	15	15
20-34	36	11.3	52	5	5	8	14	23	25	37
35-49	50	14.1	79	5	6	12	18	24	37	47
50-64	74	16.7	166	5	6	13	21	29	45	70
65+	152	22.6	262	6	7	18	32	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	5.6	15	2	2	5	7	9	11	21
B. *Operated*	200	11.2	45	5	6	9	14	18	24	34
2. MULTIPLE DX										
A. *Not Operated*	553	8.4	72	2	3	6	10	16	22	43
B. *Operated*	321	18.3	199	5	6	14	24	38	55	99+
1. SINGLE DX	656	7.4	31	2	3	6	9	13	17	29
2. MULTIPLE DX	874	12.1	141	2	3	8	15	25	37	73
A. NOT OPERATED	1009	7.2	48	2	3	5	8	12	17	37
B. OPERATED	521	15.6	152	5	6	12	19	33	41	82
TOTAL 0-19 YRS	56	6.5	15	1	2	6	8	13	15	17
20-34	274	6.8	28	2	2	5	8	13	17	31
35-49	286	7.6	38	2	2	6	9	15	19	36
50-64	392	9.2	67	3	3	7	10	17	24	45
65+	522	14.1	177	3	4	10	17	32	41	85
GRAND TOTAL	**1530**	**10.0**	**99**	**2**	**3**	**7**	**12**	**21**	**30**	**60**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	5.0	12	3	3	3	8	9	9	9
35-49	5	4.6	16	1	1	3	7	11	11	11
50-64	8	7.0	51	2	2	4	7	19	24	24
65+	7	6.6	14	2	2	6	9	12	13	13
B. *Operated*										
0-19 YRS										
20-34	4	10.3	16	6	6	10	13	15	15	15
35-49	6	12.5	12	8	8	12	16	17	17	17
50-64	8	12.6	15	7	7	13	15	17	18	18
65+	7	14.0	47	7	7	12	20	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	5	6.0	18	<1	<1	5	9	12	12	12
50-64	3	8.0	28	4	4	6	12	14	14	14
65+	11	11.0	59	4	4	8	14	21	30	31
B. *Operated*										
0-19 YRS										
20-34	11	14.9	94	8	8	10	21	31	35	35
35-49	22	19.4	344	8	8	13	22	32	57	94
50-64	28	18.2	67	5	8	17	22	30	33	38
65+	25	22.1	373	1	3	16	26	52	74	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.1	24	1	2	5	8	11	16	24
B. *Operated*	25	12.6	22	7	7	12	15	18	23	24
2. MULTIPLE DX										
A. *Not Operated*	21	8.8	43	2	4	7	12	15	22	31
B. *Operated*	86	19.2	228	5	8	15	22	32	41	87
1. SINGLE DX	49	9.4	33	2	3	8	13	17	23	24
2. MULTIPLE DX	107	17.2	208	4	5	14	22	31	37	83
A. NOT OPERATED	45	7.3	34	1	2	6	9	14	17	31
B. OPERATED	111	17.7	189	5	8	14	22	30	37	82
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	20	11.5	72	3	4	9	12	26	32	35
35-49	38	14.6	238	1	3	11	16	29	32	94
50-64	47	14.7	72	3	4	14	21	26	31	38
65+	50	16.4	240	2	4	13	19	31	52	75
GRAND TOTAL	**156**	**14.7**	**166**	**3**	**4**	**12**	**18**	**29**	**33**	**75**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	548	2.9	5	1	1	2	4	6	7	11
20-34	587	3.1	7	<1	1	2	4	6	8	14
35-49	384	3.7	10	<1	1	3	5	7	9	16
50-64	314	4.6	13	<1	1	4	6	9	12	18
65+	272	5.1	25	1	1	4	6	10	14	24
B. Operated										
0-19 YRS	11	1.4	1	<1	<1	<1	1	3	3	3
20-34	31	5.2	75	<1	<1	1	6	14	23	42
35-49	37	3.3	20	<1	<1	<1	4	9	10	24
50-64	27	6.6	47	<1	<1	4	9	19	23	24
65+	36	6.1	41	<1	<1	4	11	13	16	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	327	3.9	11	1	1	3	5	7	9	19
20-34	491	4.5	19	1	1	3	6	9	12	22
35-49	440	5.3	19	1	1	4	7	10	14	21
50-64	508	6.8	31	1	2	6	9	13	18	25
65+	739	8.1	56	2	2	6	10	16	20	44
B. Operated										
0-19 YRS	11	6.6	21	<1	<1	6	9	14	16	16
20-34	29	9.5	59	2	3	8	11	17	26	40
35-49	57	9.6	54	<1	2	8	11	21	25	34
50-64	84	12.1	86	1	2	10	16	25	29	47
65+	101	14.8	146	2	4	11	18	28	38	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2105	3.6	11	<1	1	3	5	7	9	16
B. Operated	142	4.9	43	<1	<1	1	7	12	18	31
2. MULTIPLE DX										
A. Not Operated	2505	6.1	34	1	1	5	8	12	17	28
B. Operated	282	12.1	100	1	2	9	16	25	31	52
1. SINGLE DX	2247	3.7	13	<1	1	3	5	7	10	18
2. MULTIPLE DX	2787	6.7	44	1	2	5	8	14	19	34
A. NOT OPERATED	4610	5.0	25	1	1	4	6	10	14	23
B. OPERATED	424	9.7	92	<1	<1	8	13	21	27	47
TOTAL 0-19 YRS	897	3.3	7	<1	1	3	4	6	8	14
20-34	1138	3.9	17	<1	1	3	5	8	11	21
35-49	918	4.8	19	<1	1	4	6	10	13	24
50-64	933	6.5	34	1	1	5	8	13	18	27
65+	1148	8.0	62	1	2	6	10	16	21	44
GRAND TOTAL	**5034**	**5.4**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	3.5	8	1	1	3	4	7	10	15
20-34	134	3.7	14	<1	<1	3	5	7	9	20
35-49	125	3.4	10	<1	<1	2	5	6	7	18
50-64	84	4.2	14	<1	<1	3	6	9	13	18
65+	95	4.9	15	1	1	4	6	10	15	18
B. Operated										
0-19 YRS	13	6.8	14	<1	2	7	9	12	14	14
20-34	20	6.8	25	<1	<1	7	9	10	17	23
35-49	25	8.8	21	<1	<1	9	11	15	17	21
50-64	24	11.1	38	1	6	9	14	19	23	30
65+	10	13.3	69	4	4	13	15	27	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	4.2	12	<1	1	3	6	8	12	17
20-34	117	4.7	18	<1	1	3	5	9	13	23
35-49	113	6.1	25	1	2	4	8	13	16	24
50-64	142	7.0	31	1	2	6	9	12	17	29
65+	240	9.5	81	1	2	7	12	19	27	56
B. Operated										
0-19 YRS	9	13.1	76	6	6	10	19	28	30	30
20-34	18	12.5	90	2	5	10	17	20	34	44
35-49	52	14.3	114	1	5	10	17	28	40	46
50-64	49	17.2	151	7	9	14	18	31	44	75
65+	62	20.8	275	5	7	16	26	46	56	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	531	3.9	12	<1	<1	3	5	7	10	17
B. Operated	92	9.2	34	<1	2	8	11	16	21	30
2. MULTIPLE DX										
A. Not Operated	667	7.1	48	1	1	5	9	14	19	40
B. Operated	190	17.0	178	4	6	13	20	34	45	74
1. SINGLE DX	623	4.7	19	<1	<1	3	6	10	14	21
2. MULTIPLE DX	857	9.3	93	1	2	7	12	19	27	51
A. NOT OPERATED	1198	5.7	35	<1	1	4	7	12	16	30
B. OPERATED	282	14.4	144	<1	5	10	17	27	43	68
TOTAL 0-19 YRS	170	4.5	18	<1	1	3	6	9	12	23
20-34	289	4.9	25	<1	<1	3	6	9	14	25
35-49	315	6.6	47	<1	<1	4	9	15	21	39
50-64	299	8.2	65	<1	2	6	11	17	20	42
65+	407	10.3	118	1	2	7	12	22	31	60
GRAND TOTAL	**1480**	**7.4**	**67**	**<1**	**1**	**5**	**9**	**16**	**22**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	9	<1	1	2	3	6	11	13
20-34	11	2.5	4	<1	<1	2	4	5	7	7
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	2239	4.1	3	2	3	4	5	6	7	10
20-34	1369	4.2	3	2	3	4	5	6	7	9
35-49	306	4.7	4	3	3	4	6	7	8	11
50-64	86	5.5	8	2	3	4	7	10	11	13
65+	28	7.1	14	3	3	6	8	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	5	4.0	10	1	1	4	6	8	8	8
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	325	7.1	38	3	3	5	8	12	18	39
20-34	295	6.1	12	3	3	5	7	10	12	19
35-49	90	7.4	18	3	4	6	9	12	14	25
50-64	49	10.4	60	4	4	8	12	25	29	33
65+	26	13.3	120	3	3	9	16	33	37	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.6	6	<1	1	2	3	6	8	13
B. *Operated*	4028	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	10	3.7	8	<1	<1	3	6	8	8	8
B. *Operated*	785	7.1	32	3	3	5	8	12	17	33
1. SINGLE DX	4072	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX	795	7.1	32	3	3	5	8	12	17	33
A. NOT OPERATED	54	2.8	7	<1	1	2	4	6	8	13
B. OPERATED	4813	4.7	9	2	3	4	5	7	9	17
TOTAL 0-19 YRS	2591	4.5	8	2	3	4	5	7	8	16
20-34	1680	4.5	5	2	3	4	5	7	8	13
35-49	398	5.3	8	3	3	4	6	9	11	17
50-64	141	7.1	32	2	3	5	9	12	17	32
65+	57	9.8	72	3	3	7	11	21	33	40
GRAND TOTAL	**4867**	**4.7**	**9**	**2**	**3**	**4**	**5**	**7**	**9**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.8	18	<1	<1	5	8	13	14	14
20-34	11	7.2	6	4	4	7	9	11	11	11
35-49	8	5.4	5	2	2	6	7	8	8	8
50-64	4	9.8	3	8	8	9	11	12	12	12
65+	3	9.0	13	6	6	8	12	13	13	13
B. *Operated*										
0-19 YRS	353	7.1	22	3	3	6	8	11	14	21
20-34	204	6.8	13	3	3	6	8	11	13	18
35-49	83	8.1	22	4	4	7	10	13	17	29
50-64	49	9.7	34	4	5	8	10	19	22	33
65+	35	10.4	21	5	5	10	13	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	30	1	1	6	10	12	12	12
20-34	1	18.0		18	18	18	18	18	18	18
35-49										
50-64	3	5.7	4	4	4	5	7	8	8	8
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	133	11.3	30	4	6	11	14	18	24	30
20-34	105	10.1	34	4	5	9	12	15	17	39
35-49	54	12.8	81	4	5	11	15	22	26	58
50-64	70	14.0	53	5	7	12	17	22	31	42
65+	70	15.7	96	6	7	13	19	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	6.7	12	1	2	6	9	12	13	14
B. *Operated*	724	7.5	21	3	3	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	9	8.1	26	1	2	7	12	16	18	18
B. *Operated*	432	12.3	55	5	5	11	15	20	26	44
1. SINGLE DX	767	7.5	20	3	3	7	9	12	15	22
2. MULTIPLE DX	441	12.2	55	5	5	11	15	20	26	44
A. NOT OPERATED	52	6.9	14	1	2	7	9	12	13	18
B. OPERATED	1156	9.3	39	3	4	8	11	16	20	33
TOTAL 0-19 YRS	506	8.2	27	3	3	7	10	14	17	25
20-34	321	7.9	22	3	4	7	10	13	16	26
35-49	145	9.7	49	4	4	8	12	17	22	35
50-64	126	12.0	48	5	5	10	15	20	24	36
65+	110	13.7	75	5	6	12	17	24	29	51
GRAND TOTAL	**1208**	**9.2**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**32**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.2	2	1	1	2	3	4	5	8
20-34	62	2.2	2	1	1	2	3	4	5	8
35-49	20	2.7	2	<1	1	2	3	5	6	6
50-64	4	3.0	6	<1	<1	2	5	6	6	6
65+	2	31.5	1625	3	3	31	60	60	60	60
B. *Operated*										
0-19 YRS	291	4.8	4	2	3	4	5	7	9	13
20-34	182	5.0	11	2	3	4	6	7	9	19
35-49	38	4.7	3	2	3	4	5	7	9	10
50-64	11	8.9	43	3	4	6	12	21	21	21
65+	5	7.6	6	6	6	7	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.7	14	<1	<1	2	5	9	13	13
20-34	13	1.8	1	<1	<1	2	2	3	4	4
35-49	4	4.8	9	1	1	5	7	8	8	8
50-64	3	6.7	10	3	3	8	9	9	9	9
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	125	5.9	10	3	3	5	7	10	11	18
20-34	83	6.5	15	3	3	6	7	10	12	26
35-49	18	5.8	10	2	2	5	7	11	13	14
50-64	9	7.7	9	4	4	7	10	12	13	13
65+	9	12.6	56	5	6	11	14	26	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.5	18	1	1	2	3	4	6	8
B. *Operated*	527	5.0	8	2	3	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	33	3.5	8	<1	1	2	5	8	9	13
B. *Operated*	244	6.4	15	3	3	5	7	10	13	23
1. SINGLE DX	735	4.3	12	1	2	4	5	7	8	14
2. MULTIPLE DX	277	6.0	15	2	3	5	7	10	12	23
A. NOT OPERATED	241	2.7	17	1	1	2	3	5	6	9
B. OPERATED	771	5.4	10	3	3	5	6	9	11	20
TOTAL 0-19 YRS	546	4.5	7	1	2	4	5	7	9	14
20-34	340	4.7	13	1	2	4	6	8	10	19
35-49	80	4.5	6	1	2	4	6	7	9	13
50-64	27	7.4	25	1	3	6	9	13	21	21
65+	19	12.1	173	3	4	7	11	26	46	60
GRAND TOTAL	**1012**	**4.8**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.8	1	<1	<1	1	2	4	4	4
20-34	7	3.7	8	<1	<1	4	6	7	7	7
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	6	4.3	10	1	1	4	6	9	9	9
65+	12	3.3	7	<1	<1	2	5	8	8	8
B. *Operated*										
0-19 YRS	1116	2.6	2	<1	1	2	3	4	5	8
20-34	1151	4.0	4	2	2	4	5	6	7	9
35-49	1044	4.4	8	2	3	4	5	7	8	10
50-64	1464	4.7	5	2	2	4	6	8	8	12
65+	1093	5.6	8	2	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.5	2	<1	<1	1	1	3	5	7
20-34	11	2.9	18	<1	<1	1	3	9	14	15
35-49	13	2.9	9	1	1	2	3	9	9	9
50-64	18	5.7	51	<1	<1	3	7	13	24	30
65+	52	4.3	21	<1	1	3	6	9	15	24
B. *Operated*										
0-19 YRS	471	3.4	15	<1	1	2	4	6	9	16
20-34	301	4.6	5	2	3	4	5	7	8	13
35-49	377	5.0	8	2	2	5	6	8	10	16
50-64	920	6.1	15	2	3	5	8	10	13	19
65+	1082	7.8	40	3	3	6	9	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.7	5	<1	<1	2	4	7	8	9
B. *Operated*	5868	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	137	3.4	19	<1	<1	1	4	8	11	25
B. *Operated*	3151	6.0	24	1	2	5	7	11	14	29
1. SINGLE DX	5915	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX	3288	5.9	24	1	2	5	7	11	14	29
A. NOT OPERATED	184	3.2	16	<1	<1	1	4	7	9	22
B. OPERATED	9019	4.9	13	1	2	4	6	8	10	18
TOTAL 0-19 YRS	1650	2.8	6	<1	1	2	3	5	6	13
20-34	1470	4.1	4	1	2	4	5	6	7	10
35-49	1436	4.5	8	2	2	4	5	7	8	12
50-64	2408	5.2	9	2	2	5	6	8	10	17
65+	2239	6.6	25	2	3	6	8	11	14	31
GRAND TOTAL	**9203**	**4.8**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	4	<1	<1	1	1	5	7	7
20-34										
35-49										
50-64										
65+	6	4.7	15	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	153	2.4	3	1	1	2	3	4	6	9
20-34	44	4.4	3	2	3	4	5	6	7	10
35-49	39	6.2	40	2	3	4	6	11	21	34
50-64	65	5.4	8	2	3	5	7	8	9	19
65+	89	7.3	15	3	3	7	9	12	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	5.8	41	1	1	2	13	15	15	15
65+	16	10.4	121	<1	1	8	12	23	38	44
B. *Operated*										
0-19 YRS	97	3.6	5	1	1	3	5	6	8	13
20-34	25	5.2	10	1	2	5	6	10	12	14
35-49	18	5.8	8	3	3	5	7	7	13	16
50-64	50	6.3	9	3	3	6	8	10	13	16
65+	145	12.7	158	4	4	9	15	25	35	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.9	10	<1	<1	1	5	8	9	10
B. *Operated*	390	4.6	14	1	1	4	6	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	27	7.9	90	<1	<1	5	11	19	26	44
B. *Operated*	335	8.2	89	1	2	6	9	16	20	65
1. SINGLE DX	405	4.6	14	1	1	4	6	8	10	22
2. MULTIPLE DX	362	8.2	89	1	2	6	9	16	21	60
A. NOT OPERATED	42	6.1	66	<1	<1	2	9	14	21	44
B. OPERATED	725	6.3	52	1	1	5	8	12	16	35
TOTAL 0-19 YRS	263	2.8	4	1	1	2	4	5	7	12
20-34	69	4.7	5	2	2	4	5	8	10	13
35-49	58	6.0	30	2	3	4	6	9	14	34
50-64	121	5.8	10	2	3	5	7	9	12	17
65+	256	10.5	109	3	4	8	12	19	29	82
GRAND TOTAL	**767**	**6.3**	**52**	**1**	**1**	**5**	**8**	**12**	**16**	**37**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	146	2.5	4	<1	1	2	3	4	5	12
20-34	76	3.6	3	1	2	3	5	6	7	9
35-49	90	3.4	3	1	1	3	5	6	7	8
50-64	81	4.5	5	2	2	4	6	8	9	11
65+	36	5.6	14	2	2	5	7	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	10	<1	<1	1	2	8	9	9
20-34	3	4.7	10	1	1	6	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	2.6	7	1	1	1	4	7	7	7
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	33	3.6	7	1	1	3	4	7	10	11
20-34	29	4.3	5	1	1	4	5	8	9	9
35-49	58	5.2	13	1	2	5	6	9	11	22
50-64	66	5.8	12	1	2	5	8	11	13	15
65+	46	8.2	34	3	3	7	11	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	429	3.5	6	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	17	3.5	11	<1	1	2	6	9	10	11
B. *Operated*	232	5.6	17	1	2	5	7	11	12	23
1. SINGLE DX	437	3.5	6	1	1	3	4	6	8	11
2. MULTIPLE DX	249	5.5	17	1	2	5	7	11	12	23
A. NOT OPERATED	25	2.9	8	<1	<1	1	4	7	9	11
B. OPERATED	661	4.3	11	1	1	3	5	8	10	15
TOTAL 0-19 YRS	188	2.7	5	<1	1	2	3	5	7	12
20-34	109	3.8	4	1	2	4	5	6	7	10
35-49	150	4.1	7	1	1	4	5	7	8	14
50-64	155	4.9	8	1	2	4	7	9	11	14
65+	84	7.1	26	2	3	5	10	12	15	30
GRAND TOTAL	**686**	**4.2**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	5	3.4	7	1	1	3	4	8	8	8
50-64	4	8.8	36	3	3	7	13	17	17	17
65+	9	4.9	15	1	1	2	8	10	11	11
B. *Operated*										
0-19 YRS	60	3.2	5	<1	1	3	4	6	8	13
20-34	183	4.4	6	2	2	4	6	8	9	12
35-49	251	5.9	9	2	3	5	8	10	11	16
50-64	229	6.4	8	2	3	6	8	10	11	16
65+	181	8.1	18	3	4	8	10	14	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	1.0		1	1	1	1	1	1	1
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	20	5.2	29	<1	1	3	7	15	18	19
65+	13	7.1	21	1	2	7	9	15	16	16
B. *Operated*										
0-19 YRS	15	9.2	153	<1	<1	5	9	19	42	50
20-34	94	6.9	18	2	3	6	9	11	16	24
35-49	173	7.6	35	2	3	6	9	12	14	32
50-64	247	9.5	34	3	4	8	12	17	21	30
65+	229	11.3	86	4	4	9	13	19	23	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.4	16	1	1	3	7	9	12	17
B. *Operated*	904	6.0	12	2	2	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	50	4.6	21	1	1	3	7	11	16	19
B. *Operated*	758	9.3	52	3	4	8	11	16	20	38
1. SINGLE DX	929	5.9	12	2	2	5	8	10	12	17
2. MULTIPLE DX	808	9.0	52	2	3	8	11	16	20	38
A. NOT OPERATED	75	4.5	19	1	1	3	7	9	16	19
B. OPERATED	1662	7.5	33	2	3	6	9	13	16	27
TOTAL 0-19 YRS	78	4.4	38	<1	1	3	4	8	12	41
20-34	286	5.2	11	1	2	4	7	9	10	19
35-49	441	6.4	21	2	3	6	8	10	13	21
50-64	500	7.9	25	2	3	7	9	13	17	26
65+	432	9.7	57	3	4	8	11	16	20	39
GRAND TOTAL	**1737**	**7.4**	**33**	**2**	**3**	**6**	**9**	**13**	**16**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	3.6	8	<1	1	3	5	9	9	9
35-49	29	4.2	13	<1	1	3	5	8	9	19
50-64	57	5.9	17	1	2	5	8	12	14	20
65+	99	6.6	19	2	2	5	9	12	15	22
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	13	7.4	12	<1	2	8	9	12	14	15
35-49	33	9.3	11	6	6	9	11	12	14	23
50-64	32	10.4	41	5	6	9	11	14	18	41
65+	18	12.6	400	1	3	8	11	16	61	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	21	1	1	9	9	9	9	9
20-34	24	5.3	29	<1	<1	4	7	10	16	26
35-49	85	5.3	16	<1	<1	4	8	12	14	17
50-64	183	6.7	34	<1	2	5	8	14	16	24
65+	380	9.7	80	1	3	8	12	18	24	58
B. *Operated*										
0-19 YRS	8	8.3	8	5	5	7	10	13	13	13
20-34	46	10.3	63	3	6	9	10	14	30	44
35-49	119	10.2	18	6	7	9	11	15	19	28
50-64	165	11.6	33	5	6	10	13	19	24	32
65+	117	13.0	107	3	5	11	15	24	30	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.8	18	1	2	5	8	12	14	21
B. *Operated*	97	10.1	92	3	5	9	11	13	16	67
2. MULTIPLE DX										
A. *Not Operated*	675	8.1	61	1	2	6	11	16	20	37
B. *Operated*	455	11.4	52	5	6	10	13	18	25	44
1. SINGLE DX	295	7.2	46	1	2	6	9	12	15	23
2. MULTIPLE DX	1130	9.5	60	1	2	8	12	17	22	39
A. NOT OPERATED	873	7.6	52	1	2	6	10	15	19	34
B. OPERATED	552	11.2	59	4	6	9	12	17	24	44
TOTAL 0-19 YRS	13	7.8	12	1	3	8	10	12	13	13
20-34	95	7.8	47	<1	1	7	9	12	22	41
35-49	266	7.9	22	1	2	8	10	13	16	26
50-64	437	8.7	38	1	2	8	11	16	20	30
65+	614	9.9	88	2	3	8	12	18	24	64
GRAND TOTAL	**1425**	**9.0**	**58**	**1**	**2**	**8**	**11**	**16**	**21**	**37**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	3	18.7	312	7	7	10	32	39	39	39
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	10	3.2	1	2	2	3	4	5	5	5
20-34	36	3.9	3	1	1	4	5	6	7	7
35-49	50	4.9	14	1	1	4	5	9	10	21
50-64	51	4.7	6	1	2	4	6	8	10	11
65+	24	6.1	8	2	3	6	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	3.8	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	11	4.3	1	3	3	4	5	6	6	6
35-49	20	4.7	7	1	2	4	6	9	10	10
50-64	38	6.2	9	3	3	5	7	12	13	13
65+	35	9.6	52	3	4	8	11	18	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.6	119	<1	<1	4	9	22	38	39
B. *Operated*	171	4.7	8	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	10	3.7	4	2	2	3	4	7	8	8
B. *Operated*	106	6.8	26	3	3	6	8	12	14	31
1. SINGLE DX	182	4.9	15	1	2	4	6	8	10	20
2. MULTIPLE DX	116	6.5	24	2	3	5	8	11	13	29
A. NOT OPERATED	21	5.8	66	<1	1	3	7	9	23	39
B. OPERATED	277	5.5	16	1	2	5	7	10	12	20
TOTAL 0-19 YRS	12	3.3	1	2	2	3	4	5	5	5
20-34	51	4.0	3	1	2	4	5	6	7	7
35-49	76	5.4	27	1	1	4	6	9	10	34
50-64	92	5.3	8	1	2	5	7	10	11	13
65+	67	7.6	35	2	3	6	9	13	18	39
GRAND TOTAL	**298**	**5.5**	**19**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	13	4.5	13	1	1	2	6	10	12	12
B. *Operated*										
0-19 YRS	10	3.5	5	<1	<1	3	5	7	8	8
20-34	31	5.1	11	2	2	4	6	8	13	17
35-49	58	5.1	13	2	2	4	6	8	11	23
50-64	68	5.8	10	2	3	5	7	10	12	17
65+	62	8.1	23	3	3	7	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.8	6	1	1	2	4	6	6	6
50-64	7	7.7	43	2	2	5	14	18	18	18
65+	31	10.8	109	2	3	8	13	19	27	57
B. *Operated*										
0-19 YRS	9	4.7	11	1	1	4	6	10	11	11
20-34	11	5.4	10	3	3	5	6	10	14	14
35-49	43	7.4	37	2	3	7	9	12	17	37
50-64	64	11.3	71	3	4	9	14	20	25	52
65+	133	12.8	114	4	5	10	15	23	33	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.3	9	<1	1	2	4	9	11	12
B. *Operated*	229	6.1	16	2	2	5	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	43	9.4	92	2	2	7	12	17	24	57
B. *Operated*	260	10.9	88	3	4	9	13	20	27	55
1. SINGLE DX	251	5.8	16	2	2	5	7	11	14	20
2. MULTIPLE DX	303	10.7	89	3	3	9	13	19	27	56
A. NOT OPERATED	65	7.3	72	1	1	5	10	17	19	52
B. OPERATED	489	8.7	60	2	3	7	11	16	21	43
TOTAL 0-19 YRS	20	3.9	7	<1	1	3	5	8	10	11
20-34	45	5.0	10	2	2	4	6	8	13	17
35-49	110	5.8	24	1	2	4	7	10	13	29
50-64	140	8.4	46	2	3	6	10	17	20	33
65+	239	10.9	89	2	3	9	13	19	27	60
GRAND TOTAL	**554**	**8.5**	**61**	**2**	**3**	**6**	**10**	**16**	**21**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.9	5	<1	1	2	4	6	8	9
20-34	123	3.6	7	1	1	3	4	6	9	14
35-49	162	5.0	13	1	2	4	7	10	12	19
50-64	179	6.2	32	1	2	5	8	11	15	36
65+	253	7.6	43	2	2	6	10	15	18	37
B. *Operated*										
0-19 YRS	41	6.1	11	2	3	5	8	10	13	16
20-34	50	10.2	31	4	5	9	12	19	21	30
35-49	89	12.2	60	5	6	10	14	20	25	48
50-64	84	14.0	112	6	7	11	15	23	44	61
65+	63	14.7	135	6	7	12	18	22	26	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.7	89	1	1	4	6	8	12	62
20-34	90	5.6	36	1	1	4	7	10	14	37
35-49	130	7.1	33	1	2	5	10	14	20	27
50-64	225	7.3	27	2	3	6	9	13	16	24
65+	444	9.8	97	2	3	7	12	18	25	57
B. *Operated*										
0-19 YRS	37	10.6	76	4	5	8	12	16	30	50
20-34	92	13.8	154	5	6	11	15	21	32	78
35-49	107	14.5	94	6	7	12	17	28	44	99+
50-64	166	18.5	233	5	7	14	21	34	50	92
65+	234	22.6	291	7	9	17	29	45	69	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	5.7	28	1	1	4	7	11	15	24
B. *Operated*	327	12.1	84	4	5	10	14	20	24	50
2. MULTIPLE DX										
A. *Not Operated*	930	8.2	67	1	2	6	10	15	21	49
B. *Operated*	636	18.2	225	6	7	14	21	35	54	94
1. SINGLE DX	1111	7.6	53	1	2	6	10	15	19	40
2. MULTIPLE DX	1566	12.3	155	2	3	9	15	24	36	78
A. NOT OPERATED	1714	7.1	51	1	2	5	9	14	18	40
B. OPERATED	963	16.1	185	5	6	12	18	31	45	93
TOTAL 0-19 YRS	186	5.7	46	1	1	4	7	10	13	44
20-34	355	7.7	73	1	1	6	10	15	20	48
35-49	488	9.0	59	2	2	7	11	18	24	52
50-64	654	10.7	117	2	3	8	13	20	28	56
65+	994	12.6	165	2	3	9	15	24	36	78
GRAND TOTAL	**2677**	**10.3**	**118**	**2**	**2**	**7**	**13**	**20**	**29**	**65**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5043	3.8	8	1	1	3	5	7	9	15
20-34	902	2.7	4	1	1	2	3	5	7	10
35-49	370	3.7	9	1	1	3	5	7	9	16
50-64	324	4.3	12	1	1	3	5	8	11	18
65+	480	5.3	21	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	39	5.2	16	1	2	4	6	9	10	24
20-34	44	6.7	33	2	2	5	9	10	17	35
35-49	26	7.9	38	2	3	7	9	10	19	35
50-64	11	10.5	86	<1	1	8	13	27	27	27
65+	18	12.2	87	<1	1	11	15	23	34	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2704	5.6	23	1	2	4	7	11	14	24
20-34	500	3.8	15	1	1	3	5	7	10	18
35-49	296	5.0	18	1	1	4	6	9	13	23
50-64	397	6.7	47	1	2	5	8	14	20	35
65+	988	8.7	95	2	2	6	10	17	26	86
B. *Operated*										
0-19 YRS	50	10.1	78	3	4	6	12	26	33	37
20-34	45	8.4	49	2	3	7	10	15	19	41
35-49	41	10.2	62	2	3	9	11	21	28	39
50-64	38	14.4	134	2	3	11	20	28	41	52
65+	70	24.5	462	3	6	18	36	58	77	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7119	3.8	9	1	1	3	5	7	9	15
B. *Operated*	138	7.5	44	1	2	6	9	14	23	36
2. MULTIPLE DX										
A. *Not Operated*	4885	6.1	41	1	2	4	7	12	16	32
B. *Operated*	244	14.6	229	2	3	9	17	36	52	84
1. SINGLE DX	7257	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	5129	6.5	53	1	2	5	8	13	18	39
A. NOT OPERATED	12004	4.7	23	1	1	3	6	9	12	23
B. OPERATED	382	12.0	174	2	3	8	14	27	41	76
TOTAL 0-19 YRS	7836	4.5	15	1	1	3	6	8	11	19
20-34	1491	3.4	11	1	1	2	4	7	9	16
35-49	733	4.7	19	1	1	3	6	9	12	25
50-64	770	6.1	42	1	2	4	7	13	18	33
65+	1556	8.4	103	1	2	6	10	17	25	75
GRAND TOTAL	**12386**	**5.0**	**29**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	4.2	4	1	2	4	5	7	8	8
35-49	92	5.6	10	1	2	5	7	10	11	17
50-64	195	5.9	15	2	2	5	8	10	12	16
65+	378	6.9	22	1	2	6	9	13	16	25
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	8.2	7	1	5	9	10	11	11	11
35-49	30	12.9	42	5	6	12	15	22	29	31
50-64	57	14.8	31	6	9	14	17	23	26	29
65+	68	13.6	53	3	6	13	15	23	28	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	4.0	11	1	1	3	5	9	11	11
35-49	56	6.3	18	1	2	5	8	11	16	17
50-64	227	7.6	26	2	2	7	10	13	16	28
65+	765	10.2	76	2	3	8	12	20	27	64
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	13.8	37	5	6	12	19	22	22	22
35-49	67	14.7	43	7	9	13	17	21	26	45
50-64	140	16.8	100	4	8	15	21	30	36	49
65+	210	20.6	256	5	8	17	24	39	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	692	6.3	18	2	2	5	8	11	14	23
B. Operated	167	13.5	43	4	7	13	15	22	27	35
2. MULTIPLE DX										
A. Not Operated	1057	9.4	64	2	3	8	11	17	25	51
B. Operated	426	18.3	172	5	8	15	21	32	46	94
1. SINGLE DX	859	7.7	31	2	2	6	10	15	18	29
2. MULTIPLE DX	1483	12.0	111	2	3	9	15	23	31	68
A. NOT OPERATED	1749	8.2	48	2	3	7	10	15	20	38
B. OPERATED	593	16.9	140	5	7	14	20	29	38	88
TOTAL 0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	53	6.5	22	1	2	5	8	11	17	22
35-49	245	9.1	41	2	8	8	12	17	20	31
50-64	619	9.8	59	2	3	8	12	20	25	38
65+	1421	11.0	106	2	3	8	14	22	31	67
GRAND TOTAL	**2342**	**10.4**	**86**	**2**	**3**	**8**	**13**	**20**	**28**	**53**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.4	11	<1	<1	3	4	7	11	17
20-34	62	2.8	5	<1	<1	2	4	6	8	9
35-49	48	2.8	6	<1	<1	2	4	6	6	15
50-64	31	5.3	24	<1	<1	3	7	13	17	19
65+	15	9.2	76	<1	1	6	14	24	27	28
B. Operated										
0-19 YRS	106	4.2	18	1	1	3	5	7	11	25
20-34	511	4.1	8	1	1	3	5	7	10	14
35-49	458	3.8	6	1	1	3	5	7	9	14
50-64	204	4.7	17	1	1	4	6	9	13	20
65+	46	5.9	23	2	2	5	7	12	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	6.1	70	1	1	4	6	14	23	42
20-34	24	2.8	6	<1	1	2	4	6	8	9
35-49	23	5.2	24	<1	<1	4	7	11	18	19
50-64	16	5.1	9	<1	<1	5	7	10	11	11
65+	24	7.5	96	1	2	5	7	14	25	50
B. Operated										
0-19 YRS	49	7.0	118	1	1	4	7	13	20	73
20-34	250	5.0	26	1	2	4	6	8	11	28
35-49	282	5.5	32	1	2	4	6	9	14	34
50-64	195	6.0	36	1	2	5	7	11	17	34
65+	97	10.9	253	2	2	6	11	23	43	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	3.8	18	<1	<1	2	4	8	12	23
B. Operated	1325	4.2	10	1	1	3	5	7	10	16
2. MULTIPLE DX										
A. Not Operated	113	5.3	45	<1	1	4	6	10	15	45
B. Operated	873	6.2	63	1	2	4	7	11	17	44
1. SINGLE DX	1515	4.1	11	1	1	3	5	7	10	17
2. MULTIPLE DX	986	6.1	61	1	2	4	7	11	16	44
A. NOT OPERATED	303	4.4	28	<1	<1	3	5	9	15	26
B. OPERATED	2198	5.0	32	1	2	4	6	9	12	28
TOTAL 0-19 YRS	215	5.0	47	1	1	3	5	9	16	32
20-34	847	4.2	13	1	1	3	5	8	9	17
35-49	811	4.4	16	1	1	4	5	8	10	19
50-64	446	5.3	26	1	1	4	6	10	15	28
65+	182	9.1	163	2	2	5	9	17	29	88
GRAND TOTAL	**2501**	**4.9**	**32**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	633	4.7	23	1	1	3	6	10	14	23
20-34	592	6.3	30	1	1	5	8	13	17	27
35-49	353	6.1	28	1	1	5	8	13	17	28
50-64	217	6.4	57	1	1	4	7	13	19	41
65+	374	6.1	36	1	1	5	8	12	16	26
B. *Operated*										
0-19 YRS	122	9.0	43	1	2	7	12	20	23	27
20-34	282	10.7	110	1	2	8	13	22	29	63
35-49	169	9.9	77	1	2	8	13	19	26	50
50-64	138	9.2	62	1	2	7	13	22	26	47
65+	151	10.5	76	1	2	8	14	21	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	5.3	26	1	1	4	7	12	16	27
20-34	503	7.2	38	1	2	6	9	16	19	29
35-49	336	7.9	49	1	2	6	10	15	19	44
50-64	419	8.7	64	2	2	7	11	17	22	41
65+	952	9.4	84	2	2	7	12	20	26	53
B. *Operated*										
0-19 YRS	139	11.9	103	2	3	9	15	23	35	60
20-34	412	16.4	243	2	3	12	20	34	49	78
35-49	285	15.3	201	2	4	12	19	30	46	74
50-64	327	17.1	216	3	4	13	22	37	49	88
65+	401	19.0	270	2	4	14	24	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2169	5.8	32	1	1	4	7	12	16	28
B. *Operated*	862	10.0	81	1	2	8	13	21	27	47
2. MULTIPLE DX										
A. *Not Operated*	2610	8.1	61	1	2	6	10	17	22	43
B. *Operated*	1564	16.6	228	2	4	13	20	36	50	85
1. SINGLE DX	3031	7.0	49	1	1	5	9	15	20	35
2. MULTIPLE DX	4174	11.3	140	1	2	8	14	24	34	72
A. NOT OPERATED	4779	7.0	49	1	1	5	9	15	20	36
B. OPERATED	2426	14.3	185	2	3	11	18	30	43	78
TOTAL 0-19 YRS	1294	6.1	40	1	1	4	8	14	19	31
20-34	1789	9.5	110	1	2	7	12	20	28	64
35-49	1143	9.5	97	1	2	7	12	19	26	54
50-64	1101	10.8	125	1	2	7	14	23	34	63
65+	1878	10.9	133	1	2	8	14	24	33	76
GRAND TOTAL	**7205**	**9.5**	**106**	**1**	**2**	**7**	**12**	**20**	**28**	**60**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	15	5.9	24	1	1	3	10	13	15	15
35-49	51	10.9	74	2	3	9	15	24	28	37
50-64	40	12.3	161	1	3	8	14	27	39	67
65+	6	9.2	128	<1	<1	5	11	29	31	31
B. *Operated*										
0-19 YRS										
20-34	3	8.7	82	2	2	5	15	19	19	19
35-49	10	16.4	149	2	2	15	25	33	35	35
50-64	13	8.3	49	1	1	8	14	17	22	23
65+	3	23.0	603	2	2	17	42	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	48	8.3	24	2	3	7	12	16	18	20
35-49	124	15.2	170	3	3	12	19	38	46	70
50-64	193	14.1	161	3	4	10	17	32	43	99+
65+	70	22.2	390	5	6	17	29	73	97	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	11.0	29	1	3	10	14	17	18	18
35-49	43	17.0	198	2	3	13	22	35	41	75
50-64	75	21.3	421	1	2	15	28	59	73	99+
65+	20	17.4	181	1	4	13	18	42	46	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	10.7	102	1	2	8	13	23	30	55
B. *Operated*	29	12.7	145	1	2	10	19	29	36	50
2. MULTIPLE DX										
A. *Not Operated*	435	15.1	198	3	4	11	18	38	52	99+
B. *Operated*	146	19.0	305	1	2	14	24	42	61	98
1. SINGLE DX	142	11.1	111	1	2	8	14	25	31	51
2. MULTIPLE DX	581	16.0	227	2	4	12	19	39	57	99+
A. NOT OPERATED	548	14.2	181	2	3	10	17	33	48	99+
B. OPERATED	175	17.9	283	1	2	14	23	42	58	93
TOTAL 0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	73	8.0	27	1	2	7	13	16	18	20
35-49	228	14.6	155	2	3	11	19	34	42	63
50-64	321	15.3	228	2	3	11	17	36	57	99+
65+	99	20.5	340	2	5	16	28	55	84	99+
GRAND TOTAL	**723**	**15.1**	**208**	**2**	**3**	**11**	**18**	**35**	**50**	**99+**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	5	8.2	29	2	2	8	13	15	15	15
35-49	11	12.5	173	2	2	5	24	34	35	35
50-64	14	9.5	29	2	3	10	13	17	17	17
65+	15	18.6	161	3	5	16	23	31	48	53
B. *Operated*										
0-19 YRS	5	3.4	6	1	1	3	6	6	6	6
20-34	20	2.5	22	1	1	1	2	3	13	22
35-49	26	5.2	50	1	1	2	7	11	25	30
50-64	24	7.1	93	1	1	4	7	15	26	48
65+	13	11.9	335	1	1	3	17	37	60	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.8	241	2	2	3	19	34	34	34
20-34	11	8.1	92	2	2	4	7	25	32	33
35-49	17	12.4	112	2	2	9	13	31	35	37
50-64	77	12.6	71	3	4	11	15	21	26	48
65+	39	14.1	231	1	2	10	18	25	49	78
B. *Operated*										
0-19 YRS	3	6.0	19	1	1	8	9	9	9	9
20-34	25	10.0	50	1	1	9	16	20	21	23
35-49	30	11.9	283	1	1	8	16	22	43	86
50-64	50	13.8	89	1	2	13	20	25	27	40
65+	38	21.0	274	2	3	18	28	40	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	12.9	116	2	2	12	17	30	33	53
B. *Operated*	88	6.0	100	1	1	2	6	16	25	59
2. MULTIPLE DX										
A. *Not Operated*	148	12.6	122	2	3	10	17	24	34	53
B. *Operated*	146	14.5	183	1	1	12	20	27	38	92
1. SINGLE DX	135	8.4	115	1	1	4	12	22	31	55
2. MULTIPLE DX	294	13.5	152	1	2	11	19	27	37	82
A. NOT OPERATED	195	12.7	120	2	3	10	17	25	34	53
B. OPERATED	234	11.3	168	1	1	7	17	25	35	87
TOTAL 0-19 YRS	14	6.7	74	1	1	4	8	15	30	34
20-34	61	7.0	55	1	1	4	11	19	21	32
35-49	84	10.0	167	1	1	6	11	27	34	71
50-64	165	11.9	80	2	3	10	17	23	26	47
65+	105	17.0	255	1	2	14	23	36	52	96
GRAND TOTAL	**429**	**11.9**	**146**	**1**	**1**	**9**	**17**	**25**	**34**	**68**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.3	20	2	3	7	8	10	18	23
20-34	33	6.0	16	1	2	5	7	12	14	20
35-49	12	10.4	138	3	3	5	11	30	40	42
50-64	18	9.4	32	3	4	8	10	19	21	22
65+	11	13.6	97	2	2	11	21	27	33	34
B. *Operated*										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	13	2.2	4	1	1	2	2	4	7	8
35-49	13	5.7	25	1	1	4	10	14	14	14
50-64	8	6.5	33	1	1	5	11	15	16	16
65+	8	10.5	92	1	1	9	18	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	11	5	5	6	8	13	13	13
20-34	25	12.5	109	3	3	9	17	24	33	50
35-49	45	10.1	93	1	2	8	12	22	34	44
50-64	84	15.0	241	2	3	9	18	32	43	85
65+	65	15.3	171	4	4	10	21	39	43	62
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	16	12.2	226	1	2	9	11	36	52	58
35-49	21	15.0	495	1	1	7	17	38	67	97
50-64	32	22.0	338	4	5	16	29	47	52	90
65+	24	21.6	276	4	5	13	36	49	52	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	8.4	49	2	3	7	9	20	22	39
B. *Operated*	45	5.6	37	1	1	2	8	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	224	13.6	174	2	3	9	17	31	41	67
B. *Operated*	95	18.4	338	1	3	12	26	45	52	94
1. SINGLE DX	138	7.5	46	1	1	6	9	16	22	35
2. MULTIPLE DX	319	15.1	227	2	3	10	18	36	46	80
A. NOT OPERATED	317	12.1	143	2	3	8	15	26	38	55
B. OPERATED	140	14.3	277	1	1	9	16	37	49	91
TOTAL 0-19 YRS	29	7.2	18	2	2	7	8	12	14	23
20-34	87	8.4	92	1	1	6	9	17	24	55
35-49	91	10.6	184	1	1	7	12	26	36	75
50-64	142	15.4	241	2	3	10	19	35	47	90
65+	108	16.2	187	3	4	12	22	39	45	61
GRAND TOTAL	**457**	**12.8**	**184**	**1**	**2**	**8**	**15**	**31**	**41**	**64**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	5	<1	1	2	4	7	8	9
20-34	224	2.5	4	<1	1	2	3	6	7	9
35-49	163	3.0	5	<1	1	2	4	6	9	12
50-64	170	4.3	10	1	1	3	6	8	11	15
65+	125	6.0	23	1	2	5	7	13	16	23
B. *Operated*										
0-19 YRS	155	7.1	5	4	5	7	8	10	11	15
20-34	1580	7.2	5	5	5	7	8	10	11	16
35-49	1243	7.8	9	5	5	7	8	11	13	18
50-64	1052	8.5	12	5	6	8	9	12	14	22
65+	583	10.9	36	6	6	9	12	18	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.9	27	1	1	2	3	12	18	19
20-34	116	3.3	11	<1	1	2	4	7	10	18
35-49	105	4.7	26	1	1	3	6	9	11	29
50-64	157	6.2	35	1	2	5	8	11	15	19
65+	300	9.2	61	2	3	7	11	17	24	38
B. *Operated*										
0-19 YRS	89	9.4	23	4	5	8	10	17	21	26
20-34	923	8.7	17	5	5	8	10	13	16	23
35-49	940	9.3	28	5	6	8	10	14	17	32
50-64	1394	11.0	41	6	6	9	13	19	23	36
65+	1259	15.6	110	7	7	12	19	28	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	3.7	11	<1	1	3	5	8	9	16
B. *Operated*	4613	8.1	13	5	5	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	690	6.8	46	1	1	5	9	14	18	33
B. *Operated*	4605	11.4	59	5	6	9	13	20	25	44
1. SINGLE DX	5331	7.5	15	2	4	7	9	11	14	22
2. MULTIPLE DX	5295	10.8	60	4	5	9	12	19	25	42
A. NOT OPERATED	1408	5.2	30	1	1	4	7	11	15	27
B. OPERATED	9218	9.8	39	5	6	8	10	16	21	37
TOTAL 0-19 YRS	292	7.1	15	1	2	7	8	11	14	22
20-34	2843	7.1	12	2	4	7	8	11	13	18
35-49	2451	7.9	20	2	4	7	9	12	15	24
50-64	2773	9.4	31	3	5	8	10	15	20	30
65+	2267	13.0	89	4	6	10	16	24	31	52
GRAND TOTAL	**10626**	**9.2**	**40**	**3**	**5**	**8**	**10**	**15**	**20**	**35**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.0	6	1	1	3	4	5	5	16
20-34	253	3.1	4	<1	1	3	4	6	7	9
35-49	167	3.8	8	1	1	3	5	7	10	14
50-64	131	4.6	18	1	1	4	5	10	15	22
65+	160	6.7	24	1	2	6	9	13	16	26
B. *Operated*										
0-19 YRS	21	8.1	51	3	5	6	8	10	23	38
20-34	171	7.1	8	4	4	6	8	10	14	17
35-49	159	7.9	9	5	5	7	9	12	14	19
50-64	115	9.2	19	5	5	8	11	15	17	26
65+	70	11.5	34	5	6	10	14	19	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.5	10	1	1	3	4	6	11	15
20-34	90	3.8	6	1	1	3	5	7	10	12
35-49	76	5.6	11	1	2	5	8	10	12	15
50-64	100	6.3	22	1	1	5	9	13	15	21
65+	202	10.0	63	2	3	8	12	18	23	44
B. *Operated*										
0-19 YRS	11	6.9	10	4	4	6	8	12	15	15
20-34	153	9.3	58	5	6	8	11	13	15	22
35-49	177	10.4	33	5	6	8	12	18	25	29
50-64	186	12.5	59	5	6	10	15	22	27	44
65+	158	16.7	128	7	8	13	19	28	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	4.3	13	1	1	3	5	9	11	17
B. *Operated*	536	8.4	18	4	5	7	9	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	490	7.2	40	1	2	6	9	14	17	34
B. *Operated*	685	12.1	75	5	6	10	14	21	26	50
1. SINGLE DX	1297	6.0	19	1	1	5	8	11	14	22
2. MULTIPLE DX	1175	10.1	66	2	3	8	12	18	24	45
A. NOT OPERATED	1251	5.4	26	1	1	4	7	11	15	23
B. OPERATED	1221	10.5	53	5	5	8	12	17	23	42
TOTAL 0-19 YRS	104	4.5	20	1	1	3	5	9	11	26
20-34	667	5.6	24	1	1	5	7	10	12	17
35-49	579	7.2	23	1	2	7	9	13	15	26
50-64	532	8.7	43	1	2	7	11	16	21	34
65+	590	11.1	80	2	3	9	14	21	26	53
GRAND TOTAL	**2472**	**7.9**	**46**	**1**	**2**	**7**	**10**	**15**	**19**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	15	3.6	12	<1	1	2	6	8	12	13
35-49	16	4.4	8	<1	<1	4	6	8	10	11
50-64	18	3.4	7	<1	1	3	4	6	10	12
65+	18	6.6	14	1	1	7	10	11	12	13
B. *Operated*										
0-19 YRS	5	12.4	69	4	4	11	16	26	26	26
20-34	53	8.1	10	4	5	8	10	12	14	18
35-49	42	9.9	22	5	6	8	12	17	20	26
50-64	49	11.9	39	4	5	10	16	20	25	29
65+	61	13.6	78	1	5	11	17	30	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	7	5.3	16	1	1	5	8	11	12	12
35-49	16	4.8	12	<1	1	5	7	9	12	13
50-64	22	7.1	47	1	1	6	9	14	22	32
65+	42	12.5	169	2	3	9	13	27	37	73
B. *Operated*										
0-19 YRS	6	13.7	80	1	2	13	17	27	28	28
20-34	26	14.9	211	4	5	11	17	23	38	79
35-49	34	14.2	140	6	7	11	16	21	23	76
50-64	60	15.8	74	6	7	14	21	25	31	47
65+	128	20.0	134	8	9	18	25	31	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.5	11	<1	1	3	7	10	11	13
B. *Operated*	210	11.1	44	4	5	9	14	20	26	34
2. MULTIPLE DX										
A. *Not Operated*	89	9.0	105	1	1	7	10	15	27	63
B. *Operated*	254	17.6	132	6	8	15	21	28	39	79
1. SINGLE DX	280	9.4	44	1	2	8	12	18	23	33
2. MULTIPLE DX	343	15.3	139	2	4	13	20	27	34	76
A. NOT OPERATED	159	7.0	69	1	1	5	9	13	17	46
B. OPERATED	464	14.6	102	5	6	12	19	26	31	61
TOTAL 0-19 YRS	16	9.8	72	<1	1	8	14	25	27	28
20-34	101	9.0	75	1	2	8	11	14	20	53
35-49	108	9.7	69	1	2	8	12	17	20	47
50-64	149	11.7	68	1	3	10	16	23	26	41
65+	249	16.2	135	3	5	14	21	29	35	73
GRAND TOTAL	**623**	**12.7**	**105**	**1**	**3**	**10**	**17**	**25**	**29**	**60**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	23	5.1	13	1	2	4	7	10	13	16
35-49	19	4.9	15	1	1	4	7	8	14	18
50-64	18	5.9	12	1	1	5	9	11	12	12
65+	30	9.1	72	1	1	7	13	20	29	37
B. *Operated*										
0-19 YRS										
20-34	11	10.2	26	4	5	11	13	18	19	19
35-49	13	13.7	53	6	7	11	16	27	29	30
50-64	12	9.0	27	1	4	9	12	17	18	18
65+	6	18.5	20	12	12	20	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.3	978	1	1	5	36	66	66	66
20-34	13	4.0	6	1	2	4	5	8	10	10
35-49	9	8.8	32	2	3	7	14	17	19	19
50-64	29	10.6	81	3	4	8	12	19	26	48
65+	70	13.1	86	3	5	11	16	26	33	47
B. *Operated*										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	8	14.6	84	2	4	13	19	29	32	32
35-49	19	18.2	95	6	8	16	24	32	38	43
50-64	34	18.6	127	4	5	16	25	37	40	47
65+	71	23.7	197	3	10	20	31	43	54	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	6.5	35	1	2	4	8	13	18	34
B. *Operated*	42	12.1	42	4	5	11	17	21	24	30
2. MULTIPLE DX										
A. *Not Operated*	125	11.5	103	2	3	8	14	21	31	53
B. *Operated*	133	21.2	164	4	8	18	28	38	46	62
1. SINGLE DX	135	8.3	43	1	2	6	11	17	21	31
2. MULTIPLE DX	258	16.5	158	2	4	13	22	34	42	60
A. NOT OPERATED	218	9.3	79	1	2	7	12	19	27	48
B. OPERATED	175	19.0	150	4	6	16	24	36	43	59
TOTAL 0-19 YRS	8	16.1	544	1	1	5	23	57	66	66
20-34	55	7.3	37	1	2	5	10	14	18	32
35-49	60	11.6	79	2	3	9	16	25	31	42
50-64	93	12.4	100	2	4	10	17	25	37	48
65+	177	16.9	160	2	4	14	22	34	42	59
GRAND TOTAL	**393**	**13.6**	**133**	**2**	**3**	**11**	**18**	**30**	**37**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	7	2	3	5	7	9	12	13
20-34	222	5.9	16	1	2	5	8	11	14	19
35-49	240	6.5	20	1	2	6	8	13	15	23
50-64	168	7.6	52	1	2	6	9	13	18	38
65+	99	8.8	32	3	3	8	10	16	19	33
B. *Operated*										
0-19 YRS	4	13.8	57	3	3	16	19	19	19	19
20-34	18	14.8	91	6	8	11	18	33	36	36
35-49	20	10.1	42	2	2	8	16	20	20	20
50-64	23	13.0	68	2	3	14	17	29	52	99+
65+	12	12.6	27	2	5	14	16	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.4	8	1	2	5	7	10	11	11
20-34	243	7.3	27	2	2	6	9	13	18	26
35-49	366	8.3	43	2	3	7	11	14	20	36
50-64	240	10.2	80	2	4	8	13	19	24	37
65+	221	12.6	79	3	4	10	16	27	32	39
B. *Operated*										
0-19 YRS	7	28.9	1187	2	3	10	46	88	96	96
20-34	42	28.7	499	3	9	20	46	75	78	99+
35-49	89	20.0	198	6	8	16	25	41	53	88
50-64	93	26.8	317	8	10	21	34	53	64	88
65+	67	24.1	242	6	10	20	30	38	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	6.8	27	1	2	6	9	13	16	26
B. *Operated*	77	12.6	59	2	3	13	17	22	31	82
2. MULTIPLE DX										
A. *Not Operated*	1085	9.4	58	2	3	7	11	17	24	38
B. *Operated*	298	24.5	314	6	9	20	32	49	67	97
1. SINGLE DX	841	7.4	33	2	2	6	9	14	18	31
2. MULTIPLE DX	1383	12.6	152	2	3	9	15	26	37	7[illegible]
A. NOT OPERATED	1849	8.3	47	2	3	7	10	16	20	34
B. OPERATED	375	22.0	285	4	7	18	27	46	62	98
TOTAL 0-19 YRS	61	8.8	184	2	2	5	8	13	20	91
20-34	525	8.7	98	2	2	6	10	16	24	66
35-49	715	9.2	72	2	3	7	11	18	26	48
50-64	524	12.4	158	2	3	9	15	26	37	74
65+	399	13.6	117	3	4	10	17	28	34	52
GRAND TOTAL	**2224**	**10.6**	**113**	**2**	**3**	**8**	**13**	**21**	**31**	**58**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.3	7	1	1	3	4	7	8	14
20-34	86	3.9	6	1	1	3	5	7	9	12
35-49	88	4.7	8	1	1	4	7	9	10	13
50-64	98	5.1	12	1	2	4	7	11	12	16
65+	175	7.4	38	1	2	6	9	13	18	25
B. *Operated*										
0-19 YRS	4	8.8	54	<1	<1	9	15	15	15	15
20-34	4	9.0	43	2	2	9	14	16	16	16
35-49	2	20.5	313	8	8	20	33	33	33	33
50-64	2	8.0	2	7	7	8	9	9	9	9
65+	9	10.7	32	2	3	10	16	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	24	1	1	3	6	9	10	32
20-34	129	4.9	18	1	1	4	6	10	14	22
35-49	146	6.0	23	1	2	5	8	12	14	24
50-64	247	7.6	29	2	3	6	10	14	20	26
65+	578	10.8	90	3	4	8	13	20	27	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	11.5	39	2	2	12	16	19	20	20
35-49	18	11.4	25	5	6	10	15	19	21	22
50-64	63	12.1	93	2	3	9	16	24	33	48
65+	93	16.1	116	4	5	14	21	37	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	5.4	21	1	1	4	7	10	13	21
B. *Operated*	21	10.7	55	1	2	9	15	17	25	33
2. MULTIPLE DX										
A. *Not Operated*	1158	8.5	63	2	2	6	10	16	22	42
b. *Operated*	185	13.9	99	3	4	12	19	31	39	99+
1. SINGLE DX	527	5.6	23	1	1	4	8	11	13	22
2. MULTIPLE DX	1343	9.3	71	2	2	7	11	19	24	47
A. NOT OPERATED	1664	7.6	52	1	2	6	9	15	20	38
B. OPERATED	206	13.6	95	3	4	11	18	30	37	99+
TOTAL 0-19 YRS	122	4.1	17	1	1	3	6	8	10	20
20-34	229	4.8	17	1	1	4	6	10	14	20
35-49	254	6.1	23	1	2	5	8	11	15	23
50-64	410	7.7	39	2	2	6	10	15	20	33
65+	855	10.7	87	3	3	8	13	21	29	57
GRAND TOTAL	**1870**	**8.2**	**60**	**1**	**2**	**6**	**10**	**17**	**22**	**42**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	6.0	14	1	2	5	8	10	14	18
20-34	9	10.7	141	2	2	4	15	30	39	39
35-49	6	8.2	23	1	1	9	11	14	14	14
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	10.3	48	4	4	8	15	20	20	20
B. *Operated*										
0-19 YRS	15	9.0	47	1	3	8	11	22	22	22
20-34	9	7.4	30	<1	1	7	12	15	16	16
35-49	4	6.5	3	4	4	7	8	8	8	8
50-64	11	13.0	55	2	5	12	15	26	26	26
65+	5	12.4	6	10	10	11	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.8	41	1	2	6	9	15	19	37
20-34	7	9.1	27	1	2	9	14	16	16	16
35-49	26	14.9	325	2	4	12	14	22	62	88
50-64	18	13.7	97	3	4	11	21	29	34	36
65+	22	15.6	372	1	2	10	16	48	96	99+
B. *Operated*										
0-19 YRS	6	11.5	8	8	8	12	13	15	15	15
20-34	6	18.7	165	7	7	15	29	38	39	39
35-49	22	17.3	147	5	6	14	23	32	46	53
50-64	16	21.4	249	5	6	17	29	48	52	53
65+	5	39.2	360	20	20	37	54	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.9	31	1	2	5	9	14	17	33
B. *Operated*	44	9.8	40	2	3	9	13	19	23	26
2. MULTIPLE DX										
A. *Not Operated*	150	10.9	152	2	3	8	13	21	33	94
B. *Operated*	55	20.0	215	5	6	15	27	43	52	64
1. SINGLE DX	124	7.9	36	2	2	7	10	16	19	30
2. MULTIPLE DX	205	13.4	184	2	4	9	15	28	42	91
A. NOT OPERATED	230	9.5	113	2	2	7	12	17	25	89
B. OPERATED	99	15.5	162	3	4	12	20	30	46	59
TOTAL 0-19 YRS	158	7.4	31	1	2	6	9	14	18	32
20-34	31	10.9	95	1	2	8	15	22	38	39
35-49	58	14.5	211	3	4	11	15	26	49	85
50-64	46	16.0	149	3	5	12	21	31	44	53
65+	36	17.8	348	2	4	13	20	48	84	99+
GRAND TOTAL	**329**	**11.3**	**135**	**2**	**3**	**8**	**14**	**23**	**36**	**70**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	8.7	43	2	2	7	12	18	21	32
20-34	17	6.1	5	3	4	6	8	8	10	11
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	3	17.3	104	10	10	13	25	29	29	29
65+	8	10.3	47	4	4	7	14	21	24	24
B. *Operated*										
0-19 YRS	17	8.4	104	2	2	5	9	28	35	37
20-34	19	5.3	19	1	2	4	6	14	15	15
35-49	12	6.8	32	1	2	4	9	16	19	19
50-64	5	14.8	209	2	2	12	23	38	38	38
65+	3	19.3	190	9	9	14	30	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	9.9	47	2	3	9	13	19	27	30
20-34	26	8.4	62	1	2	5	11	20	26	33
35-49	11	7.4	29	2	3	5	11	17	18	18
50-64	31	12.2	101	1	3	9	15	30	35	37
65+	42	11.9	303	1	1	5	15	35	75	99+
B. *Operated*										
0-19 YRS	19	14.1	76	3	4	14	18	25	31	36
20-34	54	14.8	295	2	2	9	15	31	65	79
35-49	39	15.1	213	2	3	9	21	37	47	66
50-64	42	16.9	248	2	3	11	17	44	51	59
65+	26	22.2	348	2	4	19	33	50	59	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	8.4	41	2	2	7	11	16	21	31
B. *Operated*	56	8.1	79	2	2	5	10	18	34	38
2. MULTIPLE DX										
A. *Not Operated*	165	10.4	123	1	2	8	13	24	32	80
B. *Operated*	180	16.3	252	2	3	11	21	41	53	71
1. SINGLE DX	172	8.3	53	2	2	6	11	16	24	37
2. MULTIPLE DX	345	13.5	199	1	2	9	16	32	44	72
A. NOT OPERATED	281	9.6	90	1	2	7	12	19	29	61
B. OPERATED	236	14.4	223	2	2	9	17	38	48	71
TOTAL 0-19 YRS	175	9.6	55	2	2	8	13	19	27	35
20-34	116	10.5	170	2	2	7	12	22	32	74
35-49	66	11.6	154	2	2	8	16	25	39	64
50-64	81	15.0	183	2	3	10	17	38	44	58
65+	79	15.4	306	1	1	10	21	41	63	95
GRAND TOTAL	**517**	**11.8**	**156**	**2**	**2**	**8**	**14**	**26**	**38**	**71**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	7.1	11	3	3	6	9	12	14	14
20-34	8	7.3	95	2	2	4	6	24	31	31
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.9	43	3	4	8	10	16	25	30
20-34	4	12.0	201	3	3	6	20	33	33	33
35-49	3	9.3	24	6	6	7	13	15	15	15
50-64	3	5.7		5	5	6	6	6	6	6
65+	3	8.7	56	1	1	9	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34	3	11.7	100	2	2	11	19	22	22	22
35-49	3	6.7	36	1	1	6	11	13	13	13
50-64	2	19.0	242	8	8	30	82	99+	99+	99+
65+	5	10.4	72	2	2	6	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.0	38	2	3	5	8	12	20	31
B. *Operated*	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	30	9.0	52	2	3	7	9	16	30	33
B. *Operated*	13	11.2	83	1	2	9	21	37	86	99+
1. SINGLE DX	25	6.9	35	2	3	5	8	12	18	31
2. MULTIPLE DX	43	9.7	61	2	2	7	13	23	31	99+
A. NOT OPERATED	53	8.1	46	2	3	6	9	15	28	33
B. OPERATED	15	10.5	75	1	2	8	19	29	79	99+
TOTAL 0-19 YRS	31	8.1	29	3	4	7	9	14	16	30
20-34	17	9.0	98	2	2	5	9	29	32	33
35-49	7	7.3	26	1	1	6	11	15	15	15
50-64	5	11.0	114	5	5	7	30	93	99+	99+
65+	8	9.8	58	1	1	7	17	20	21	21
GRAND TOTAL	**68**	**8.6**	**52**	**2**	**2**	**6**	**11**	**20**	**30**	**87**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	7.0	61	2	2	3	13	16	16	16
35-49	5	2.0		2	2	2	2	2	2	2
50-64	5	5.4	17	2	2	3	8	12	12	12
65+	14	6.6	29	1	1	7	12	17	79	99+
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	10.8	96	3	3	5	21	22	22	22
35-49	3	7.7	80	2	2	3	14	18	18	18
50-64	1	14.0		14	14	14	14	14	14	14
65+	6	13.7	205	2	2	7	20	38	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	12.6	228	1	1	7	16	35	51	51
20-34	13	5.5	35	<1	1	4	8	13	20	22
35-49	29	7.9	196	1	1	4	8	16	25	76
50-64	59	6.3	110	1	1	2	7	13	27	56
65+	188	8.9	162	1	1	3	12	21	33	61
B. *Operated*										
0-19 YRS	20	18.9	156	4	6	19	26	30	43	56
20-34	57	16.0	157	3	4	12	21	32	39	62
35-49	60	19.1	275	2	3	16	23	37	51	89
50-64	76	20.7	410	2	3	14	34	59	73	99+
65+	65	19.0	239	1	2	15	32	42	55	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.3	24	1	1	3	9	15	17	99+
B. *Operated*	16	11.7	111	2	2	7	19	22	35	40
2. MULTIPLE DX										
A. *Not Operated*	299	8.3	152	1	1	3	9	21	31	61
B. *Operated*	278	18.8	270	2	3	15	26	41	57	97
1. SINGLE DX	45	7.6	62	1	1	4	12	20	26	99+
2. MULTIPLE DX	577	13.4	237	1	1	8	19	35	50	79
A. NOT OPERATED	328	8.0	141	1	1	3	9	20	30	67
B. OPERATED	294	18.5	264	2	3	14	25	41	57	96
TOTAL 0-19 YRS	33	15.8	177	2	2	14	23	30	48	56
20-34	78	13.6	144	1	3	11	20	28	35	60
35-49	97	14.5	264	1	2	9	20	34	46	84
50-64	141	14.1	317	1	2	7	16	48	62	99+
65+	273	11.3	192	1	1	6	15	33	42	86
GRAND TOTAL	**622**	**12.9**	**226**	**1**	**1**	**8**	**18**	**34**	**50**	**83**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	7	8.4	117	<1	<1	2	12	27	30	30
50-64	4	3.3	7	<1	<1	2	5	7	7	7
65+	21	9.3	83	1	1	6	16	24	27	31
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	17.0		17	17	17	17	17	17	17
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	18.7	170	4	4	23	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.0	98	2	2	9	14	28	32	32
20-34	6	6.0	8	1	1	6	8	9	9	9
35-49	15	10.7	97	1	3	8	17	22	33	37
50-64	17	7.8	37	1	2	6	8	20	21	21
65+	104	13.4	185	2	3	9	18	29	42	94
B. *Operated*										
0-19 YRS										
20-34	4	10.5	82	2	2	9	18	21	21	21
35-49	6	20.2	79	7	8	19	24	33	34	34
50-64	24	22.1	204	4	7	17	30	43	50	56
65+	37	28.4	353	7	10	23	42	64	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.6	74	<1	<1	3	11	23	28	31
B. *Operated*	8	11.9	102	3	3	8	20	27	29	29
2. MULTIPLE DX										
A. *Not Operated*	149	12.1	151	2	3	8	16	25	38	89
B. *Operated*	71	24.5	280	4	8	21	33	50	65	94
1. SINGLE DX	45	8.4	79	<1	1	4	12	24	29	31
2. MULTIPLE DX	220	16.1	226	2	3	12	22	38	48	92
A. NOT OPERATED	186	11.2	139	1	2	7	15	24	36	79
B. OPERATED	79	23.3	276	3	5	19	32	48	64	92
TOTAL 0-19 YRS	8	10.6	99	1	1	9	14	27	32	32
20-34	16	6.3	28	1	2	5	8	14	19	21
35-49	29	12.3	107	<1	<1	10	19	28	34	37
50-64	47	14.7	176	1	2	10	21	32	44	56
65+	165	16.4	250	2	3	12	22	40	55	98
GRAND TOTAL	**265**	**14.8**	**209**	**1**	**2**	**10**	**21**	**35**	**48**	**86**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	4.2	4	2	2	4	5	7	8	12
20-34	122	4.0	4	1	2	4	5	7	8	10
35-49	33	4.5	5	2	2	4	6	7	7	13
50-64	26	5.4	20	1	2	4	6	12	16	21
65+	26	7.3	26	1	2	6	8	17	20	20
B. *Operated*										
0-19 YRS	6	10.7	159	3	3	6	9	33	36	36
20-34	9	5.2	8	1	2	5	6	10	10	10
35-49	3	8.3	6	6	6	8	10	11	11	11
50-64	2	10.0	32	6	6	10	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.9	26	2	2	5	7	9	15	33
20-34	101	5.2	10	2	2	5	6	9	10	18
35-49	34	6.4	16	2	3	5	8	12	15	18
50-64	39	8.3	73	2	3	7	10	11	15	56
65+	68	9.6	70	4	4	8	10	17	21	57
B. *Operated*										
0-19 YRS	15	10.0	35	5	5	8	10	23	23	23
20-34	12	11.0	116	3	4	7	12	24	40	43
35-49	3	8.0	61	3	3	4	14	17	17	17
50-64	6	10.8	19	5	5	11	13	17	17	17
65+	13	18.6	107	5	7	16	25	32	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.5	8	2	2	4	6	7	9	19
B. *Operated*	20	7.8	54	2	3	6	9	12	25	36
2. MULTIPLE DX										
A. *Not Operated*	313	6.8	38	2	3	6	8	11	16	33
B. *Operated*	49	12.5	82	4	5	9	16	24	30	43
1. SINGLE DX	335	4.7	11	2	2	4	6	8	9	20
2. MULTIPLE DX	362	7.6	47	2	3	6	9	13	18	39
A. NOT OPERATED	628	5.7	24	2	2	5	7	9	13	24
B. OPERATED	69	11.1	78	3	4	8	14	24	30	42
TOTAL 0-19 YRS	200	5.4	21	2	2	4	6	9	12	30
20-34	244	4.9	13	2	2	4	6	8	10	16
35-49	73	5.7	13	2	2	5	7	12	13	18
50-64	73	7.5	50	2	2	6	9	13	17	48
65+	107	10.2	74	3	4	7	12	20	27	49
GRAND TOTAL	**697**	**6.2**	**32**	**2**	**2**	**5**	**7**	**11**	**15**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	4.4	8	1	2	4	5	7	10	15
20-34	218	4.2	4	1	2	4	5	7	8	12
35-49	76	4.9	13	1	2	4	6	8	9	23
50-64	58	4.7	7	1	2	4	6	9	10	12
65+	42	8.2	54	2	3	6	9	16	25	37
B. *Operated*										
0-19 YRS	18	6.8	34	<1	<1	4	13	14	17	19
20-34	21	8.0	32	1	2	8	10	15	22	24
35-49	12	8.8	35	<1	2	8	11	19	20	20
50-64	5	19.6	239	3	3	19	29	43	43	43
65+	6	15.3	15	8	9	16	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.6	9	1	2	4	6	8	10	16
20-34	184	5.5	16	1	2	5	7	10	12	20
35-49	63	6.3	13	2	3	6	8	11	13	18
50-64	81	7.0	39	2	2	5	9	13	17	38
65+	127	11.4	139	2	4	8	12	23	33	70
B. *Operated*										
0-19 YRS	24	8.5	25	2	3	8	10	14	19	23
20-34	48	11.3	96	2	3	9	12	23	36	47
35-49	31	12.1	71	3	4	10	15	24	27	41
50-64	31	14.6	90	2	3	13	18	30	31	34
65+	35	19.4	150	5	7	19	25	45	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	4.7	11	1	2	4	6	8	10	17
B. *Operated*	62	9.5	58	1	1	8	13	19	22	41
2. MULTIPLE DX										
A. *Not Operated*	576	6.9	51	2	2	5	8	12	16	41
B. *Operated*	169	13.3	103	2	4	10	18	27	34	53
1. SINGLE DX	673	5.1	17	1	2	4	6	9	12	20
2. MULTIPLE DX	745	8.4	69	2	2	6	10	16	25	47
A. NOT OPERATED	1187	5.8	32	1	2	4	7	10	13	31
B. OPERATED	231	12.3	93	2	3	10	16	25	31	50
TOTAL 0-19 YRS	380	4.8	12	1	2	4	6	9	12	18
20-34	471	5.6	24	1	2	4	7	10	12	26
35-49	182	6.9	30	1	2	5	8	13	17	27
50-64	175	8.0	57	2	2	5	9	17	26	40
65+	210	12.2	132	2	3	8	15	26	36	72
GRAND TOTAL	**1418**	**6.8**	**47**	**1**	**2**	**5**	**8**	**13**	**19**	**38**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.4	2	<1	1	4	4	5	6	6
20-34	161	2.7	5	1	1	2	3	5	7	12
35-49	159	2.4	3	1	1	2	3	5	6	8
50-64	124	2.8	4	1	1	2	4	5	6	9
65+	44	3.5	5	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	4	6.3	7	4	4	5	8	10	10	10
20-34	80	8.0	19	2	3	8	10	12	16	24
35-49	114	8.7	25	2	2	6	12	15	18	22
50-64	81	9.6	35	2	3	9	11	17	20	33
65+	42	10.9	53	2	3	10	14	21	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	4	1	1	3	4	5	8	9
20-34	75	4.3	30	1	1	3	5	8	14	32
35-49	75	4.0	9	1	1	3	6	8	11	13
50-64	95	4.7	24	1	1	3	6	10	14	28
65+	61	7.2	72	1	1	5	8	12	28	43
B. *Operated*										
0-19 YRS	9	25.0	419	8	8	21	32	58	72	72
20-34	77	13.9	140	3	4	11	15	28	44	55
35-49	98	11.4	69	2	2	10	15	20	29	44
50-64	131	13.3	69	3	4	11	18	23	30	40
65+	106	15.3	181	2	3	13	18	27	34	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	2.7	4	1	1	2	3	5	7	9
B. *Operated*	321	9.0	30	2	3	9	11	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	320	4.8	31	1	1	3	6	9	12	33
B. *Operated*	421	13.7	121	2	3	11	17	25	35	59
1. SINGLE DX	829	5.2	23	1	1	3	8	11	15	22
2. MULTIPLE DX	741	9.9	101	1	2	8	13	20	29	48
A. NOT OPERATED	828	3.6	16	1	1	2	4	7	9	20
B. OPERATED	742	11.7	87	2	3	10	15	21	28	48
TOTAL 0-19 YRS	47	7.7	149	1	1	4	6	19	32	72
20-34	393	6.3	56	1	1	4	8	12	18	44
35-49	446	6.3	37	1	1	4	9	14	17	29
50-64	431	7.7	53	1	1	5	10	18	21	36
65+	253	10.6	123	1	2	8	14	21	29	66
GRAND TOTAL	**1570**	**7.4**	**66**	**1**	**1**	**5**	**10**	**16**	**21**	**39**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	2	<1	1	3	4	4	5	6
20-34	275	2.6	3	1	1	2	3	5	6	8
35-49	318	2.3	2	1	1	2	3	4	6	8
50-64	221	2.9	10	1	1	2	3	6	8	11
65+	74	3.8	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	29	6.6	17	1	2	6	9	13	14	16
20-34	329	6.5	21	2	2	5	9	12	15	23
35-49	391	6.6	22	2	2	5	9	12	15	24
50-64	340	7.7	23	2	2	7	10	15	16	24
65+	100	10.0	40	2	3	9	13	20	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	5	2	2	3	4	7	9	9
20-34	81	3.2	7	1	1	3	4	7	9	14
35-49	99	2.6	4	1	1	2	3	5	6	11
50-64	104	3.8	12	1	1	3	5	7	11	20
65+	63	4.0	10	1	1	3	6	8	9	16
B. *Operated*										
0-19 YRS	14	7.7	15	2	4	8	9	11	16	18
20-34	122	8.8	46	2	3	8	11	16	18	36
35-49	172	9.9	70	2	3	9	13	17	23	73
50-64	247	11.0	49	3	3	10	14	19	26	38
65+	166	12.5	76	3	4	11	16	23	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	2.7	5	1	1	2	3	5	6	9
B. *Operated*	1189	7.2	24	2	2	6	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	356	3.4	8	1	1	2	4	7	9	16
B. *Operated*	721	10.7	61	2	3	9	14	19	25	41
1. SINGLE DX	2100	5.2	21	1	1	4	7	11	14	22
2. MULTIPLE DX	1077	8.3	55	1	2	6	12	17	21	37
A. NOT OPERATED	1267	2.9	6	1	1	2	4	5	7	12
B. OPERATED	1910	8.5	41	2	2	7	11	16	20	31
TOTAL 0-19 YRS	75	5.3	14	1	2	4	8	11	13	17
20-34	807	5.2	22	1	1	4	7	11	14	22
35-49	980	5.4	30	1	1	4	7	12	14	25
50-64	912	7.0	36	1	1	5	10	15	18	28
65+	403	9.0	58	1	2	7	12	18	23	40
GRAND TOTAL	**3177**	**6.2**	**34**	**1**	**1**	**4**	**9**	**13**	**17**	**28**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.8	57	1	1	3	5	10	22	37
20-34	19	5.1	18	1	1	4	6	9	15	20
35-49	11	4.8	24	<1	<1	3	6	14	16	16
50-64	21	4.7	17	<1	1	4	6	9	15	19
65+	21	7.1	24	1	2	6	10	15	18	18
B. *Operated*										
0-19 YRS	148	9.7	44	<1	1	10	13	20	23	24
20-34	63	9.2	49	<1	1	9	12	17	26	31
35-49	54	9.9	43	<1	2	9	14	20	21	30
50-64	60	7.9	41	<1	1	7	11	18	20	27
65+	40	10.1	63	<1	1	9	15	20	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	6.5	22	1	2	5	9	12	17	21
20-34	29	9.3	61	1	2	7	12	23	27	27
35-49	29	6.3	56	1	2	4	7	15	19	38
50-64	38	8.8	55	1	2	7	11	20	26	34
65+	63	10.5	46	2	3	8	15	20	24	30
B. *Operated*										
0-19 YRS	155	12.0	73	<1	1	11	16	24	27	37
20-34	120	11.8	54	1	3	11	16	22	28	55
35-49	92	11.1	66	1	2	9	16	23	28	37
50-64	142	12.8	101	1	2	11	18	26	32	40
65+	144	15.3	177	2	3	11	20	39	45	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	5.4	30	1	1	4	6	11	17	29
B. *Operated*	365	9.4	46	<1	1	9	13	20	22	29
2. MULTIPLE DX										
A. *Not Operated*	194	8.6	49	1	2	7	11	18	24	33
B. *Operated*	653	12.7	99	1	2	11	17	26	31	49
1. SINGLE DX	462	8.5	45	<1	1	8	12	19	22	30
2. MULTIPLE DX	847	11.8	91	1	2	10	16	24	29	46
A. NOT OPERATED	291	7.5	45	1	2	5	10	17	22	33
B. OPERATED	1018	11.5	83	1	2	10	16	23	28	43
TOTAL 0-19 YRS	363	10.0	59	<1	1	10	13	22	24	35
20-34	231	10.2	54	1	2	9	14	21	27	32
35-49	186	9.6	59	1	2	8	13	20	24	35
50-64	261	10.5	81	1	2	8	15	23	28	39
65+	268	12.7	125	2	3	10	18	26	40	56
GRAND TOTAL	**1309**	**10.6**	**77**	**1**	**2**	**9**	**14**	**22**	**27**	**41**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	21	3.0	5	1	1	2	3	6	8	11
35-49	19	1.9	1	<1	1	2	2	4	5	5
50-64	14	3.0	3	1	1	3	5	5	6	6
65+	8	3.1	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	16	4.7	8	<1	1	5	7	8	9	10
35-49	7	3.3	9	1	1	2	3	9	10	10
50-64	16	6.1	23	1	2	4	10	14	15	15
65+	32	6.6	14	2	2	7	9	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.9	8	1	1	3	6	8	9	9
35-49	10	3.4	2	<1	1	3	5	5	5	5
50-64	13	3.4	2	1	2	3	4	5	7	7
65+	13	5.8	13	1	1	6	9	11	11	11
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	23	6.6	24	2	2	4	10	15	17	18
35-49	29	8.3	61	1	1	4	13	19	21	32
50-64	52	9.8	51	2	2	8	14	18	22	35
65+	113	12.4	150	2	3	10	15	25	31	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.7	3	1	1	2	4	5	6	10
B. *Operated*	73	5.7	15	1	2	5	8	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	50	4.2	7	1	1	4	5	8	10	11
B. *Operated*	219	10.6	104	2	2	9	14	19	28	47
1. SINGLE DX	138	4.3	12	1	1	3	6	9	12	15
2. MULTIPLE DX	269	9.4	92	1	2	7	12	18	26	40
A. NOT OPERATED	115	3.3	6	1	1	3	4	6	9	11
B. OPERATED	292	9.4	86	1	2	7	13	18	24	40
TOTAL 0-19 YRS	7	4.7	3	3	3	4	6	8	8	8
20-34	74	4.6	14	1	1	3	6	10	11	18
35-49	65	5.1	37	1	1	3	5	15	19	30
50-64	95	7.3	41	1	2	5	11	16	18	33
65+	166	10.3	115	1	2	8	13	18	27	59
GRAND TOTAL	**407**	**7.7**	**70**	**1**	**1**	**5**	**10**	**16**	**20**	**38**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	3.6	15	<1	1	3	4	6	9	23
20-34	61	3.1	4	1	1	3	4	6	7	11
35-49	23	4.8	11	1	2	3	7	10	11	12
50-64	29	4.2	10	1	1	3	6	9	10	14
65+	71	6.7	27	1	2	5	8	15	17	25
B. *Operated*										
0-19 YRS	47	4.0	11	<1	1	3	5	8	12	16
20-34	50	2.8	7	<1	<1	2	4	6	11	12
35-49	52	3.2	17	<1	<1	2	4	8	10	25
50-64	74	3.9	9	<1	<1	3	5	8	9	15
65+	111	5.0	25	<1	<1	3	6	10	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	5.2	48	1	1	4	6	9	13	46
20-34	57	4.1	11	1	1	3	5	7	8	21
35-49	31	6.3	11	1	2	6	9	11	13	13
50-64	63	6.4	23	1	2	5	8	13	16	24
65+	174	9.0	50	2	3	7	12	19	23	39
B. *Operated*										
0-19 YRS	49	4.9	18	<1	<1	4	7	10	15	17
20-34	63	6.2	44	<1	<1	4	9	14	20	33
35-49	58	7.4	76	<1	<1	5	9	15	23	54
50-64	115	7.4	63	<1	1	6	10	16	19	41
65+	225	9.2	132	1	2	5	11	21	26	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	4.4	16	1	1	3	5	9	13	19
B. *Operated*	334	4.0	16	<1	<1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	407	7.0	41	1	2	5	8	14	19	31
B. *Operated*	510	7.8	90	<1	<1	5	10	17	21	58
1. SINGLE DX	627	4.2	16	<1	<1	3	5	9	12	20
2. MULTIPLE DX	917	7.4	68	<1	1	5	9	16	21	39
A. NOT OPERATED	700	5.9	32	1	2	4	7	13	17	27
B. OPERATED	844	6.3	64	<1	<1	4	8	14	19	32
TOTAL 0-19 YRS	287	4.4	25	<1	1	3	5	8	12	20
20-34	231	4.1	19	<1	<1	3	5	9	12	23
35-49	164	5.5	39	<1	<1	4	7	11	14	28
50-64	281	5.9	37	<1	1	4	8	13	16	24
65+	581	8.0	77	1	2	5	10	17	23	40
GRAND TOTAL	**1544**	**6.1**	**50**	**<1**	**1**	**4**	**8**	**13**	**18**	**30**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	6	1	1	2	5	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	14	7.0	42	<1	1	6	8	14	23	26
B. *Operated*										
0-19 YRS	140	2.7	23	<1	<1	1	2	6	7	20
20-34	93	4.7	24	<1	<1	3	6	11	14	27
35-49	76	5.1	28	<1	<1	3	8	12	14	27
50-64	95	4.5	26	<1	<1	3	4	13	15	27
65+	162	4.6	17	<1	1	3	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	10	3.9	12	<1	<1	2	6	9	10	10
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	34	9.5	114	1	2	6	12	21	30	56
B. *Operated*										
0-19 YRS	93	4.0	29	<1	1	2	4	11	16	30
20-34	85	4.7	25	<1	<1	3	7	11	17	21
35-49	67	5.5	44	<1	<1	4	8	13	18	34
50-64	123	8.1	98	<1	<1	5	10	18	24	48
65+	368	8.1	104	1	2	6	10	17	24	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.8	28	<1	1	3	7	10	15	26
B. *Operated*	566	4.2	23	<1	<1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	52	7.4	86	1	1	5	8	14	25	55
B. *Operated*	736	7.0	81	<1	1	4	9	16	20	52
1. SINGLE DX	593	4.2	23	<1	<1	3	5	10	13	23
2. MULTIPLE DX	788	7.0	82	<1	1	4	9	16	21	54
A. NOT OPERATED	79	6.5	67	<1	1	4	7	12	24	49
B. OPERATED	1302	5.8	58	<1	<1	3	7	13	18	33
TOTAL 0-19 YRS	242	3.2	25	<1	<1	2	3	7	11	21
20-34	189	4.6	24	<1	<1	3	6	11	14	23
35-49	150	5.2	34	<1	<1	3	8	12	15	29
50-64	222	6.5	68	<1	<1	3	8	16	20	35
65+	578	7.2	81	<1	1	5	8	15	20	64
GRAND TOTAL	**1381**	**5.8**	**58**	**<1**	**<1**	**3**	**7**	**13**	**18**	**34**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	621	3.8	7	1	1	3	5	7	9	13
20-34	236	3.6	6	1	1	3	5	7	8	12
35-49	98	4.4	14	1	1	3	5	9	12	21
50-64	97	4.6	14	1	1	4	6	8	10	23
65+	219	6.8	49	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	170	3.5	20	<1	<1	2	4	8	12	23
20-34	142	4.2	21	<1	<1	2	6	10	13	22
35-49	120	3.7	15	<1	<1	2	5	9	11	19
50-64	157	4.2	17	<1	<1	3	5	10	14	21
65+	211	5.7	25	<1	1	5	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	550	5.4	19	1	2	4	7	10	13	22
20-34	262	4.7	16	1	1	4	6	9	11	20
35-49	171	5.9	23	2	2	5	7	11	14	23
50-64	241	6.9	37	2	2	6	8	12	18	32
65+	892	10.3	102	2	3	7	12	21	30	78
B. *Operated*										
0-19 YRS	201	6.4	67	<1	1	4	8	15	21	37
20-34	167	6.7	77	<1	<1	3	9	16	22	44
35-49	197	5.9	50	<1	<1	4	8	14	19	46
50-64	333	8.5	113	<1	1	5	12	18	27	85
65+	639	10.8	129	1	2	8	14	24	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1271	4.4	16	1	1	3	6	8	11	18
B. *Operated*	800	4.4	21	<1	<1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	2116	7.6	61	1	2	6	9	15	21	45
B. *Operated*	1537	8.7	105	<1	1	5	11	20	29	84
1. SINGLE DX	2071	4.4	18	<1	1	3	6	9	12	21
2. MULTIPLE DX	3653	8.0	80	1	1	6	10	17	24	57
A. NOT OPERATED	3387	6.4	47	1	2	5	8	12	17	38
B. OPERATED	2337	7.2	81	<1	<1	4	9	17	23	56
TOTAL 0-19 YRS	1542	4.7	22	1	1	3	6	9	12	22
20-34	807	4.7	28	<1	1	3	6	9	13	26
35-49	586	5.2	30	<1	<1	4	7	11	15	28
50-64	828	6.8	64	<1	1	4	8	14	19	44
65+	1961	9.6	100	1	2	7	12	21	29	78
GRAND TOTAL	**5724**	**6.7**	**61**	**<1**	**1**	**4**	**8**	**14**	**20**	**45**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	11	4.7	13	1	1	3	7	10	12	12
65+	42	6.4	67	1	1	3	5	17	28	36
B. *Operated*										
0-19 YRS	3	4.3	9	<1	<1	5	6	7	7	7
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	41	6.3	39	<1	<1	5	8	13	23	27
50-64	684	7.2	19	<1	2	7	9	12	14	23
65+	1203	8.5	22	2	3	8	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	8.7	82	2	2	5	15	19	19	19
50-64	27	5.8	25	1	1	4	8	11	13	25
65+	173	9.3	118	1	2	6	11	22	37	62
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	8.6	25	2	3	7	13	16	16	16
35-49	56	7.4	34	1	1	6	10	16	19	28
50-64	938	9.1	30	2	3	8	11	16	19	30
65+	2549	12.2	78	3	5	10	15	23	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	6.0	56	1	1	3	6	14	25	36
B. *Operated*	1933	8.0	22	1	2	7	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	205	8.7	105	1	1	5	10	20	33	60
B. *Operated*	3551	11.3	67	2	4	9	14	21	27	46
1. SINGLE DX	1986	7.9	23	1	2	7	10	14	16	25
2. MULTIPLE DX	3756	11.2	69	2	4	9	14	21	27	47
A. NOT OPERATED	258	8.2	96	1	1	5	10	20	29	57
B. OPERATED	5484	10.1	53	2	3	9	12	18	24	42
TOTAL 0-19 YRS	5	4.6	9	<1	<1	5	7	8	8	8
20-34	10	7.2	25	<1	1	6	10	15	16	16
35-49	100	7.0	37	<1	1	6	9	16	21	27
50-64	1660	8.2	26	1	2	8	10	14	17	28
65+	3967	10.9	66	2	4	9	13	20	26	47
GRAND TOTAL	**5742**	**10.1**	**55**	**2**	**3**	**8**	**12**	**18**	**24**	**42**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	16	5.4	13	2	2	5	6	8	14	17
35-49	16	3.9	3	1	2	3	5	7	8	8
50-64	16	4.0	3	1	2	5	5	6	6	6
65+	20	6.5	20	1	2	5	9	12	16	19
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	21	3.3	11	<1	<1	2	5	9	10	11
35-49	27	1.9	2	<1	<1	1	2	3	4	7
50-64	34	3.5	11	<1	<1	2	4	8	9	17
65+	40	4.6	9	1	2	4	6	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	16	4.2	7	1	1	4	6	7	10	11
35-49	15	4.7	6	<1	1	5	6	8	9	10
50-64	22	4.2	8	1	2	3	5	9	10	11
65+	37	7.5	29	2	3	6	9	16	18	26
B. *Operated*										
0-19 YRS	6	3.8	5	1	1	4	5	7	7	7
20-34	12	4.4	21	<1	<1	2	9	12	12	12
35-49	29	5.3	35	<1	1	4	7	10	13	31
50-64	56	6.1	31	<1	1	4	8	16	18	23
65+	90	8.3	52	1	1	7	11	20	23	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.1	11	2	2	5	6	9	11	19
B. *Operated*	123	3.4	9	<1	<1	2	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	91	5.7	18	1	2	5	7	10	16	23
B. *Operated*	193	6.9	42	<1	1	5	10	16	21	36
1. SINGLE DX	193	4.0	10	<1	1	3	5	8	10	17
2. MULTIPLE DX	284	6.5	34	1	1	5	8	15	20	30
A. NOT OPERATED	161	5.4	15	1	2	5	6	10	13	19
B. OPERATED	316	5.5	32	<1	1	4	8	13	17	29
TOTAL 0-19 YRS	10	4.5	8	<1	<1	4	7	8	9	9
20-34	65	4.3	12	<1	<1	3	6	9	11	16
35-49	87	3.9	16	<1	<1	3	5	8	10	24
50-64	128	4.8	19	<1	1	3	6	10	16	21
65+	187	7.2	37	1	2	6	9	16	20	35
GRAND TOTAL	**477**	**5.5**	**26**	**<1**	**1**	**4**	**7**	**11**	**16**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	6	<1	<1	1	2	6	7	7
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	6.3	1	5	5	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	174	2.8	3	<1	1	2	3	5	6	8
20-34	72	3.4	2	2	2	3	4	5	7	9
35-49	52	3.7	4	2	2	3	5	6	8	10
50-64	119	4.2	5	1	2	4	5	7	9	11
65+	70	4.4	7	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.9	4	<1	<1	1	2	4	7	8
20-34										
35-49	1	25.0		25	25	25	25	25	25	25
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	5.3	14	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	118	3.4	7	<1	1	3	4	7	10	14
20-34	37	4.5	10	1	2	3	5	8	10	18
35-49	34	4.8	7	2	2	4	6	9	11	12
50-64	86	4.9	8	2	2	4	6	8	10	17
65+	100	6.6	30	2	3	5	8	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.6	8	<1	<1	2	7	7	7	7
B. *Operated*	487	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	3.6	26	<1	<1	1	4	8	13	25
B. *Operated*	375	4.9	15	1	2	4	6	9	12	19
1. SINGLE DX	499	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX	400	4.8	16	1	1	4	6	9	12	19
A. NOT OPERATED	37	3.6	20	<1	<1	2	5	8	9	25
B. OPERATED	862	4.1	9	1	2	3	5	7	10	16
TOTAL 0-19 YRS	316	3.0	5	<1	1	2	4	6	7	11
20-34	111	3.7	5	1	2	3	4	6	8	13
35-49	88	4.4	10	2	2	3	5	8	10	20
50-64	210	4.5	6	2	2	4	5	8	10	12
65+	174	5.7	21	2	2	5	7	10	14	28
GRAND TOTAL	**899**	**4.1**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.1	8	1	1	3	6	7	10	14
20-34	101	4.6	7	1	2	4	6	8	9	12
35-49	35	7.2	52	2	3	6	8	10	24	39
50-64	34	7.8	29	1	2	7	10	16	20	21
65+	44	7.0	22	2	2	6	10	13	17	21
B. *Operated*										
0-19 YRS	21	5.1	24	1	1	3	7	12	16	19
20-34	31	4.0	10	<1	1	3	5	8	10	15
35-49	19	5.2	22	1	2	4	6	11	17	21
50-64	16	5.5	10	2	2	5	7	8	13	15
65+	13	7.4	13	3	3	7	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	8	1	1	6	6	8	9	9
20-34	30	5.5	9	1	2	5	7	9	11	13
35-49	18	6.7	15	2	3	6	8	12	14	16
50-64	35	8.7	43	3	4	7	11	13	18	39
65+	54	8.8	61	2	4	8	10	13	17	55
B. *Operated*										
0-19 YRS	6	5.3	10	2	2	5	6	10	11	11
20-34	16	5.3	10	<1	1	5	7	11	11	11
35-49	17	6.4	21	2	3	4	9	13	16	18
50-64	23	12.0	46	4	5	11	16	23	25	26
65+	21	11.0	39	2	3	11	15	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	5.6	19	1	2	5	7	10	13	21
B. *Operated*	100	5.2	16	1	1	4	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	146	7.6	39	2	2	6	9	13	15	40
B. *Operated*	83	8.8	37	2	3	7	12	18	22	26
1. SINGLE DX	380	5.5	19	1	2	4	7	10	13	21
2. MULTIPLE DX	229	8.0	38	2	3	7	10	14	19	29
A. NOT OPERATED	426	6.3	27	1	2	5	8	11	13	26
B. OPERATED	183	6.8	29	1	2	5	9	15	19	24
TOTAL 0-19 YRS	102	4.4	11	1	1	3	6	9	11	17
20-34	178	4.7	8	1	1	4	6	8	10	13
35-49	89	6.5	32	2	2	5	8	12	16	35
50-64	108	8.6	38	2	2	7	11	16	21	31
65+	132	8.4	41	2	3	7	11	15	19	31
GRAND TOTAL	**609**	**6.4**	**27**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.0	2	<1	<1	2	2	3	4	9
20-34	58	2.4	1	<1	<1	2	3	4	5	6
35-49	24	2.4	4	<1	<1	2	2	4	7	11
50-64	8	2.6	5	<1	<1	2	4	6	6	6
65+	8	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	467	1.8	1	<1	<1	2	2	3	4	6
20-34	81	2.1	2	<1	<1	2	3	4	4	9
35-49	27	1.7	1	<1	<1	1	2	3	3	4
50-64	22	2.6	3	<1	1	2	3	5	7	9
65+	14	3.9	7	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.5	7	<1	<1	2	2	6	9	14
20-34	19	2.6	7	<1	1	2	2	3	9	13
35-49	14	2.6	3	<1	<1	2	3	6	6	6
50-64	17	1.9	1	<1	<1	2	2	4	4	4
65+	19	5.9	37	1	1	4	7	17	20	21
B. *Operated*										
0-19 YRS	105	2.8	7	<1	<1	2	3	5	7	16
20-34	38	3.0	7	<1	<1	2	3	6	8	16
35-49	38	3.9	9	2	2	3	4	8	10	17
50-64	25	3.0	4	<1	<1	3	4	5	7	9
65+	53	5.2	21	2	2	3	6	13	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	2.1	2	<1	<1	2	2	4	5	9
B. *Operated*	611	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	128	2.9	11	<1	<1	2	3	6	9	19
B. *Operated*	259	3.5	11	<1	1	2	4	7	10	18
1. SINGLE DX	992	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	387	3.3	11	<1	<1	2	4	7	10	18
A. NOT OPERATED	509	2.3	5	<1	<1	2	3	4	6	14
B. OPERATED	870	2.4	5	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	914	2.0	3	<1	<1	2	2	3	5	9
20-34	196	2.4	3	<1	<1	2	3	4	5	12
35-49	103	2.8	6	<1	<1	2	3	5	8	14
50-64	72	2.6	3	<1	<1	2	3	5	6	9
65+	94	4.9	21	1	1	3	6	11	17	20
GRAND TOTAL	**1379**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.7	16	<1	<1	2	3	4	7	27
20-34	42	2.7	8	<1	1	2	3	5	7	17
35-49	16	3.7	5	1	1	3	6	7	8	8
50-64	9	3.2	5	1	1	3	5	7	7	7
65+	9	5.6	15	1	1	5	8	12	12	12
B. *Operated*										
0-19 YRS	270	2.6	3	<1	1	2	3	5	6	10
20-34	201	3.1	7	<1	<1	3	4	6	7	15
35-49	112	3.5	6	1	1	3	4	7	8	14
50-64	106	3.8	6	1	2	3	5	7	9	14
65+	51	4.3	8	<1	2	3	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	32	1	1	3	5	8	21	25
20-34	17	2.9	3	1	2	2	4	5	7	8
35-49	17	7.8	52	1	2	6	9	16	25	30
50-64	17	4.8	5	1	1	5	6	8	8	8
65+	23	7.7	30	1	2	7	9	15	21	22
B. *Operated*										
0-19 YRS	85	3.5	11	<1	1	2	4	7	8	20
20-34	104	4.3	12	1	2	3	5	9	12	19
35-49	87	4.8	27	<1	1	3	6	10	12	30
50-64	96	6.3	25	1	2	5	8	12	18	25
65+	72	8.2	128	2	2	6	9	15	18	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.0	12	<1	1	2	3	6	8	18
B. *Operated*	740	3.2	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	110	5.5	28	1	1	4	7	11	18	27
B. *Operated*	444	5.3	39	1	1	4	6	10	14	25
1. SINGLE DX	885	3.1	7	<1	1	3	4	6	7	13
2. MULTIPLE DX	554	5.3	36	1	1	4	6	10	15	25
A. NOT OPERATED	255	4.1	20	<1	1	2	5	8	12	25
B. OPERATED	1184	4.0	19	<1	1	3	5	8	10	21
TOTAL 0-19 YRS	460	2.9	9	<1	1	2	3	5	7	18
20-34	364	3.4	9	<1	1	3	4	6	9	17
35-49	232	4.3	18	1	1	3	5	8	11	26
50-64	228	4.9	15	1	1	4	6	9	13	23
65+	155	6.7	70	1	2	5	8	12	15	24
GRAND TOTAL	**1439**	**4.0**	**19**	**<1**	**1**	**3**	**5**	**8**	**11**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	7	1.4		<1	<1	1	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*										
0-19 YRS	31	1.9	1	<1	<1	2	2	3	4	4
20-34	271	2.3	2	<1	<1	2	3	4	5	9
35-49	592	2.5	4	<1	<1	2	3	4	5	11
50-64	242	2.8	4	<1	1	2	3	5	7	11
65+	64	3.0	9	1	1	2	3	5	6	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	4.3	9	<1	<1	5	6	7	7	7
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	2.7	1	2	2	3	3	4	4	4
20-34	96	3.1	6	<1	<1	2	4	6	8	14
35-49	245	3.8	20	<1	<1	2	4	8	10	20
50-64	160	4.1	13	<1	1	3	5	8	10	20
65+	94	4.7	15	1	2	3	5	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.7	3	<1	<1	1	2	3	6	7
B. *Operated*	1200	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	9	2.9	5	<1	<1	3	4	6	7	7
B. *Operated*	602	3.9	15	<1	<1	3	5	8	10	20
1. SINGLE DX	1214	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	611	3.9	15	<1	<1	3	5	8	10	20
A. NOT OPERATED	23	2.2	4	<1	<1	1	3	5	7	7
B. OPERATED	1802	3.0	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	39	2.1	1	<1	<1	2	3	4	4	4
20-34	373	2.5	3	<1	<1	2	3	5	7	9
35-49	848	2.8	9	<1	<1	2	3	5	7	13
50-64	405	3.3	8	<1	1	2	4	7	8	15
65+	160	4.0	13	1	2	3	5	8	9	22
GRAND TOTAL	**1825**	**3.0**	**8**	**<1**	**<1**	**2**	**3**	**5**	**8**	**14**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.2	12	1	1	3	5	9	12	13
20-34	44	4.0	4	1	2	4	5	7	8	9
35-49	17	2.5	4	<1	<1	2	3	5	7	8
50-64	6	7.5	26	1	1	7	11	15	15	15
65+	2	9.0	50	4	4	9	14	14	14	14
B. *Operated*										
0-19 YRS	142	3.2	3	<1	1	3	4	5	6	8
20-34	428	3.5	4	<1	1	3	5	6	7	9
35-49	197	3.2	4	<1	1	3	4	6	7	10
50-64	99	4.0	6	<1	1	3	6	7	8	13
65+	56	3.8	8	<1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	12	<1	<1	3	6	9	9	9
20-34	35	4.1	8	<1	1	4	6	9	10	11
35-49	15	5.7	27	<1	1	5	8	15	17	18
50-64	8	5.4	65	<1	<1	3	4	19	25	25
65+	11	5.5	65	<1	<1	3	5	18	27	28
B. *Operated*										
0-19 YRS	30	3.8	4	<1	1	3	5	7	8	8
20-34	172	4.1	18	1	1	3	5	7	7	26
35-49	128	4.7	29	1	1	4	6	9	10	25
50-64	101	5.3	20	1	2	4	7	9	14	25
65+	56	7.1	48	2	2	5	8	16	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.1	9	1	1	4	5	8	10	15
B. *Operated*	922	3.5	4	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	73	4.8	26	<1	1	4	6	9	15	27
B. *Operated*	487	4.8	24	1	2	4	6	9	11	28
1. SINGLE DX	1003	3.5	5	<1	1	3	5	6	7	11
2. MULTIPLE DX	560	4.8	25	1	1	4	6	9	12	28
A. NOT OPERATED	154	4.4	17	<1	1	4	5	9	12	25
B. OPERATED	1409	3.9	12	<1	1	3	5	7	8	18
TOTAL 0-19 YRS	188	3.4	4	<1	1	3	4	6	7	9
20-34	679	3.7	8	1	1	3	5	6	7	11
35-49	357	3.8	15	<1	1	3	5	7	9	15
50-64	214	4.8	16	<1	1	4	6	8	12	22
65+	125	5.5	33	1	2	4	6	12	16	31
GRAND TOTAL	**1563**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**7**	**9**	**18**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.1	4	<1	1	3	4	6	7	10
20-34	219	2.4	3	<1	1	2	3	4	6	9
35-49	43	2.7	4	<1	1	2	4	5	7	10
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	2	10.0	128	2	2	10	18	18	18	18
B. *Operated*										
0-19 YRS	162	4.3	6	1	1	4	6	7	9	12
20-34	634	4.8	8	1	1	5	6	8	10	14
35-49	192	5.9	8	1	2	6	8	9	10	16
50-64	31	8.7	49	1	3	6	9	19	26	31
65+	7	7.9	10	2	3	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	5	1	1	2	3	7	7	8
20-34	109	3.1	5	<1	1	3	4	6	7	11
35-49	19	6.5	42	1	1	4	8	18	23	25
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	12.7	156	4	4	7	22	27	27	27
B. *Operated*										
0-19 YRS	93	6.1	16	2	2	5	7	10	12	25
20-34	646	6.4	15	1	2	6	8	10	12	20
35-49	282	8.0	27	3	4	7	9	13	17	26
50-64	44	9.1	14	4	6	8	10	14	17	21
65+	17	16.2	354	6	6	10	16	36	67	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	1026	5.1	10	1	1	5	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	160	3.6	14	1	1	3	5	7	8	24
B. *Operated*	1082	7.0	25	2	2	6	8	11	14	25
1. SINGLE DX	1364	4.5	9	1	1	4	6	8	9	14
2. MULTIPLE DX	1242	6.6	25	1	2	6	8	10	14	25
A. NOT OPERATED	498	2.9	7	<1	1	2	4	6	7	13
B. OPERATED	2108	6.1	19	1	2	6	7	10	12	21
TOTAL 0-19 YRS	353	4.4	9	1	1	4	6	8	10	13
20-34	1608	5.0	12	1	1	5	7	9	10	17
35-49	536	6.8	21	1	2	6	8	10	14	25
50-64	80	8.5	29	1	3	8	9	14	21	30
65+	29	13.4	234	2	5	9	12	24	42	82
GRAND TOTAL	**2606**	**5.5**	**18**	**1**	**1**	**5**	**7**	**9**	**11**	**20**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	545	4.5	6	1	2	4	6	7	9	13
20-34	1057	4.7	6	1	2	4	6	8	9	12
35-49	91	5.3	9	1	2	5	7	9	12	15
50-64	18	6.1	16	2	2	5	8	13	15	16
65+	5	8.8	22	3	3	10	12	14	14	14
B. *Operated*										
0-19 YRS	140	5.8	17	1	2	5	8	11	13	24
20-34	526	5.5	14	<1	1	5	7	9	12	19
35-49	144	5.7	12	<1	1	6	8	11	12	16
50-64	18	8.8	49	2	2	7	13	16	24	29
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	[illegible]	9	1	2	4	6	9	11	16
20-34	468	[illegible]	13	2	2	5	6	8	10	16
35-49	55	[illegible]	10	2	3	5	7	11	11	19
50-64	13	8.5	21	2	4	8	10	14	20	21
65+	6	8.2	15	4	4	8	10	14	14	14
B. *Operated*										
0-19 YRS	132	6.7	16	1	2	6	8	11	15	21
20-34	1047	6.2	16	1	2	6	8	10	13	20
35-49	310	7.9	33	1	2	7	9	13	19	31
50-64	31	8.6	46	1	2	7	11	15	18	37
65+	5	9.4	73	2	2	5	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	4.7	7	1	2	4	6	8	9	13
B. *Operated*	830	5.7	15	<1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	750	5.3	12	2	2	5	6	9	11	16
B. *Operated*	1525	6.7	21	1	2	6	8	11	14	23
1. SINGLE DX	2546	5.0	10	1	2	5	7	9	10	16
2. MULTIPLE DX	2275	6.2	18	1	2	6	8	10	13	21
A. NOT OPERATED	2466	4.9	8	1	2	4	6	8	10	14
B. OPERATED	2355	6.3	19	1	2	6	8	11	13	21
TOTAL 0-19 YRS	1025	5.1	10	1	2	5	7	9	11	16
20-34	3098	5.4	12	1	2	5	7	9	11	17
35-49	600	6.8	23	1	2	6	8	11	15	24
50-64	80	8.1	36	2	2	7	10	15	17	35
65+	18	8.6	28	2	3	8	12	15	19	21
GRAND TOTAL	**4821**	**5.6**	**14**	**1**	**2**	**5**	**7**	**9**	**12**	**19**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	5	1	1	2	6	6	6	6
20-34	37	3.3	10	<1	<1	3	4	6	7	19
35-49	6	6.7	26	1	1	6	9	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	21	3.0	6	<1	1	2	3	6	9	11
20-34	353	4.9	10	<1	1	5	7	8	10	15
35-49	206	6.5	8	1	2	7	8	10	11	14
50-64	13	6.6	5	2	4	7	8	9	10	10
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	4.3	15	1	1	3	6	7	9	21
35-49	8	4.4	3	2	2	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.0	7	2	2	2	7	8	8	8
20-34	745	6.4	10	1	2	7	8	9	11	17
35-49	784	7.7	9	3	5	7	9	11	12	18
50-64	98	8.7	11	5	6	8	9	12	16	23
65+	11	12.5	78	6	6	9	13	28	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.7	12	<1	1	3	5	7	9	19
B. *Operated*	594	5.4	10	1	1	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	36	4.3	12	1	1	4	6	7	8	21
B. *Operated*	1654	7.1	11	2	3	7	8	10	12	18
1. SINGLE DX	646	5.3	10	1	1	5	7	9	10	15
2. MULTIPLE DX	1690	7.1	11	2	2	7	8	10	12	18
A. NOT OPERATED	88	3.9	12	<1	1	3	6	7	8	20
B. OPERATED	2248	6.7	11	1	2	7	8	10	12	17
TOTAL 0-19 YRS	46	3.4	6	1	1	2	4	7	8	11
20-34	1163	5.8	11	1	2	6	7	9	11	16
35-49	1004	7.4	9	2	5	7	9	10	12	17
50-64	111	8.5	10	5	6	8	9	11	14	22
65+	12	12.3	72	6	6	9	12	27	34	35
GRAND TOTAL	**2336**	**6.6**	**11**	**1**	**2**	**7**	**8**	**10**	**12**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	82	3.1	6	<1	<1	2	5	7	8	9
35-49	44	4.7	16	<1	<1	4	7	9	11	21
50-64	10	5.3	35	1	1	3	7	14	21	21
65+	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.8	5	1	1	2	3	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	164	6.0	10	<1	1	7	8	9	10	17
35-49	156	6.8	8	<1	2	7	8	9	11	15
50-64	41	5.6	13	<1	1	6	8	10	11	14
65+	10	5.6	11	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.7	5	1	1	3	5	7	7	7
B. *Operated*	143	3.7	11	<1	<1	3	6	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	5	1	1	2	3	7	7	7
B. *Operated*	377	6.2	10	<1	1	7	8	9	10	16
1. SINGLE DX	149	3.7	11	<1	<1	3	6	7	8	21
2. MULTIPLE DX	383	6.1	10	<1	1	7	8	9	10	16
A. NOT OPERATED	12	3.3	4	1	1	3	4	7	7	7
B. OPERATED	520	5.5	11	<1	1	6	8	9	10	16
TOTAL 0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34	255	5.0	10	<1	<1	6	7	8	9	16
35-49	201	6.3	11	<1	1	7	8	9	11	16
50-64	52	5.5	16	<1	1	5	8	10	13	21
65+	14	5.2	10	1	2	5	8	[illegible]	10	10
GRAND TOTAL	**532**	**5.4**	**11**	**<1**	**1**	**6**	**8**	**9**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.6	7	<1	<1	3	5	8	10	11
20-34	95	3.5	4	<1	1	3	4	6	8	10
35-49	20	5.0	8	<1	1	5	7	9	11	11
50-64	5	4.2	25	1	1	2	5	13	13	13
65+	11	6.2	10	2	2	6	8	10	13	13
B. *Operated*										
0-19 YRS	38	1.7	1	<1	<1	1	2	3	4	5
20-34	300	2.3	2	<1	1	2	3	4	6	8
35-49	120	2.7	4	<1	1	2	3	5	8	10
50-64	33	2.2	3	<1	1	2	3	5	7	7
65+	12	3.5	5	2	2	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.5	158	1	1	4	6	7	30	62
20-34	61	5.0	11	1	1	4	6	10	12	17
35-49	14	4.8	34	1	1	3	6	11	20	23
50-64	9	11.7	22	6	6	11	15	19	19	19
65+	14	12.5	47	4	6	9	18	21	26	27
B. *Operated*										
0-19 YRS	22	6.0	53	<1	1	3	8	11	23	34
20-34	108	4.1	19	1	1	2	6	9	12	27
35-49	70	3.7	8	<1	1	3	5	7	10	13
50-64	21	6.6	29	<1	1	4	11	16	16	16
65+	18	12.2	121	1	2	8	18	29	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.9	7	<1	1	3	5	8	9	13
B. *Operated*	503	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	120	6.6	52	1	1	5	8	13	19	37
B. *Operated*	239	5.0	32	1	1	3	7	10	15	31
1. SINGLE DX	661	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	359	5.6	39	1	1	3	7	12	17	31
A. NOT OPERATED	278	5.1	28	1	1	4	6	10	13	22
B. OPERATED	742	3.2	14	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	109	4.0	47	<1	<1	2	5	8	10	45
20-34	564	3.1	8	<1	1	2	4	6	8	13
35-49	224	3.3	8	<1	1	2	4	7	9	12
50-64	68	5.0	25	<1	1	3	7	14	16	19
65+	55	9.2	67	2	2	7	11	20	26	40
GRAND TOTAL	**1020**	**3.7**	**18**	**<1**	**1**	**2**	**4**	**8**	**10**	**20**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	9	3.0	6	1	1	2	5	7	7	7
65+	11	5.8	20	1	1	6	7	12	16	16
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	115	6.8	15	2	3	6	8	10	12	23
35-49	279	8.1	16	4	5	7	9	12	15	26
50-64	413	8.4	10	5	5	8	10	12	15	18
65+	291	9.0	15	4	5	8	10	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	12	5.5	34	1	1	2	9	15	17	17
50-64	15	2.6	8	<1	<1	1	3	6	10	11
65+	35	6.1	33	1	1	4	9	14	20	21
B. *Operated*										
0-19 YRS	5	7.2	2	6	6	7	8	9	9	9
20-34	253	8.4	13	5	5	7	10	12	15	21
35-49	681	9.7	25	5	6	8	11	15	19	30
50-64	766	9.9	20	5	6	9	11	15	18	26
65+	614	11.1	38	5	6	9	13	18	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.9	12	<1	1	2	6	7	11	16
B. *Operated*	1099	8.3	13	4	5	8	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	63	5.2	28	<1	1	3	8	13	18	21
B. *Operated*	2319	10.0	26	5	6	8	11	16	19	30
1. SINGLE DX	1126	8.2	14	4	5	8	9	12	15	22
2. MULTIPLE DX	2382	9.9	27	5	6	8	11	16	19	30
A. NOT OPERATED	90	4.8	23	<1	1	3	7	12	16	21
B. OPERATED	3418	9.4	23	5	6	8	11	15	18	29
TOTAL 0-19 YRS	6	7.2	1	6	6	7	8	9	9	9
20-34	371	7.9	14	3	5	7	9	12	14	21
35-49	977	9.2	23	4	5	8	10	14	18	29
50-64	1203	9.2	18	5	6	8	11	15	17	24
65+	951	10.2	32	4	6	9	12	17	20	35
GRAND TOTAL	**3508**	**9.3**	**23**	**4**	**5**	**8**	**11**	**15**	**18**	**29**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	<1	<1	2	4	4	4	4
20-34	16	3.9	23	1	1	3	4	6	16	21
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	13	1.9	2	<1	<1	2	2	4	6	6
20-34	79	1.7	4	<1	<1	1	2	2	5	13
35-49	67	2.5	7	<1	<1	1	2	7	10	11
50-64	10	2.2	6	<1	<1	1	2	6	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	10	1.9	2	<1	<1	1	2	4	5	5
35-49	8	4.1	9	<1	<1	3	6	9	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	67	4.3	15	<1	<1	2	6	10	13	15
35-49	80	5.3	25	<1	<1	4	7	11	15	26
50-64	10	2.7	5	<1	<1	2	2	6	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.6	17	<1	1	3	4	5	11	21
B. *Operated*	169	2.1	5	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	21	3.2	8	<1	<1	2	4	8	9	10
B. *Operated*	160	4.7	20	<1	<1	2	7	10	13	19
1. SINGLE DX	192	2.3	7	<1	<1	1	2	5	7	14
2. MULTIPLE DX	181	4.5	18	<1	<1	2	7	10	12	18
A. NOT OPERATED	44	3.4	12	<1	<1	3	4	6	9	21
B. OPERATED	329	3.3	14	<1	<1	2	5	9	11	16
TOTAL 0-19 YRS	24	2.4	5	<1	<1	2	3	4	7	11
20-34	172	2.9	11	<1	<1	2	3	6	10	16
35-49	155	4.0	18	<1	<1	2	7	10	11	19
50-64	22	2.9	7	<1	<1	2	5	8	9	10
65+										
GRAND TOTAL	**373**	**3.4**	**14**	**<1**	**<1**	**2**	**5**	**8**	**11**	**17**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.4	2	1	1	2	3	4	5	8
20-34	248	2.1	1	<1	1	2	3	4	4	5
35-49	67	2.0	2	<1	1	2	2	4	5	7
50-64	6	2.0		1	1	2	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	116	1.8	2	<1	<1	2	2	3	4	8
20-34	1465	2.8	7	<1	<1	2	3	7	8	10
35-49	1290	3.0	8	<1	<1	2	4	7	8	11
50-64	135	2.3	5	<1	<1	2	2	6	8	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.1	3	1	1	3	4	6	7	8
20-34	150	3.1	11	<1	<1	2	4	7	8	22
35-49	88	2.8	9	<1	<1	2	3	6	8	18
50-64	18	3.1	6	1	1	3	4	5	9	12
65+										
B. *Operated*										
0-19 YRS	74	2.6	4	<1	1	2	3	6	7	8
20-34	1657	5.5	13	<1	1	6	8	9	11	17
35-49	2247	6.2	16	<1	1	7	8	10	12	19
50-64	242	5.8	23	<1	1	6	8	10	13	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	2.1	2	<1	1	2	3	4	4	7
B. *Operated*	3006	2.8	7	<1	<1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	298	3.0	9	<1	<1	2	4	6	8	18
B. *Operated*	4220	5.8	15	<1	1	6	8	10	12	19
1. SINGLE DX	3421	2.7	6	<1	<1	2	3	7	8	10
2. MULTIPLE DX	4518	5.6	16	<1	1	6	8	10	12	19
A. NOT OPERATED	713	2.5	5	<1	1	2	3	4	6	12
B. OPERATED	7226	4.6	14	<1	<1	3	7	9	10	16
TOTAL 0-19 YRS	326	2.3	3	<1	1	2	3	4	6	8
20-34	3520	4.0	11	<1	<1	2	7	8	10	14
35-49	3692	4.9	16	<1	1	5	7	9	11	18
50-64	401	4.4	19	<1	1	2	7	9	11	20
65+										
GRAND TOTAL	**7939**	**4.4**	**14**	**<1**	**<1**	**3**	**7**	**9**	**10**	**16**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	2.2	1	1	1	2	3	4	4	4
50-64	12	2.9	6	<1	<1	2	3	8	8	8
65+	8	5.9	12	2	2	6	7	11	13	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	4.0	11	<1	<1	2	7	9	9	9
35-49	133	2.3	7	<1	<1	2	2	4	9	14
50-64	449	1.9	3	<1	<1	2	2	3	4	11
65+	101	2.7	9	<1	1	2	3	4	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	11	2.9	2	<1	1	3	4	5	5	5
50-64	17	4.2	34	<1	1	2	4	8	19	25
65+	30	7.0	54	1	1	4	8	17	24	32
B. *Operated*										
0-19 YRS										
20-34	13	6.7	13	1	1	7	9	11	13	13
35-49	125	3.9	13	<1	<1	2	7	9	11	14
50-64	466	3.2	13	<1	1	2	3	8	10	18
65+	179	4.9	39	1	1	3	6	10	13	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.5	8	1	1	2	5	8	8	13
B. *Operated*	693	2.1	5	<1	<1	2	2	3	6	11
2. MULTIPLE DX										
A. *Not Operated*	59	5.4	40	<1	1	3	7	11	23	31
B. *Operated*	783	3.8	20	<1	1	2	4	9	11	22
1. SINGLE DX	722	2.2	5	<1	<1	2	2	4	6	12
2. MULTIPLE DX	842	3.9	21	<1	1	2	5	9	11	25
A. NOT OPERATED	88	4.8	30	1	1	3	6	9	14	29
B. OPERATED	1476	3.0	14	<1	<1	2	3	7	10	18
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	5.6	13	<1	1	6	8	10	12	13
35-49	278	3.0	10	<1	<1	2	3	8	10	13
50-64	944	2.6	9	<1	<1	2	2	6	9	15
65+	318	4.4	32	1	1	2	5	9	12	29
GRAND TOTAL	**1564**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**8**	**10**	**21**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	6	<1	<1	2	3	6	7	12
20-34	67	2.4	5	<1	1	2	3	5	6	14
35-49	14	2.1	6	<1	<1	1	2	6	8	9
50-64	6	6.7	63	<1	<1	4	8	21	22	22
65+	8	5.5	19	2	2	4	7	13	15	15
B. *Operated*										
0-19 YRS	69	3.3	4	1	1	3	4	6	7	11
20-34	656	3.8	8	<1	1	3	5	8	9	14
35-49	348	3.9	10	<1	<1	3	6	8	9	13
50-64	218	3.3	14	<1	<1	2	4	8	9	19
65+	70	4.7	38	1	1	2	4	9	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	1	<1	<1	2	3	4	5	5
20-34	71	2.2	3	<1	<1	1	3	4	6	8
35-49	27	4.4	22	<1	<1	2	5	11	13	21
50-64	10	11.1	125	1	1	8	13	31	33	33
65+	16	9.4	35	1	2	9	14	18	19	20
B. *Operated*										
0-19 YRS	41	4.2	8	1	1	3	6	8	10	12
20-34	685	5.9	17	<1	1	6	8	10	12	19
35-49	675	6.3	21	1	1	7	8	10	13	22
50-64	342	6.2	38	<1	1	5	8	11	15	34
65+	127	7.6	58	1	1	4	10	18	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.8	9	<1	<1	2	3	6	8	17
B. *Operated*	1361	3.8	11	<1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	144	4.0	26	<1	<1	2	4	10	14	29
B. *Operated*	1870	6.2	25	<1	1	6	8	10	14	27
1. SINGLE DX	1486	3.7	11	<1	1	2	5	8	9	16
2. MULTIPLE DX	2014	6.0	25	<1	1	6	8	10	14	27
A. NOT OPERATED	269	3.5	19	<1	<1	2	4	8	12	22
B. OPERATED	3231	5.2	21	<1	1	4	7	9	12	23
TOTAL 0-19 YRS	160	3.3	6	<1	1	2	4	6	8	12
20-34	1479	4.6	13	<1	1	4	7	9	10	16
35-49	1064	5.4	19	<1	1	5	8	9	12	21
50-64	576	5.2	33	<1	<1	3	7	10	14	32
65+	221	6.7	50	1	1	3	9	17	24	32
GRAND TOTAL	**3500**	**5.0**	**21**	**<1**	**1**	**4**	**7**	**9**	**12**	**23**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	1.9	1	<1	1	2	2	4	5	5
20-34	231	2.2	4	<1	1	2	3	4	6	11
35-49	42	2.9	12	<1	1	2	3	5	8	21
50-64	6	3.0	2	2	2	2	5	5	5	5
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	89	2.5	3	<1	<1	2	3	5	6	10
20-34	813	3.1	8	<1	<1	2	4	7	9	12
35-49	339	6.8	23	<1	1	7	9	12	15	23
50-64	158	9.0	16	2	4	9	11	14	17	22
65+	74	10.3	30	<1	2	10	14	18	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	2	<1	1	2	3	4	6	9
20-34	146	3.0	5	<1	1	2	4	6	8	12
35-49	32	2.9	11	<1	<1	1	4	6	12	15
50-64	15	4.2	22	1	1	3	5	9	16	19
65+	16	7.8	70	<1	<1	5	11	17	27	32
B. *Operated*										
0-19 YRS	60	4.4	17	<1	1	3	6	9	12	20
20-34	1209	4.6	12	<1	1	4	7	8	10	15
35-49	595	8.2	28	1	2	8	10	14	17	32
50-64	260	11.3	44	2	6	9	14	20	24	34
65+	117	12.8	64	1	6	11	16	24	30	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	2.2	3	<1	1	2	3	4	5	10
B. *Operated*	1473	4.9	19	<1	<1	3	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	275	3.1	11	<1	1	2	4	7	9	17
B. *Operated*	2241	6.7	30	<1	1	6	9	13	16	30
1. SINGLE DX	1963	4.2	17	<1	<1	2	7	9	12	19
2. MULTIPLE DX	2516	6.3	29	<1	1	6	8	12	16	29
A. NOT OPERATED	765	2.5	6	<1	1	2	3	5	7	13
B. OPERATED	3714	6.0	27	<1	1	6	8	12	15	26
TOTAL 0-19 YRS	422	2.4	5	<1	1	2	3	5	6	10
20-34	2399	3.7	10	<1	<1	2	6	8	9	13
35-49	1008	7.4	27	1	1	7	9	13	16	28
50-64	439	10.1	36	2	3	9	13	18	22	33
65+	211	11.3	54	<1	2	10	14	20	26	34
GRAND TOTAL	**4479**	**5.4**	**25**	**<1**	**1**	**4**	**8**	**11**	**14**	**24**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	12	1.7	1	<1	<1	1	2	3	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	5.6	4	3	4	6	7	8	8	13
20-34	522	5.3	3	3	3	5	6	7	8	11
35-49	48	6.1	7	3	3	5	7	8	10	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	6.1	9	2	3	6	7	10	11	14
20-34	343	6.0	5	3	4	6	7	8	10	13
35-49	54	5.9	7	3	4	5	6	8	13	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	607	5.3	4	3	3	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*	421	6.0	5	3	4	6	7	8	10	14
1. SINGLE DX	622	5.3	4	3	3	5	6	8	8	12
2. MULTIPLE DX	424	5.9	5	3	4	6	7	8	10	14
A. NOT OPERATED	18	2.1	3	<1	<1	2	3	4	6	7
B. OPERATED	1028	5.6	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	65	5.6	6	2	3	6	7	8	10	14
20-34	879	5.5	4	3	3	5	6	8	9	12
35-49	102	6.0	7	3	4	5	7	8	11	17
50-64										
65+										
GRAND TOTAL	**1046**	**5.5**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	846	1.3	2	<1	<1	<1	1	2	2	4
20-34	1609	1.2	1	<1	<1	<1	1	2	2	5
35-49	88	1.3	1	<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	10	3.9	11	<1	<1	2	7	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	610	1.6	2	<1	<1	1	2	2	3	8
20-34	1450	1.9	6	<1	<1	1	2	3	5	9
35-49	254	2.2	2	<1	<1	2	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5	1	1	1	1	2	3	4	4
B. *Operated*	2543	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	14	3.5	10	<1	<1	2	6	9	9	9
B. *Operated*	2314	1.8	5	<1	<1	1	2	3	4	8
1. SINGLE DX	2551	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX	2328	1.8	5	<1	<1	1	2	3	4	9
A. NOT OPERATED	22	2.8	7	<1	<1	1	4	8	9	9
B. OPERATED	4857	1.5	3	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	1462	1.4	2	<1	<1	1	2	2	3	5
20-34	3074	1.5	3	<1	<1	<1	2	2	3	7
35-49	343	2.0	2	<1	<1	1	3	4	5	7
50-64										
65+										
GRAND TOTAL	**4879**	**1.5**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	2	1.5	1	1	1	1	2	2	2	2
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**1.3**		**<1**	**<1**	**1**	**2**	**2**	**2**	**2**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.3	3	<1	1	2	3	4	6	10
20-34	788	2.1	3	<1	1	1	2	4	6	10
35-49	58	1.7	1	<1	1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	543	2.0	2	<1	1	2	2	4	5	9
20-34	3995	1.9	2	<1	1	1	2	4	5	9
35-49	425	1.7	2	<1	1	1	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	3	<1	1	2	3	5	7	8
20-34	92	3.1	8	1	1	2	4	6	11	14
35-49	8	3.4	5	1	1	3	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	73	2.5	4	<1	1	2	3	5	8	11
20-34	621	2.6	12	<1	1	2	3	5	7	15
35-49	84	2.9	15	<1	1	2	3	6	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	993	2.1	3	<1	1	2	3	4	6	10
B. *Operated*	4963	1.9	2	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	116	3.0	7	1	1	2	4	6	8	14
B. *Operated*	778	2.6	11	<1	1	2	3	5	7	16
1. SINGLE DX	5956	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	894	2.7	11	<1	1	2	3	5	7	15
A. NOT OPERATED	1109	2.2	3	<1	1	2	3	4	6	11
B. OPERATED	5741	2.0	4	<1	1	1	2	4	5	9
TOTAL 0-19 YRS	779	2.1	3	<1	1	2	3	4	5	9
20-34	5496	2.0	4	<1	1	1	2	4	5	9
35-49	575	1.9	4	<1	1	1	2	3	5	11
50-64										
65+										
GRAND TOTAL	**6850**	**2.0**	**4**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.2	3	1	1	3	4	5	7	10
20-34	165	3.6	34	<1	1	2	4	6	8	40
35-49	12	3.3	9	1	1	2	4	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	76	2.3	3	1	1	2	3	5	6	8
20-34	677	2.2	3	1	1	2	3	4	5	10
35-49	50	2.1	2	<1	<1	2	2	4	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	8	<1	1	3	6	8	10	11
20-34	52	3.2	7	<1	1	2	4	7	10	11
35-49	3	4.3	24	<1	<1	2	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.6	9	<1	<1	2	5	9	10	10
20-34	193	3.1	9	<1	1	2	4	7	9	14
35-49	24	3.7	10	1	1	3	5	8	10	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.5	25	1	1	2	4	6	8	34
B. *Operated*	803	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	73	3.4	7	<1	1	2	5	7	10	11
B. *Operated*	258	3.2	9	<1	1	2	4	8	10	13
1. SINGLE DX	1036	2.5	9	1	1	2	3	5	6	11
2. MULTIPLE DX	331	3.3	8	<1	1	2	4	8	10	13
A. NOT OPERATED	306	3.5	21	<1	1	2	4	6	8	25
B. OPERATED	1061	2.5	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	191	3.0	5	<1	1	2	4	6	8	10
20-34	1087	2.6	9	<1	1	2	3	5	7	13
35-49	89	2.7	6	<1	1	2	3	6	8	12
50-64										
65+										
GRAND TOTAL	**1367**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.0	4	1	1	3	4	5	7	10
20-34	1375	3.4	8	1	1	3	4	6	8	15
35-49	72	3.0	4	1	1	3	3	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.8	3	1	1	3	4	5	5	5
20-34	11	4.3	14	1	2	3	5	9	15	15
35-49	3	6.7	80	1	1	2	13	17	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.0	11	<1	1	3	5	9	11	15
20-34	210	4.2	15	1	1	3	5	7	11	20
35-49	14	3.0	2	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	11	6.5	52	1	2	4	6	18	25	26
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1640	3.3	7	1	1	3	4	6	8	14
B. *Operated*	20	4.2	18	1	1	3	4	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	259	4.1	14	1	1	3	5	7	10	19
B. *Operated*	13	6.2	46	1	1	4	6	16	24	26
1. SINGLE DX	1660	3.3	7	1	1	3	4	6	8	15
2. MULTIPLE DX	272	4.2	15	1	1	3	5	7	12	21
A. NOT OPERATED	1899	3.4	8	1	1	3	4	6	8	15
B. OPERATED	33	5.0	29	1	1	3	5	13	17	26
TOTAL 0-19 YRS	236	3.2	5	1	1	3	4	5	8	12
20-34	1607	3.5	9	1	1	3	4	6	8	15
35-49	89	3.1	6	1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**1932**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	16	<1	1	3	5	11	14	14
20-34	53	3.5	5	1	1	3	4	6	7	14
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	6	<1	<1	2	3	7	7	7
20-34	11	4.2	5	1	1	4	6	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	3.6	7	1	1	3	4	6	9	14
B. *Operated*	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	16	3.7	6	<1	1	3	6	7	7	7
B. *Operated*	2	4.0	18	1	1	4	7	7	7	7
1. SINGLE DX	71	3.6	7	1	1	3	4	6	9	14
2. MULTIPLE DX	18	3.7	6	<1	1	3	7	7	7	7
A. NOT OPERATED	83	3.6	7	<1	1	3	4	7	8	14
B. OPERATED	6	3.3	6	1	1	3	5	7	7	7
TOTAL 0-19 YRS	17	3.8	12	<1	<1	2	5	9	12	14
20-34	68	3.5	5	1	1	3	4	6	7	13
35-49	4	5.3	2	4	4	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**89**	**3.6**	**6**	**1**	**1**	**3**	**4**	**7**	**7**	**14**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	4.6	7	1	2	4	6	8	11	14
20-34	656	4.3	10	1	2	3	5	8	10	16
35-49	28	4.4	5	1	2	4	6	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.2	23	<1	1	4	5	11	17	19
20-34	121	5.4	36	<1	1	4	6	10	14	34
35-49	7	3.3	4	2	2	2	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	12	1	2	4	6	10	12	17
20-34	149	5.4	21	1	2	4	7	11	14	23
35-49	15	6.3	21	2	2	5	6	15	18	19
50-64										
65+										
B. *Operated*										
0-19 YRS	13	6.6	30	1	2	6	8	13	20	22
20-34	95	5.9	30	<1	1	4	8	12	17	25
35-49	9	4.1	10	1	1	2	7	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	4.4	9	1	2	4	6	8	10	16
B. *Operated*	142	5.2	33	<1	1	4	6	10	14	29
2. MULTIPLE DX										
A. *Not Operated*	192	5.4	19	1	2	4	7	10	14	23
B. *Operated*	117	5.9	28	1	1	4	7	12	17	25
1. SINGLE DX	935	4.5	13	1	2	4	6	8	11	17
2. MULTIPLE DX	309	5.6	23	1	2	4	7	11	15	25
A. NOT OPERATED	985	4.6	11	1	2	4	6	8	11	17
B. OPERATED	259	5.5	31	<1	1	4	7	12	16	25
TOTAL 0-19 YRS	164	4.9	11	1	2	4	6	9	11	19
20-34	1021	4.8	16	1	1	4	6	9	12	20
35-49	59	4.7	10	1	2	4	6	8	10	19
50-64										
65+										
GRAND TOTAL	**1244**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.7	5	1	2	3	5	6	8	13
20-34	568	5.0	16	1	2	4	6	9	13	21
35-49	19	5.1	15	1	1	4	6	10	14	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	9	4.0	19	1	1	2	4	11	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.7	27	1	1	3	5	8	14	29
20-34	140	4.8	15	1	1	4	6	9	14	19
35-49	11	8.7	45	3	3	6	12	18	25	26
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	6	6.0	30	2	2	4	5	16	17	17
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	4.7	14	1	2	4	6	8	12	20
B. *Operated*	11	4.8	22	1	1	3	5	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	195	5.0	20	1	1	4	6	10	15	25
B. *Operated*	9	5.0	22	1	1	4	5	12	17	17
1. SINGLE DX	740	4.7	14	1	2	4	6	8	12	20
2. MULTIPLE DX	204	5.0	20	1	1	4	6	10	15	25
A. NOT OPERATED	924	4.8	15	1	2	4	6	8	13	21
B. OPERATED	20	4.9	21	1	1	3	5	14	16	17
TOTAL 0-19 YRS	191	4.0	11	1	1	3	5	7	9	19
20-34	723	4.9	16	1	2	4	6	9	14	21
35-49	30	6.4	28	1	2	5	7	12	17	26
50-64										
65+										
GRAND TOTAL	**944**	**4.8**	**15**	**1**	**2**	**4**	**6**	**8**	**13**	**21**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	888	1.4	1	<1	<1	1	1	2	3	7
20-34	3762	1.4	2	<1	<1	1	1	2	3	7
35-49	136	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	113	1.6	3	<1	<1	1	2	2	4	11
20-34	468	1.4	1	<1	<1	1	1	2	3	8
35-49	17	1.1		<1	<1	1	1	1	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	1.7	2	<1	<1	1	2	3	4	7
20-34	316	2.0	6	<1	<1	1	2	4	6	11
35-49	15	1.9	4	<1	<1	1	1	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	22	1.4	1	<1	<1	1	2	3	3	4
20-34	107	2.3	5	<1	<1	1	3	5	7	12
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4786	1.4	2	<1	<1	1	1	2	3	7
B. *Operated*	598	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX										
A. *Not Operated*	411	1.9	5	<1	<1	1	2	4	6	10
B. *Operated*	131	2.1	4	<1	<1	1	2	4	7	11
1. SINGLE DX	5384	1.4	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX	542	2.0	5	<1	<1	1	2	4	6	10
A. NOT OPERATED	5197	1.4	2	<1	<1	1	1	2	3	7
B. OPERATED	729	1.6	2	<1	<1	1	1	3	4	9
TOTAL 0-19 YRS	1103	1.5	2	<1	<1	1	1	2	4	7
20-34	4653	1.4	3	<1	<1	1	1	2	3	8
35-49	170	1.3	1	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**5926**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	14	<1	<1	3	5	6	12	17
20-34	134	5.8	43	1	1	3	6	17	21	31
35-49	10	8.4	162	2	2	4	6	26	44	44
50-64										
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	28	7.9	143	1	1	4	5	25	32	55
35-49	3	7.0	75	2	2	2	13	17	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	55	<1	<1	3	11	19	19	19
20-34	33	6.9	100	1	1	4	8	13	15	58
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	15	12.2	272	1	1	5	17	32	54	61
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	5.7	47	1	1	3	6	17	20	34
B. *Operated*	32	7.8	130	1	1	4	6	22	30	55
2. MULTIPLE DX										
A. *Not Operated*	39	6.8	90	1	1	4	8	13	17	58
B. *Operated*	15	12.2	272	1	1	5	17	32	54	61
1. SINGLE DX	195	6.0	61	1	1	3	6	17	21	40
2. MULTIPLE DX	54	8.3	142	1	1	4	9	19	31	61
A. NOT OPERATED	202	5.9	55	1	1	3	6	15	20	39
B. OPERATED	47	9.2	174	1	1	4	10	27	35	61
TOTAL 0-19 YRS	25	4.4	22	<1	<1	3	6	8	17	19
20-34	210	6.7	83	1	1	3	7	18	26	56
35-49	14	7.9	124	2	2	4	6	20	39	44
50-64										
65+										
GRAND TOTAL	**249**	**6.5**	**79**	**1**	**1**	**3**	**6**	**17**	**22**	**55**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.3	15	<1	<1	2	4	7	10	25
20-34	530	3.2	10	<1	1	2	4	6	8	15
35-49	31	3.0	21	<1	<1	1	3	6	8	26
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.7	15	<1	1	2	4	9	12	18
20-34	150	3.1	7	<1	<1	2	4	6	8	12
35-49	10	2.4	3	1	1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	11	<1	<1	2	6	8	12	13
20-34	105	4.0	18	<1	1	3	5	8	9	27
35-49	8	2.3	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	20	4.0	10	<1	<1	3	5	8	11	14
20-34	71	4.5	14	<1	1	4	7	9	12	19
35-49	4	9.8	78	2	2	7	16	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	3.2	11	<1	1	2	4	6	8	17
B. *Operated*	192	3.1	8	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	137	3.8	16	<1	1	3	5	8	10	25
B. *Operated*	95	4.7	16	<1	1	4	6	9	12	21
1. SINGLE DX	861	3.2	10	<1	1	2	4	6	8	17
2. MULTIPLE DX	232	4.2	16	<1	1	3	5	8	11	22
A. NOT OPERATED	806	3.3	12	<1	1	2	4	7	8	18
B. OPERATED	287	3.6	11	<1	1	3	4	8	9	19
TOTAL 0-19 YRS	184	3.5	14	<1	<1	2	4	8	11	23
20-34	856	3.4	11	<1	1	2	4	7	9	16
35-49	53	3.3	21	<1	<1	2	3	6	10	26
50-64										
65+										
GRAND TOTAL	**1093**	**3.4**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	3.3	5	1	1	3	4	6	7	10
20-34	318	3.3	5	1	1	3	4	6	7	9
35-49	9	2.2	3	<1	<1	2	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.1	10	1	1	3	7	8	10	11
20-34	44	4.5	27	<1	1	3	6	7	20	26
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	3.9	5	1	1	4	5	6	8	12
20-34	253	3.9	7	<1	1	3	5	7	8	13
35-49	9	5.7	16	1	1	4	9	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.6	5	<1	1	4	5	7	8	8
20-34	47	3.9	9	1	1	3	5	8	10	13
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	3.3	4	1	1	3	4	6	7	9
B. *Operated*	62	4.4	22	<1	1	3	6	8	14	25
2. MULTIPLE DX										
A. *Not Operated*	369	3.9	6	1	1	4	5	7	8	13
B. *Operated*	59	3.8	8	<1	1	3	5	8	10	13
1. SINGLE DX	520	3.4	7	1	1	3	4	6	7	12
2. MULTIPLE DX	428	3.9	7	1	1	4	5	7	9	13
A. NOT OPERATED	827	3.6	5	1	1	3	5	6	8	12
B. OPERATED	121	4.1	15	<1	1	3	6	8	10	22
TOTAL 0-19 YRS	268	3.6	5	1	1	3	5	7	8	11
20-34	662	3.7	7	1	1	3	5	7	8	13
35-49	18	3.9	12	<1	1	3	6	9	11	13
50-64										
65+										
GRAND TOTAL	**948**	**3.7**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.7	42	<1	<1	4	7	13	21	30
20-34	258	4.7	19	<1	1	4	6	8	13	26
35-49	25	5.0	16	<1	<1	4	7	11	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	5	6.4	21	<1	<1	8	10	11	11	11
20-34	47	3.9	7	<1	<1	3	5	8	9	12
35-49	3	16.0	211	<1	<1	17	27	30	30	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.4	14	<1	<1	2	4	8	9	21
20-34	599	4.8	41	<1	1	3	5	10	16	39
35-49	38	7.9	103	1	2	4	9	17	33	50
50-64										
65+										
B. *Operated*										
0-19 YRS	54	3.1	13	<1	<1	2	3	8	10	22
20-34	254	3.9	22	<1	<1	2	5	9	14	23
35-49	10	4.8	12	1	1	4	7	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	4.9	22	<1	1	4	6	9	14	27
B. *Operated*	55	4.8	23	<1	<1	3	6	9	12	29
2. MULTIPLE DX										
A. *Not Operated*	748	4.8	41	<1	1	3	5	10	15	39
B. *Operated*	318	3.8	20	<1	<1	2	5	9	12	22
1. SINGLE DX	378	4.8	22	<1	1	4	6	9	14	27
2. MULTIPLE DX	1066	4.5	35	<1	<1	3	5	9	15	35
A. NOT OPERATED	1071	4.8	35	<1	1	3	6	10	15	33
B. OPERATED	373	4.0	21	<1	<1	2	5	9	12	23
TOTAL 0-19 YRS	210	3.8	20	<1	<1	2	5	8	11	28
20-34	1158	4.6	31	<1	1	3	5	9	15	30
35-49	76	6.8	69	<1	1	4	8	15	21	47
50-64										
65+										
GRAND TOTAL	**1444**	**4.6**	**32**	**<1**	**1**	**3**	**5**	**9**	**15**	**30**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	2.8	8	<1	<1	2	3	6	8	14
20-34	1639	3.6	30	<1	<1	2	4	8	12	28
35-49	70	5.6	142	<1	<1	2	5	11	20	70
50-64										
65+										
B. *Operated*										
0-19 YRS	177	3.1	17	<1	<1	2	4	6	9	22
20-34	1237	3.3	23	<1	<1	2	4	7	9	23
35-49	54	3.3	9	<1	1	2	4	7	9	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	4.0	16	<1	<1	3	4	10	13	18
20-34	781	4.6	57	<1	1	2	5	9	13	47
35-49	39	3.5	9	<1	<1	3	4	7	11	13
50-64										
65+										
B. *Operated*										
0-19 YRS	92	4.4	18	<1	<1	3	6	11	15	19
20-34	625	4.4	41	<1	<1	2	5	10	14	33
35-49	33	3.9	18	<1	<1	3	4	10	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2079	3.5	30	<1	<1	2	4	7	11	27
B. *Operated*	1468	3.3	21	<1	<1	2	4	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	947	4.5	49	<1	1	3	5	9	13	44
B. *Operated*	750	4.4	37	<1	<1	2	5	10	14	32
1. SINGLE DX	3547	3.4	26	<1	<1	2	4	7	11	27
2. MULTIPLE DX	1697	4.4	44	<1	<1	2	5	9	14	33
A. NOT OPERATED	3026	3.8	36	<1	<1	2	4	8	12	28
B. OPERATED	2218	3.6	27	<1	<1	2	4	8	11	27
TOTAL 0-19 YRS	766	3.2	13	<1	<1	2	4	7	10	17
20-34	4282	3.8	34	<1	<1	2	4	8	12	31
35-49	196	4.3	59	<1	<1	2	4	9	13	49
50-64										
65+										
GRAND TOTAL	**5244**	**3.7**	**32**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	1	3	3	4	5	6	7	7
20-34	95	5.7	42	2	3	4	6	7	12	44
35-49	3	8.0	28	4	4	6	12	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	10	7.0	32	3	3	5	7	16	22	22
20-34	82	7.0	24	3	4	5	7	13	19	26
35-49	2	11.0	98	4	4	11	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.1	6	2	3	4	6	8	11	13
20-34	152	4.6	6	2	3	4	5	7	9	17
35-49	17	5.2	3	3	3	5	6	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	31	12.4	216	3	4	6	10	39	42	62
20-34	361	11.0	132	3	4	7	12	24	35	58
35-49	35	12.6	154	3	3	8	17	35	43	52
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	5.6	35	2	3	4	6	7	12	37
B. *Operated*	94	7.1	25	3	4	5	7	14	21	25
2. MULTIPLE DX										
A. *Not Operated*	192	4.7	6	2	3	4	5	7	9	16
B. *Operated*	427	11.2	139	3	4	7	12	24	37	59
1. SINGLE DX	209	6.2	31	3	3	5	6	11	15	26
2. MULTIPLE DX	619	9.2	107	3	3	6	9	19	30	57
A. NOT OPERATED	307	5.0	17	2	3	4	5	7	9	20
B. OPERATED	521	10.5	121	3	4	6	11	23	35	58
TOTAL 0-19 YRS	81	8.0	99	3	3	5	7	13	33	56
20-34	690	8.4	87	3	3	5	8	17	25	57
35-49	57	10.1	109	3	3	6	10	22	36	52
50-64										
65+										
GRAND TOTAL	**828**	**8.5**	**89**	**3**	**3**	**5**	**8**	**17**	**25**	**56**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1947	4.4	3	2	3	4	5	6	7	10
20-34	13934	4.1	2	2	3	4	5	6	6	8
35-49	491	4.1	2	2	3	4	5	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	407	4.8	5	3	3	4	5	6	8	15
20-34	2757	4.7	3	3	3	4	5	7	8	12
35-49	115	4.8	4	3	3	5	5	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	4.7	3	3	3	4	5	7	8	10
20-34	3243	4.4	3	2	3	4	5	6	7	9
35-49	126	4.5	2	2	3	4	5	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	144	5.0	3	3	3	5	6	7	8	9
20-34	2365	5.0	4	3	3	5	6	7	8	11
35-49	233	5.2	3	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16372	4.2	2	2	3	4	5	6	6	8
B. *Operated*	3279	4.7	3	3	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3880	4.4	3	2	3	4	5	6	7	9
B. *Operated*	2742	5.1	4	3	3	5	6	7	8	11
1. SINGLE DX	19651	4.3	2	2	3	4	5	6	7	9
2. MULTIPLE DX	6622	4.7	3	3	3	4	5	6	7	10
A. NOT OPERATED	20252	4.2	2	2	3	4	5	6	6	9
B. OPERATED	6021	4.9	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	3009	4.5	3	2	3	4	5	6	7	10
20-34	22299	4.3	3	2	3	4	5	6	7	9
35-49	965	4.5	3	2	3	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**26273**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	8.2	210	1	2	4	5	16	48	65
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	6.4	6	4	4	5	8	10	10	10
20-34	38	12.6	135	4	5	7	17	30	40	53
35-49	4	10.3	62	5	5	7	15	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.2	4	1	1	5	6	91	99+	99+
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	11.3	38	6	6	10	14	21	22	22
20-34	146	13.3	164	4	5	8	16	28	46	62
35-49	31	13.5	168	5	5	8	13	37	46	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.7	194	1	2	4	5	10	45	65
B. *Operated*	47	11.7	117	4	5	7	14	23	37	53
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	4	1	1	5	6	91	99+	99+
B. *Operated*	183	13.3	160	4	5	8	16	28	45	62
1. SINGLE DX	71	10.4	144	2	3	6	9	23	36	62
2. MULTIPLE DX	188	13.0	158	4	5	8	15	28	46	65
A. NOT OPERATED	29	7.1	162	1	1	4	5	21	65	99+
B. OPERATED	230	12.9	151	4	5	8	15	28	43	61
TOTAL 0-19 YRS	13	8.1	30	2	3	6	10	16	21	22
20-34	211	12.4	162	3	4	7	14	28	45	66
35-49	35	13.1	155	5	5	8	13	34	45	54
50-64										
65+										
GRAND TOTAL	**259**	**12.3**	**155**	**3**	**4**	**7**	**13**	**28**	**44**	**65**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.9	8	<1	1	3	6	8	9	9
20-34	82	4.3	11	1	1	3	5	8	10	18
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.4	8	3	3	6	8	10	11	11
20-34	70	6.4	11	2	3	6	8	10	12	20
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	4	2	2	4	5	8	9	9
20-34	92	4.9	16	2	2	4	6	7	8	27
35-49	6	3.5	3	1	1	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	7.5	51	2	3	6	8	13	25	36
20-34	315	7.2	42	3	3	6	8	12	17	43
35-49	21	6.9	15	3	4	6	7	13	16	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.2	10	1	1	3	6	8	9	18
B. *Operated*	81	6.3	10	2	3	6	8	10	11	20
2. MULTIPLE DX										
A. *Not Operated*	115	4.8	14	2	2	4	6	7	8	21
B. *Operated*	368	7.2	41	3	3	6	7	12	18	39
1. SINGLE DX	182	5.2	11	1	2	5	7	9	11	19
2. MULTIPLE DX	483	6.6	36	2	3	5	7	10	15	38
A. NOT OPERATED	216	4.5	12	1	2	4	6	7	9	18
B. OPERATED	449	7.0	36	3	3	6	8	11	16	38
TOTAL 0-19 YRS	74	5.8	28	1	2	5	7	9	11	33
20-34	559	6.3	31	2	2	5	7	10	14	37
35-49	32	5.9	12	2	3	5	6	10	14	19
50-64										
65+										
GRAND TOTAL	**665**	**6.2**	**30**	**2**	**2**	**5**	**7**	**10**	**14**	**36**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	5	1	1	5	6	6	6	6
20-34	27	3.7	3	1	1	4	4	5	8	9
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.9	2	1	2	4	5	5	6	6
20-34	250	4.0	2	1	2	4	5	6	6	8
35-49	9	4.0	6	1	1	4	5	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	17	3	3	5	7	13	14	14
20-34	43	4.2	2	2	3	4	5	6	7	7
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.2	2	2	2	4	5	6	7	7
20-34	256	4.8	4	3	3	5	6	7	8	14
35-49	14	4.8	1	3	3	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.7	3	<1	1	4	5	5	8	9
B. *Operated*	282	4.0	2	1	2	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	51	4.5	4	3	3	4	5	6	7	14
B. *Operated*	291	4.8	4	2	3	5	6	7	8	14
1. SINGLE DX	316	3.9	3	1	2	4	5	6	6	9
2. MULTIPLE DX	342	4.7	4	2	3	4	5	7	7	14
A. NOT OPERATED	85	4.2	4	1	2	4	5	6	7	12
B. OPERATED	573	4.4	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	54	4.3	4	1	2	4	5	6	7	14
20-34	576	4.4	3	2	3	4	5	6	7	10
35-49	28	4.3	3	1	1	4	6	6	7	9
50-64										
65+										
GRAND TOTAL	**658**	**4.3**	**3**	**1**	**2**	**4**	**5**	**6**	**7**	**10**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.6	3	2	3	4	5	7	7	12
20-34	202	4.3	2	2	3	4	5	6	6	8
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	13	5.7	6	3	4	5	6	8	12	13
20-34	67	4.8	8	2	3	4	5	7	7	20
35-49	4	4.8	2	3	3	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.5	2	4	4	5	6	7	9	10
20-34	106	4.7	4	2	3	5	5	7	8	12
35-49	6	5.0	7	2	2	4	5	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	17	5.5	3	3	4	5	6	7	9	10
20-34	144	5.2	3	3	3	5	6	7	8	11
35-49	7	5.0	2	3	3	5	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	4.3	2	2	3	4	5	6	6	8
B. *Operated*	84	4.9	7	2	3	5	6	7	7	19
2. MULTIPLE DX										
A. *Not Operated*	132	4.9	3	2	3	5	6	7	8	11
B. *Operated*	168	5.2	3	3	3	5	6	7	8	11
1. SINGLE DX	330	4.5	3	2	3	4	5	6	7	12
2. MULTIPLE DX	300	5.1	3	3	3	5	6	7	8	11
A. NOT OPERATED	378	4.5	3	2	3	4	5	6	7	10
B. OPERATED	252	5.1	4	3	3	5	6	7	8	13
TOTAL 0-19 YRS	90	5.1	3	3	3	5	6	7	7	13
20-34	519	4.7	3	2	3	5	5	7	7	10
35-49	21	4.7	3	2	3	4	6	7	8	10
50-64										
65+										
GRAND TOTAL	**630**	**4.8**	**3**	**2**	**3**	**5**	**5**	**7**	**7**	**11**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	31	6.9	22	2	3	6	9	11	15	26
35-49	4	8.3	23	4	4	7	11	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.7	1	8	8	8	10	10	10	10
20-34	26	8.4	46	4	5	6	8	16	29	30
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	93	2	2	5	16	20	20	20
20-34	59	8.5	93	2	2	5	8	19	33	48
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	18	10.6	208	5	5	7	8	11	46	68
20-34	340	11.3	133	4	4	7	12	24	33	58
35-49	21	10.3	107	1	3	8	10	26	36	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.9	20	2	3	6	8	11	15	26
B. *Operated*	31	8.5	39	4	5	6	8	14	28	30
2. MULTIPLE DX										
A. *Not Operated*	63	8.4	91	2	2	5	8	20	30	48
B. *Operated*	379	11.2	134	3	4	7	11	24	33	65
1. SINGLE DX	69	7.7	29	3	4	6	8	13	16	30
2. MULTIPLE DX	442	10.8	129	3	4	7	11	22	33	57
A. NOT OPERATED	101	7.9	64	2	3	5	8	15	22	46
B. OPERATED	410	11.0	128	3	4	7	11	23	31	61
TOTAL 0-19 YRS	27	9.6	147	4	5	7	8	12	27	68
20-34	456	10.4	117	3	4	7	11	21	30	50
35-49	28	9.8	84	2	3	7	11	21	31	44
50-64										
65+										
GRAND TOTAL	**511**	**10.4**	**116**	**3**	**4**	**7**	**10**	**21**	**30**	**52**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	1	2	2	3	4	5	5	5
20-34	112	4.5	5	2	3	4	5	6	8	15
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	47	5.8	4	3	3	6	7	8	9	14
20-34	530	5.7	4	3	4	6	7	8	9	11
35-49	16	5.8	3	3	3	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.6	15	2	2	4	7	12	14	14
20-34	82	4.6	9	2	2	4	5	6	7	23
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	93	6.8	23	2	4	6	7	9	12	35
20-34	1017	6.7	19	3	4	6	7	9	12	23
35-49	79	8.5	76	3	4	7	8	13	17	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	4.5	5	2	3	4	5	6	8	15
B. *Operated*	593	5.7	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	90	4.7	10	2	2	4	5	6	7	22
B. *Operated*	1189	6.8	23	3	4	6	7	10	12	26
1. SINGLE DX	716	5.5	4	3	3	5	7	8	9	12
2. MULTIPLE DX	1279	6.7	22	3	4	6	7	9	12	26
A. NOT OPERATED	213	4.6	7	2	2	4	5	6	8	15
B. OPERATED	1782	6.5	17	3	4	6	7	9	11	22
TOTAL 0-19 YRS	156	6.3	16	2	3	6	7	8	12	26
20-34	1741	6.2	13	3	3	6	7	9	10	20
35-49	98	7.9	63	3	4	7	8	11	16	54
50-64										
65+										
GRAND TOTAL	**1995**	**6.3**	**16**	**3**	**3**	**6**	**7**	**9**	**11**	**21**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.5	3	1	2	4	6	7	7	7
20-34	220	4.4	2	3	3	4	5	6	7	9
35-49	7	4.7	5	1	2	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	108	5.5	5	3	3	5	6	9	10	13
20-34	730	5.4	6	3	3	5	6	8	9	15
35-49	27	5.6	5	3	3	6	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.9	12	2	3	4	5	5	12	19
20-34	209	4.5	3	2	3	4	5	7	8	10
35-49	8	5.4	19	3	3	4	5	13	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	238	6.2	14	3	4	5	7	9	12	18
20-34	2211	6.0	9	3	4	6	7	8	10	17
35-49	147	6.7	11	3	4	6	8	10	13	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	4.4	2	2	3	4	5	6	7	8
B. *Operated*	865	5.4	6	3	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	237	4.6	4	2	3	4	5	7	8	14
B. *Operated*	2596	6.1	9	3	4	6	7	8	10	17
1. SINGLE DX	1115	5.2	5	3	3	5	6	7	8	13
2. MULTIPLE DX	2833	5.9	9	3	4	5	7	8	10	17
A. NOT OPERATED	487	4.5	3	2	3	4	5	6	7	10
B. OPERATED	3461	5.9	8	3	4	5	7	8	10	17
TOTAL 0-19 YRS	389	5.8	11	3	4	5	7	9	11	17
20-34	3370	5.7	7	3	3	5	7	8	9	16
35-49	189	6.4	10	3	3	6	7	9	12	21
50-64										
65+										
GRAND TOTAL	**3948**	**5.7**	**8**	**3**	**3**	**5**	**7**	**8**	**10**	**17**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	15	4.2	1	1	3	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	104	7.4	6	4	5	7	9	11	12	17
20-34	634	6.7	4	4	5	7	8	9	10	13
35-49	13	7.2	3	5	5	7	9	9	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	5.2	4	2	3	5	6	8	9	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	247	8.6	43	5	5	7	9	12	14	39
20-34	1759	7.5	13	4	5	7	8	10	12	22
35-49	79	8.1	12	5	5	7	9	12	15	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.2	3	1	2	4	5	5	7	9
B. *Operated*	751	6.8	4	4	5	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	22	5.0	4	2	3	5	6	8	9	10
B. *Operated*	2085	7.7	17	5	5	7	8	10	13	24
1. SINGLE DX	770	6.8	4	4	5	7	8	9	10	14
2. MULTIPLE DX	2107	7.6	17	4	5	7	8	10	13	24
A. NOT OPERATED	41	4.7	4	2	2	4	5	8	9	10
B. OPERATED	2836	7.5	13	4	5	7	8	10	12	21
TOTAL 0-19 YRS	356	8.2	32	5	5	7	9	12	14	33
20-34	2428	7.3	11	4	5	7	8	10	12	20
35-49	93	7.9	11	5	5	7	9	11	14	22
50-64										
65+										
GRAND TOTAL	**2877**	**7.4**	**13**	**4**	**5**	**7**	**8**	**10**	**12**	**21**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.6	2	3	3	4	5	7	8	9
20-34	319	4.8	8	3	3	5	5	6	7	9
35-49	5	4.2	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	129	5.3	5	3	3	5	6	8	9	15
20-34	827	5.0	3	3	3	5	6	7	8	10
35-49	24	5.0	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.1	2	3	3	5	6	7	7	8
20-34	348	5.0	3	3	3	5	6	7	8	10
35-49	9	3.4	3	1	1	4	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	231	6.2	7	3	4	6	7	9	11	15
20-34	1941	5.9	9	3	4	5	7	8	10	15
35-49	92	6.5	8	4	4	6	7	9	12	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	4.8	7	3	3	5	5	6	7	9
B. *Operated*	980	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	403	5.0	3	3	3	5	6	7	8	10
B. *Operated*	2264	6.0	8	3	4	5	7	8	10	16
1. SINGLE DX	1349	5.0	4	3	3	5	6	7	8	10
2. MULTIPLE DX	2667	5.8	8	3	4	5	7	8	10	15
A. NOT OPERATED	772	4.9	5	3	3	5	6	7	7	10
B. OPERATED	3244	5.7	7	3	4	5	7	8	9	14
TOTAL 0-19 YRS	451	5.7	6	3	3	5	7	8	9	15
20-34	3435	5.5	7	3	3	5	6	8	9	13
35-49	130	5.9	7	3	3	6	7	9	10	18
50-64										
65+										
GRAND TOTAL	**4016**	**5.5**	**7**	**3**	**3**	**5**	**6**	**8**	**9**	**14**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	1	3	3	4	5	6	6	6
20-34	87	4.5	2	2	3	5	5	6	7	9
35-49	6	4.3	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.0	3	3	3	5	6	7	10	10
20-34	154	6.3	53	3	3	5	7	8	11	13
35-49	4	9.3	47	3	3	7	13	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.6	1	3	4	5	5	6	7	7
20-34	181	4.9	1	4	4	5	5	6	7	8
35-49	7	3.9	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	51	7.2	14	3	4	6	8	11	16	20
20-34	384	7.3	35	3	4	6	8	11	14	24
35-49	32	10.3	248	4	4	7	9	12	17	95
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.5	2	2	3	5	5	6	7	9
B. *Operated*	170	6.3	50	3	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	208	4.9	1	3	4	5	5	6	7	8
B. *Operated*	467	7.5	47	3	4	6	8	11	15	25
1. SINGLE DX	270	5.6	33	3	3	5	6	8	9	13
2. MULTIPLE DX	675	6.7	35	3	4	6	7	10	12	22
A. NOT OPERATED	308	4.7	2	3	3	5	5	6	7	8
B. OPERATED	637	7.2	48	3	4	6	8	10	13	23
TOTAL 0-19 YRS	90	6.1	10	3	4	5	7	10	12	20
20-34	806	6.3	29	3	4	5	7	9	11	21
35-49	49	8.5	170	3	3	6	8	11	18	95
50-64										
65+										
GRAND TOTAL	**945**	**6.4**	**34**	**3**	**4**	**5**	**7**	**9**	**11**	**21**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	4.3	4	1	2	4	6	6	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	63	6.6	2	4	5	6	7	9	9	10
20-34	1791	6.7	2	5	5	7	7	8	9	11
35-49	76	6.9	2	5	5	7	8	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	4.0	3	1	1	4	5	6	7	8
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	75	7.2	8	4	5	7	8	9	12	22
20-34	2782	7.3	10	4	5	7	8	9	11	21
35-49	274	7.4	6	4	5	7	8	10	12	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.3	4	1	2	4	6	6	8	8
B. *Operated*	1930	6.7	2	5	5	7	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	25	4.0	3	1	1	4	5	6	7	8
B. *Operated*	3131	7.3	10	4	5	7	8	9	11	20
1. SINGLE DX	1946	6.7	2	5	5	7	7	8	9	11
2. MULTIPLE DX	3156	7.3	10	4	5	7	8	9	11	20
A. NOT OPERATED	41	4.1	3	1	2	4	5	6	7	8
B. OPERATED	5061	7.1	7	5	5	7	8	9	10	16
TOTAL 0-19 YRS	138	6.9	5	4	5	7	7	9	10	17
20-34	4610	7.0	7	4	5	7	8	9	10	17
35-49	354	7.2	5	4	5	7	8	9	11	15
50-64										
65+										
GRAND TOTAL	**5102**	**7.1**	**7**	**4**	**5**	**7**	**8**	**9**	**10**	**16**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	5.1	17	2	3	4	5	7	9	29
20-34	426	4.4	2	2	3	4	5	6	7	9
35-49	17	5.3	13	2	3	4	5	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	72	5.3	6	3	3	5	6	7	8	18
20-34	475	5.1	8	3	3	5	6	7	8	12
35-49	19	5.1	3	3	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.2	43	2	3	4	6	11	16	44
20-34	385	4.9	7	2	3	5	6	8	8	15
35-49	20	4.7	2	2	3	4	5	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	123	6.5	21	3	3	6	7	10	12	26
20-34	1335	5.9	12	3	3	5	7	9	10	20
35-49	101	6.1	8	3	3	6	7	9	11	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	4.5	4	2	3	4	5	6	7	12
B. *Operated*	566	5.2	7	3	3	5	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	455	5.1	11	2	3	4	6	8	9	17
B. *Operated*	1559	5.9	12	3	3	5	7	9	11	20
1. SINGLE DX	1051	4.8	6	3	3	4	5	7	8	12
2. MULTIPLE DX	2014	5.7	12	3	3	5	7	9	10	19
A. NOT OPERATED	940	4.8	7	2	3	4	5	7	8	14
B. OPERATED	2125	5.7	11	3	3	5	7	8	10	19
TOTAL 0-19 YRS	287	5.9	20	3	3	5	7	9	12	26
20-34	2621	5.4	9	3	3	5	6	8	9	16
35-49	157	5.7	8	3	3	5	7	9	11	17
50-64										
65+										
GRAND TOTAL	**3065**	**5.4**	**10**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.3	1	3	3	4	5	6	7	8
20-34	847	4.2	2	2	3	4	5	6	6	8
35-49	28	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	44	4.5	3	2	3	4	5	7	8	9
20-34	337	4.6	2	3	3	4	5	6	7	10
35-49	13	4.3	1	2	3	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.0	12	2	3	4	6	7	8	25
20-34	549	4.5	3	2	3	4	5	6	7	9
35-49	31	4.5	3	2	2	4	6	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	55	5.4	3	2	3	5	6	8	8	12
20-34	668	5.2	6	3	3	5	6	7	8	13
35-49	50	5.4	2	3	4	5	7	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	972	4.2	2	2	3	4	5	6	6	8
B. *Operated*	394	4.6	2	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	668	4.6	4	2	3	4	5	6	7	10
B. *Operated*	773	5.2	5	3	3	5	6	7	8	13
1. SINGLE DX	1366	4.3	2	2	3	4	5	6	6	9
2. MULTIPLE DX	1441	4.9	5	3	3	5	6	7	8	12
A. NOT OPERATED	1640	4.4	3	2	3	4	5	6	7	9
B. OPERATED	1167	5.0	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	284	4.8	5	2	3	4	5	7	8	11
20-34	2401	4.6	3	3	3	4	5	6	7	10
35-49	122	4.7	3	2	3	5	6	7	8	9
50-64										
65+										
GRAND TOTAL	**2807**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.4	6	2	2	4	5	6	6	18
20-34	421	4.1	2	2	2	4	5	6	7	8
35-49	19	4.5	2	2	3	4	6	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	343	4.3	3	2	2	4	5	6	7	10
20-34	3995	4.1	2	2	3	4	5	6	6	8
35-49	205	4.1	2	2	3	4	5	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.8	8	1	2	4	5	8	12	14
20-34	206	4.4	2	2	3	4	5	6	7	10
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	187	4.9	10	2	3	4	5	7	9	14
20-34	3117	4.8	4	2	3	4	5	7	8	12
35-49	253	5.2	5	3	3	5	6	8	10	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	4.2	2	2	2	4	5	6	6	8
B. *Operated*	4543	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	227	4.4	3	2	3	4	5	6	7	10
B. *Operated*	3557	4.8	5	2	3	4	6	7	8	12
1. SINGLE DX	5024	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX	3784	4.8	5	2	3	4	5	7	8	12
A. NOT OPERATED	708	4.2	2	2	3	4	5	6	7	9
B. OPERATED	8100	4.4	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	588	4.5	6	2	3	4	5	6	8	14
20-34	7739	4.4	3	2	3	4	5	6	7	10
35-49	481	4.7	4	2	3	4	5	7	8	12
50-64										
65+										
GRAND TOTAL	**8808**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	2	1	1	4	5	5	5	5
20-34	103	5.2	15	2	3	5	5	7	9	27
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	108	4.6	3	3	3	4	5	6	8	11
20-34	672	4.5	3	3	3	4	5	6	7	9
35-49	23	4.7	7	2	3	4	6	8	10	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	33	5.4	7	3	3	5	6	8	12	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	83	5.1	4	2	3	5	6	7	9	13
20-34	709	5.1	3	3	3	5	6	7	8	12
35-49	39	5.2	3	3	3	5	6	8	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	5.0	14	2	3	4	5	7	9	25
B. *Operated*	803	4.6	3	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	37	5.6	7	3	3	5	7	8	12	15
B. *Operated*	831	5.1	3	3	3	5	6	7	8	12
1. SINGLE DX	917	4.6	5	3	3	4	5	6	7	9
2. MULTIPLE DX	868	5.1	4	3	3	5	6	7	8	12
A. NOT OPERATED	151	5.2	12	2	3	5	6	7	9	17
B. OPERATED	1634	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	206	4.8	3	2	3	5	6	7	8	12
20-34	1517	4.8	4	3	3	5	6	7	8	11
35-49	62	5.0	4	2	3	5	6	8	8	14
50-64										
65+										
GRAND TOTAL	**1785**	**4.8**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	2	2	2	5	6	6	6	6
20-34	29	4.1	2	2	2	4	5	6	6	7
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	30	4.3	2	2	2	4	5	6	6	8
20-34	158	4.2	1	2	3	4	5	6	6	7
35-49	3	6.3	4	4	4	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	23	5.4	11	2	3	4	6	11	14	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	30	5.2	4	3	3	5	6	7	9	13
20-34	195	5.4	7	3	3	5	6	8	10	18
35-49	10	7.1	7	4	4	7	8	11	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.5	6	2	2	4	5	6	7	17
B. *Operated*	191	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	26	5.3	10	2	3	5	5	10	14	15
B. *Operated*	235	5.4	7	3	3	5	6	8	10	15
1. SINGLE DX	228	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX	261	5.4	7	3	3	5	6	8	10	15
A. NOT OPERATED	63	4.9	8	2	2	4	5	6	11	17
B. OPERATED	426	4.9	5	3	3	5	6	7	8	12
TOTAL 0-19 YRS	70	4.7	3	2	3	5	6	7	7	12
20-34	405	4.9	5	2	3	4	5	7	8	13
35-49	14	7.6	13	4	4	7	8	13	16	17
50-64										
65+										
GRAND TOTAL	**489**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**14**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	371	4.9	8	2	2	4	5	8	10	17
20-34	2196	4.6	8	2	3	4	5	6	8	16
35-49	94	5.0	7	2	3	4	6	8	9	17
50-64										
65+										
B. *Operated*										
0-19 YRS	464	5.8	22	2	3	5	6	9	12	27
20-34	3270	5.4	11	3	3	5	6	8	10	21
35-49	134	5.8	15	3	3	5	7	9	10	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	5.0	10	2	2	4	6	7	9	20
20-34	1955	4.9	11	2	2	4	6	7	9	18
35-49	94	5.2	13	2	3	5	6	8	9	26
50-64										
65+										
B. *Operated*										
0-19 YRS	1002	6.5	31	3	3	5	7	11	14	28
20-34	7908	6.4	24	3	3	5	7	10	14	28
35-49	562	7.2	25	3	4	6	8	11	16	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2661	4.6	8	2	3	4	5	7	9	16
B. *Operated*	3868	5.5	12	3	3	5	6	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	2376	5.0	11	2	2	4	6	7	9	18
B. *Operated*	9472	6.5	24	3	3	5	7	10	14	29
1. SINGLE DX	6529	5.1	11	2	3	4	6	8	10	20
2. MULTIPLE DX	11848	6.2	22	3	3	5	7	10	13	27
A. NOT OPERATED	5037	4.8	9	2	2	4	5	7	9	17
B. OPERATED	13340	6.2	21	3	3	5	7	10	13	27
TOTAL 0-19 YRS	2164	5.9	22	2	3	5	6	10	12	25
20-34	15329	5.8	18	2	3	5	6	9	12	25
35-49	884	6.5	21	3	3	5	7	10	14	29
50-64										
65+										
GRAND TOTAL	**18377**	**5.8**	**18**	**2**	**3**	**5**	**6**	**9**	**12**	**25**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.0	5	2	2	3	5	6	9	10
20-34	92	4.0	3	1	2	4	5	7	7	9
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	3.6	8	<1	1	3	4	6	10	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	9	1	1	4	7	9	10	10
20-34	30	4.6	7	1	1	4	6	9	10	11
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	7.3	43	1	1	4	10	18	22	22
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	4.0	4	1	2	4	5	7	7	9
B. *Operated*	17	3.7	7	<1	1	4	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	40	4.8	7	1	1	4	7	9	10	11
B. *Operated*	14	6.6	35	1	2	4	8	16	21	22
1. SINGLE DX	127	4.0	4	1	2	4	5	6	7	10
2. MULTIPLE DX	54	5.2	15	1	2	4	7	10	11	22
A. NOT OPERATED	150	4.2	5	1	2	4	6	7	8	10
B. OPERATED	31	5.0	21	1	1	4	6	11	15	22
TOTAL 0-19 YRS	26	4.4	6	1	2	4	6	8	10	10
20-34	148	4.3	8	1	2	4	5	7	9	15
35-49	7	5.1	1	4	4	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**181**	**4.3**	**7**	**1**	**2**	**4**	**6**	**7**	**9**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	1	<1	1	2	2	4	5	5
20-34	129	2.1	2	1	1	2	2	4	5	8
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	46	1.8	2	<1	<1	1	2	3	4	10
20-34	401	1.9	3	<1	<1	1	2	4	5	10
35-49	19	2.0	5	<1	<1	1	2	4	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	34	2.6	2	1	1	2	4	5	5	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	23	2.5	2	<1	1	2	3	4	6	7
20-34	157	2.5	3	<1	1	2	3	5	6	9
35-49	7	4.7	16	1	1	4	8	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.1	2	1	1	2	2	4	5	7
B. *Operated*	466	1.9	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	41	2.6	2	1	1	2	3	5	5	6
B. *Operated*	187	2.6	4	<1	1	2	3	5	6	10
1. SINGLE DX	616	2.0	3	<1	1	1	2	4	5	10
2. MULTIPLE DX	228	2.6	3	1	1	2	3	5	6	10
A. NOT OPERATED	191	2.2	2	1	1	2	3	4	5	7
B. OPERATED	653	2.1	3	<1	1	1	2	4	6	10
TOTAL 0-19 YRS	91	2.0	2	<1	1	2	2	4	5	9
20-34	721	2.1	3	<1	1	2	2	4	5	9
35-49	32	2.7	7	<1	1	2	3	6	10	11
50-64										
65+										
GRAND TOTAL	**844**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.9	3	2	3	5	6	7	8	8
20-34	86	4.9	21	1	2	4	6	9	13	27
35-49	4	5.0	7	2	2	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.7	8	1	1	3	7	8	8	8
20-34	86	4.6	15	1	1	4	5	9	14	21
35-49	6	3.7	8	1	1	3	4	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	4.4	14	1	1	3	6	10	14	14
20-34	41	7.7	72	2	2	5	9	13	25	45
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	7	7.6	112	2	2	3	7	26	31	31
20-34	47	4.7	10	1	1	4	6	8	10	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.9	18	1	2	4	6	8	11	26
B. *Operated*	102	4.5	14	1	1	4	5	8	13	20
2. MULTIPLE DX										
A. *Not Operated*	53	7.0	60	1	2	5	9	13	16	45
B. *Operated*	54	5.1	22	1	2	4	6	8	12	30
1. SINGLE DX	205	4.7	16	1	1	4	6	8	12	24
2. MULTIPLE DX	107	6.0	42	1	2	4	7	11	14	40
A. NOT OPERATED	156	5.6	33	1	2	4	6	10	13	37
B. OPERATED	156	4.7	17	1	1	4	6	8	12	23
TOTAL 0-19 YRS	41	4.9	25	1	1	4	6	8	11	31
20-34	260	5.2	26	1	1	4	6	10	13	28
35-49	11	4.6	8	1	1	4	7	9	9	9
50-64										
65+										
GRAND TOTAL	**312**	**5.2**	**25**	**1**	**1**	**4**	**6**	**9**	**13**	**30**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	4.7	10	1	2	4	6	9	11	15
20-34	250	4.9	17	1	2	4	6	8	11	23
35-49	160	4.9	10	2	2	4	6	8	11	20
50-64	126	6.8	35	2	3	5	8	13	19	32
65+	101	10.1	113	2	3	7	13	20	35	56
B. *Operated*										
0-19 YRS	132	5.3	18	1	1	4	7	10	14	23
20-34	114	5.6	26	<1	1	4	7	12	15	29
35-49	66	5.1	28	1	1	5	6	8	10	37
50-64	35	6.5	26	1	2	5	8	16	19	21
65+	25	10.6	125	2	3	6	9	28	42	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	5.6	18	2	2	4	6	10	14	25
20-34	181	6.7	29	1	2	5	8	14	18	25
35-49	134	6.8	31	2	2	5	8	12	15	30
50-64	200	10.3	98	3	3	7	12	22	29	49
65+	303	12.7	134	3	4	9	15	25	40	81
B. *Operated*										
0-19 YRS	96	6.6	26	<1	2	5	9	14	19	65
20-34	78	7.8	77	1	2	6	9	15	18	56
35-49	64	12.7	225	2	2	8	15	36	53	97
50-64	80	13.1	87	2	3	11	16	25	32	45
65+	112	19.2	249	4	6	15	27	53	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	5.7	29	1	2	4	7	10	14	29
B. *Operated*	372	5.8	31	1	1	5	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	1016	9.0	80	2	3	6	11	18	26	53
B. *Operated*	430	12.2	156	2	2	9	16	28	43	99+
1. SINGLE DX	1308	5.7	30	1	2	4	7	10	15	29
2. MULTIPLE DX	1446	10.0	105	2	3	7	12	21	31	79
A. NOT OPERATED	1952	7.4	58	2	2	5	8	15	21	41
B. OPERATED	802	9.2	109	1	2	6	11	21	32	97
TOTAL 0-19 YRS	725	5.3	16	1	2	4	7	10	13	23
20-34	623	5.9	30	1	2	4	7	11	16	28
35-49	424	6.7	58	1	2	5	7	12	19	43
50-64	441	9.5	77	2	3	7	12	21	26	39
65+	541	13.5	162	3	4	10	17	31	43	99+
GRAND TOTAL	**2754**	**7.9**	**74**	**2**	**2**	**5**	**9**	**16**	**24**	**53**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	5.6	16	1	2	5	7	11	13	23
20-34	69	4.6	9	1	1	4	6	8	9	17
35-49	49	5.7	29	1	1	5	7	10	14	35
50-64	35	7.6	45	1	2	5	8	20	22	26
65+	38	9.5	74	2	2	6	11	23	31	36
B. *Operated*										
0-19 YRS	81	5.1	29	<1	1	3	6	12	14	29
20-34	46	5.4	22	<1	1	4	7	13	15	23
35-49	24	6.5	99	<1	<1	3	6	13	36	41
50-64	19	9.2	52	<1	1	7	14	20	25	25
65+	16	9.2	36	<1	1	8	14	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	7.2	31	2	2	6	9	13	16	32
20-34	53	5.1	12	2	2	5	6	8	9	25
35-49	34	7.1	39	1	1	6	8	17	23	29
50-64	53	9.5	71	2	3	6	11	18	28	47
65+	92	13.8	109	3	4	11	18	30	37	51
B. *Operated*										
0-19 YRS	38	5.9	16	1	2	5	8	11	16	17
20-34	30	7.7	161	1	1	4	6	19	42	58
35-49	24	7.9	36	2	2	7	9	13	20	30
50-64	30	12.7	222	2	2	8	16	28	41	74
65+	32	13.8	271	2	2	7	16	40	41	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	6.0	26	1	2	5	7	11	16	28
B. *Operated*	186	6.1	40	<1	1	4	7	14	17	33
2. MULTIPLE DX										
A. *Not Operated*	453	8.6	58	2	2	6	10	17	25	37
B. *Operated*	154	9.5	147	1	2	6	10	18	37	73
1. SINGLE DX	571	6.0	31	1	1	5	7	12	16	31
2. MULTIPLE DX	607	8.8	80	2	2	6	10	17	27	42
A. NOT OPERATED	838	7.4	45	2	2	5	9	15	20	36
B. OPERATED	340	7.7	91	<1	1	5	9	16	24	44
TOTAL 0-19 YRS	534	6.2	25	1	2	5	8	12	15	26
20-34	198	5.4	36	1	2	4	6	9	12	35
35-49	131	6.6	45	1	1	5	8	12	17	36
50-64	137	9.7	96	1	2	6	12	20	27	51
65+	178	12.5	126	2	3	9	17	28	37	52
GRAND TOTAL	**1178**	**7.5**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	<1	<1	3	5	6	7	7
20-34	8	5.5	12	2	2	4	8	11	12	12
35-49	4	2.0	1	<1	<1	1	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	460	4.8	9	1	2	4	6	9	11	16
20-34	798	4.4	10	1	2	4	5	8	10	16
35-49	95	4.6	6	2	2	4	6	8	9	15
50-64	16	6.9	30	1	2	6	10	13	19	22
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	147	1	1	1	17	22	22	22
20-34	7	5.1	57	1	1	2	4	18	22	22
35-49	3	14.0	252	2	2	8	26	32	32	32
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	41	6.0	19	2	2	5	7	9	13	27
20-34	136	5.6	19	1	2	5	7	10	12	24
35-49	28	6.5	18	2	2	6	8	12	16	19
50-64	9	9.9	85	3	4	7	10	25	33	33
65+	10	15.2	163	2	2	11	32	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.8	7	<1	<1	3	5	8	9	12
B. *Operated*	1370	4.6	10	1	2	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	16	7.1	91	1	1	3	7	22	29	32
B. *Operated*	224	6.4	31	2	2	5	8	11	15	33
1. SINGLE DX	1394	4.6	10	1	2	4	5	8	10	16
2. MULTIPLE DX	240	6.4	35	1	2	5	8	12	16	33
A. NOT OPERATED	40	5.1	42	<1	1	3	5	10	22	32
B. OPERATED	1594	4.8	13	1	2	4	6	9	11	17
TOTAL 0-19 YRS	514	4.9	11	1	2	4	6	9	11	17
20-34	949	4.6	12	1	2	4	6	8	10	16
35-49	130	5.2	15	2	2	4	6	9	12	22
50-64	29	7.2	47	1	1	5	9	14	23	33
65+	12	13.4	152	2	2	9	23	33	33	33
GRAND TOTAL	**1634**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.0	3	<1	<1	1	3	4	5	10
20-34	71	2.4	30	<1	<1	1	2	3	4	39
35-49	29	1.8	1	<1	<1	1	2	4	4	5
50-64	32	2.3	3	<1	<1	2	3	5	7	8
65+	11	2.7	6	<1	<1	2	4	6	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	2.7	8	<1	<1	<1	5	6	6	6
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	18.0	200	8	8	18	28	28	28	28
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	23	2.6	3	<1	<1	2	4	5	6	8
35-49	12	3.2	4	<1	<1	3	4	7	8	8
50-64	27	3.6	8	<1	<1	3	5	8	10	10
65+	12	8.1	55	1	1	6	14	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.9	2	<1	<1	1	2	5	5	5
B. *Operated*	196	2.2	13	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	7	7.3	92	<1	<1	6	8	24	28	28
B. *Operated*	78	3.8	16	<1	<1	2	5	8	11	21
1. SINGLE DX	205	2.2	12	<1	<1	1	2	4	5	9
2. MULTIPLE DX	85	4.1	22	<1	<1	2	5	8	12	26
A. NOT OPERATED	16	4.3	46	<1	<1	1	5	8	22	28
B. OPERATED	274	2.7	14	<1	<1	2	3	5	8	19
TOTAL 0-19 YRS	61	1.9	3	<1	<1	1	2	4	5	10
20-34	102	2.4	22	<1	<1	1	2	4	5	27
35-49	42	2.3	3	<1	<1	2	3	5	6	8
50-64	60	3.0	6	<1	<1	2	4	6	8	10
65+	25	6.5	55	<1	<1	3	8	20	23	28
GRAND TOTAL	**290**	**2.7**	**16**	**<1**	**<1**	**2**	**3**	**5**	**8**	**21**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	553	6.0	36	1	1	4	7	12	16	30
20-34	162	6.7	46	1	1	5	9	14	21	36
35-49	128	8.5	89	1	2	6	11	19	23	50
50-64	129	11.9	113	1	2	9	17	25	34	48
65+	164	13.7	211	2	3	8	17	35	51	79
B. *Operated*										
0-19 YRS	308	3.8	34	<1	<1	2	4	9	14	28
20-34	380	4.6	56	<1	<1	2	5	8	14	48
35-49	205	5.2	48	<1	1	3	5	11	20	44
50-64	197	6.2	96	<1	<1	3	7	16	20	80
65+	166	9.8	187	<1	1	5	10	27	41	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	7.7	52	1	2	6	9	17	22	41
20-34	147	9.5	152	1	1	6	11	25	35	99+
35-49	139	11.7	134	1	2	8	16	24	32	57
50-64	213	14.7	220	2	3	10	18	34	45	99
65+	423	16.1	221	3	4	11	21	34	49	83
B. *Operated*										
0-19 YRS	99	9.9	204	<1	<1	4	13	29	54	99+
20-34	236	15.0	325	1	2	7	22	43	62	99+
35-49	188	12.7	240	1	2	6	19	36	49	99+
50-64	261	15.7	318	1	2	9	23	42	71	99+
65+	331	21.4	455	2	3	16	32	62	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1136	8.2	85	1	1	5	10	18	25	51
B. *Operated*	1256	5.4	76	<1	<1	3	5	12	19	51
2. MULTIPLE DX										
A. *Not Operated*	1308	12.2	166	1	2	8	16	28	40	80
B. *Operated*	1115	16.2	350	1	2	9	24	48	70	99+
1. SINGLE DX	2392	6.7	82	<1	1	4	8	16	23	51
2. MULTIPLE DX	2423	14.0	255	1	2	8	19	36	54	99+
A. NOT OPERATED	2444	10.3	133	1	2	7	13	23	34	69
B. OPERATED	2371	10.5	234	<1	1	4	13	31	49	99+
TOTAL 0-19 YRS	1346	6.2	55	<1	1	4	8	14	19	42
20-34	925	8.4	156	<1	1	4	9	22	36	82
35-49	660	9.4	138	1	1	5	12	22	33	76
50-64	800	12.5	218	1	2	7	17	32	44	99+
65+	1084	16.4	300	2	3	10	22	44	60	99+
GRAND TOTAL	**4815**	**10.4**	**182**	**<1**	**1**	**6**	**13**	**27**	**40**	**90**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.9	58	<1	<1	4	10	20	22	22
20-34	20	8.8	46	2	2	7	14	19	22	25
35-49	20	10.0	83	1	2	8	10	23	35	36
50-64	9	11.1	80	2	3	6	16	25	29	29
65+	14	9.4	105	2	2	5	12	25	34	37
B. *Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	10	8.7	22	3	3	8	12	15	18	18
35-49	7	9.6	49	1	1	9	13	20	22	22
50-64	2	14.0	200	4	4	14	24	24	24	24
65+	4	9.5	62	1	1	8	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	8.4	88	<1	1	5	10	22	35	39
20-34	49	10.1	67	2	3	8	12	25	27	40
35-49	37	12.7	169	2	2	10	16	27	36	72
50-64	49	12.1	54	4	4	9	16	23	25	31
65+	36	16.4	253	4	5	14	18	46	97	99+
B. *Operated*										
0-19 YRS	6	22.5	289	2	3	23	44	90	99+	99+
20-34	29	19.0	248	3	5	15	25	44	78	99+
35-49	14	15.8	86	3	5	14	24	36	84	99+
50-64	27	19.0	152	4	7	18	26	42	61	99+
65+	14	20.3	247	5	6	17	35	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	9.3	71	2	2	6	12	21	29	37
B. *Operated*	25	9.6	40	1	3	9	13	20	22	24
2. MULTIPLE DX										
A. *Not Operated*	201	11.9	123	2	3	9	15	24	31	96
B. *Operated*	90	18.9	190	3	6	16	27	52	99+	99+
1. SINGLE DX	95	9.4	62	1	2	7	12	20	25	37
2. MULTIPLE DX	291	14.1	153	2	3	11	19	30	51	99+
A. NOT OPERATED	271	11.3	110	2	3	9	14	24	31	87
B. OPERATED	115	16.9	172	3	4	15	24	43	88	99+
TOTAL 0-19 YRS	45	10.1	124	<1	1	6	12	33	41	99+
20-34	108	12.1	123	2	3	9	15	26	34	87
35-49	78	12.3	122	2	3	9	15	28	36	92
50-64	87	14.2	96	4	4	12	21	27	31	84
65+	68	15.4	218	2	4	13	20	45	99	99+
GRAND TOTAL	**386**	**12.9**	**135**	**2**	**3**	**10**	**18**	**28**	**39**	**99+**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	10.6	193	1	2	7	11	20	36	88
20-34	47	9.9	38	2	2	9	14	18	20	28
35-49	76	10.9	48	2	3	10	14	20	23	34
50-64	124	14.3	97	2	3	13	19	25	30	52
65+	138	13.6	86	2	3	12	19	28	33	48
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	31	8.7	92	1	1	4	14	21	28	42
35-49	48	10.0	87	1	2	6	16	26	28	35
50-64	80	10.1	67	1	2	8	14	20	28	39
65+	57	14.1	181	1	2	11	19	29	38	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	10.6	94	1	2	8	13	21	34	45
20-34	34	14.1	145	2	3	12	18	26	39	59
35-49	78	13.5	83	2	3	13	18	24	28	50
50-64	239	15.3	107	3	5	13	21	28	33	54
65+	317	17.2	227	2	4	13	22	37	62	84
B. *Operated*										
0-19 YRS	4	19.5	212	2	2	19	30	37	37	37
20-34	18	17.8	313	1	2	14	21	41	62	72
35-49	68	18.0	253	2	3	15	22	41	53	74
50-64	156	19.0	317	2	3	15	25	43	69	99+
65+	122	22.6	336	2	4	21	34	53	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	12.5	96	2	3	10	17	24	30	45
B. *Operated*	220	10.8	107	1	2	7	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*	702	15.7	162	2	4	13	20	30	43	68
B. *Operated*	368	19.9	311	2	3	16	28	45	65	99+
1. SINGLE DX	675	11.9	100	1	2	10	17	24	30	44
2. MULTIPLE DX	1070	17.1	217	2	4	13	23	36	52	98
A. NOT OPERATED	1157	14.4	138	2	3	12	19	28	36	66
B. OPERATED	588	16.5	254	2	2	13	23	38	53	99+
TOTAL 0-19 YRS	112	10.6	159	1	2	7	13	21	36	65
20-34	130	11.8	123	2	2	10	16	23	31	62
35-49	270	13.3	125	2	2	11	18	27	33	61
50-64	599	15.4	161	2	3	13	20	29	39	72
65+	634	17.2	221	2	4	13	23	38	56	99+
GRAND TOTAL	**1745**	**15.1**	**178**	**2**	**3**	**12**	**20**	**31**	**43**	**78**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	15	8.0	47	<1	<1	7	14	16	21	23
50-64	63	9.2	58	1	2	7	10	17	28	40
65+	193	10.4	82	2	2	8	13	23	33	43
B. *Operated*										
0-19 YRS	5	5.8	8	3	3	6	8	9	9	9
20-34	65	4.5	22	1	2	3	5	9	10	33
35-49	110	6.6	28	2	2	5	8	14	16	27
50-64	334	10.6	44	2	2	10	15	19	23	31
65+	405	14.1	56	3	6	14	18	22	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	84	3	3	6	15	23	23	23
20-34	8	10.8	55	1	2	10	12	22	26	26
35-49	30	6.6	24	1	2	5	8	13	17	23
50-64	138	10.5	107	1	2	8	13	21	27	56
65+	672	13.4	174	3	4	9	16	32	47	99+
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	61	7.4	70	2	2	5	8	15	24	51
35-49	94	9.8	51	2	2	8	13	19	24	71
50-64	326	13.7	81	2	4	12	20	26	30	42
65+	566	18.4	153	4	6	16	23	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	9.9	74	1	2	7	12	22	31	42
B. *Operated*	919	11.2	55	2	3	10	16	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	852	12.7	159	2	3	9	15	29	44	99+
B. *Operated*	1050	15.5	128	2	4	14	21	29	37	67
1. SINGLE DX	1195	10.9	60	2	2	9	15	21	24	37
2. MULTIPLE DX	1902	14.2	144	2	3	11	19	29	40	83
A. NOT OPERATED	1128	12.0	139	2	3	9	14	27	40	99+
B. OPERATED	1969	13.5	99	2	3	12	18	25	31	55
TOTAL 0-19 YRS	15	6.3	27	2	3	5	8	9	20	23
20-34	136	6.1	48	1	2	4	7	12	17	39
35-49	249	7.9	40	2	2	6	11	17	20	36
50-64	861	11.7	71	2	3	10	16	23	28	41
65+	1836	14.8	138	3	4	12	19	29	39	83
GRAND TOTAL	**3097**	**12.9**	**114**	**2**	**3**	**11**	**17**	**25**	**34**	**67**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.9	31	1	2	7	11	15	20	24
20-34	47	6.0	17	1	1	5	9	12	13	17
35-49	46	6.4	40	1	2	5	8	11	15	41
50-64	65	7.1	25	1	2	6	10	16	19	87
65+	112	9.9	108	2	3	7	14	22	30	91
B. *Operated*										
0-19 YRS	11	20.6	119	9	10	16	28	38	43	43
20-34	29	6.0	13	2	2	5	9	11	14	15
35-49	29	8.6	81	2	2	6	11	18	32	41
50-64	27	8.4	45	1	2	6	11	20	23	27
65+	15	11.5	27	4	6	11	13	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	10.7	59	1	2	8	15	23	25	30
20-34	40	7.0	37	1	2	5	10	15	20	28
35-49	36	8.6	39	2	3	8	10	14	23	33
50-64	89	11.4	84	2	3	9	13	25	32	42
65+	270	13.1	164	3	3	9	16	30	48	99+
B. *Operated*										
0-19 YRS	15	16.5	105	2	3	17	24	35	80	99+
20-34	25	8.8	65	1	2	7	10	17	31	32
35-49	27	11.0	73	2	3	9	16	21	31	33
50-64	45	11.2	121	2	2	8	16	24	33	54
65+	46	21.9	329	2	4	20	33	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	8.0	57	1	2	6	10	17	21	49
B. *Operated*	111	9.4	66	2	2	7	12	21	27	42
2. MULTIPLE DX										
A. *Not Operated*	484	11.7	122	2	3	9	15	26	35	99+
B. *Operated*	158	14.4	186	2	2	11	20	34	55	99+
1. SINGLE DX	442	8.3	60	2	2	6	11	17	22	41
2. MULTIPLE DX	642	12.4	139	2	3	9	16	28	41	99+
A. NOT OPERATED	815	10.2	99	2	2	7	13	22	30	90
B. OPERATED	269	12.3	142	2	2	9	17	30	43	99+
TOTAL 0-19 YRS	136	10.9	70	1	2	9	15	23	29	50
20-34	141	6.8	31	1	2	5	9	14	16	31
35-49	138	8.3	56	2	2	6	10	17	24	41
50-64	226	9.8	72	2	2	7	13	20	27	47
65+	443	13.2	172	2	3	9	18	31	52	99+
GRAND TOTAL	**1084**	**10.7**	**110**	**2**	**2**	**8**	**14**	**24**	**33**	**99+**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	4	<1	<1	2	5	6	7	7
20-34	8	2.4	6	<1	<1	1	3	7	8	8
35-49	13	2.8	10	<1	<1	1	3	9	10	10
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	348	3.5	4	1	1	3	5	6	8	10
20-34	1055	3.8	4	1	2	4	5	6	7	10
35-49	430	4.0	5	1	2	4	5	6	9	11
50-64	213	4.5	10	1	1	4	5	7	9	16
65+	42	5.0	11	1	1	4	6	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	15	1	1	2	4	11	13	13
20-34	19	2.5	6	<1	<1	1	4	6	9	10
35-49	8	3.3	7	<1	<1	2	5	7	8	8
50-64	8	1.9	3	<1	<1	1	2	5	6	6
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	142	4.4	22	1	1	4	5	7	9	24
20-34	505	3.9	8	<1	1	3	5	6	8	15
35-49	226	5.1	19	1	2	4	6	9	12	29
50-64	182	5.3	15	1	2	4	6	9	12	21
65+	42	6.7	47	1	1	4	7	19	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.6	6	<1	<1	2	4	6	9	10
B. *Operated*	2088	3.9	5	1	1	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	48	2.8	8	<1	<1	2	3	7	9	13
B. *Operated*	1097	4.6	15	1	1	4	5	8	10	22
1. SINGLE DX	2127	3.9	5	1	1	4	5	6	8	11
2. MULTIPLE DX	1145	4.5	15	1	1	4	5	8	10	22
A. NOT OPERATED	87	2.7	7	<1	<1	2	4	7	9	12
B. OPERATED	3185	4.1	9	1	1	4	5	7	8	16
TOTAL 0-19 YRS	512	3.8	10	1	1	3	5	7	8	12
20-34	1587	3.8	5	1	1	3	5	6	7	11
35-49	677	4.3	10	1	2	4	5	7	10	18
50-64	410	4.8	12	1	1	4	6	8	10	18
65+	86	5.7	29	1	1	4	6	12	19	27
GRAND TOTAL	**3272**	**4.1**	**9**	**1**	**1**	**4**	**5**	**7**	**8**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	4.6	19	1	1	3	6	8	10	28
20-34	64	5.0	35	<1	1	3	6	11	17	30
35-49	33	4.3	20	1	1	3	4	10	12	22
50-64	41	6.2	34	1	1	5	8	12	15	33
65+	41	7.9	39	1	2	6	11	17	21	26
B. *Operated*										
0-19 YRS	395	4.4	14	1	2	4	5	7	9	15
20-34	688	4.0	6	1	2	3	5	7	8	14
35-49	149	4.3	9	1	2	4	5	7	9	16
50-64	70	5.7	65	1	1	4	6	9	18	50
65+	30	8.1	38	1	1	6	14	16	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.9	25	1	1	4	6	11	14	29
20-34	47	5.8	33	<1	<1	4	8	13	20	22
35-49	41	5.3	21	<1	1	3	7	13	15	18
50-64	41	9.8	159	2	2	6	10	22	30	73
65+	94	11.8	149	2	3	8	16	25	33	97
B. *Operated*										
0-19 YRS	131	5.9	43	1	1	4	6	12	17	35
20-34	249	5.2	23	1	1	4	6	10	13	25
35-49	94	5.5	37	1	1	4	6	12	16	37
50-64	71	8.6	71	1	2	5	13	24	30	85
65+	34	20.7	588	1	3	12	29	68	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	5.2	23	1	1	3	7	11	14	29
B. *Operated*	1332	4.3	13	1	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	297	7.9	92	1	1	5	10	18	24	60
B. *Operated*	579	6.7	81	1	1	4	7	14	23	58
1. SINGLE DX	1654	4.5	16	1	2	4	5	8	11	19
2. MULTIPLE DX	876	7.2	85	1	1	4	8	16	24	58
A. NOT OPERATED	619	6.5	60	1	1	4	8	14	21	35
B. OPERATED	1911	5.1	35	1	2	4	5	9	13	30
TOTAL 0-19 YRS	743	4.8	22	1	1	4	6	8	11	24
20-34	1048	4.4	13	1	1	4	5	8	11	21
35-49	317	4.8	20	1	1	3	5	10	13	23
50-64	223	7.5	80	1	1	5	9	18	26	57
65+	199	11.9	200	1	2	8	15	26	38	99
GRAND TOTAL	**2530**	**5.4**	**41**	**1**	**1**	**4**	**6**	**10**	**15**	**31**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	36	1	1	5	11	15	15	15
20-34	5	11.0	8	8	8	11	13	15	15	15
35-49	13	7.5	15	2	2	8	11	12	13	13
50-64	4	7.3	28	3	3	5	10	15	15	15
65+	2	11.5	5	10	10	11	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	2	19.0	72	13	13	19	25	25	25	25
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	9	14.0	62	6	7	11	17	26	32	32
35-49	4	13.3	15	8	8	14	16	17	17	17
50-64	11	14.2	65	6	6	12	21	25	29	29
65+	7	14.1	95	1	2	14	17	29	32	32
B. *Operated*										
0-19 YRS										
20-34	5	20.8	200	13	13	15	23	46	46	46
35-49	11	16.8	140	2	3	15	26	33	36	36
50-64	1	27.0		27	27	27	27	27	27	27
65+	5	24.2	287	1	1	26	34	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	8.3	18	2	2	8	11	14	15	15
B. *Operated*	4	12.5	91	2	2	11	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	33	14.1	63	4	6	13	17	27	31	32
B. *Operated*	22	19.9	171	2	3	16	27	39	46	47
1. SINGLE DX	32	8.8	26	2	2	9	12	15	15	25
2. MULTIPLE DX	55	16.4	112	2	6	15	23	31	35	47
A. NOT OPERATED	61	11.4	50	2	4	11	15	20	27	32
B. OPERATED	26	18.7	162	2	2	16	27	35	46	47
TOTAL 0-19 YRS	6	9.5	88	1	1	6	15	25	26	26
20-34	21	15.4	84	7	8	13	16	28	38	46
35-49	30	11.6	77	2	2	10	15	26	31	36
50-64	16	13.3	72	4	5	11	20	27	28	29
65+	14	17.4	161	1	1	15	26	33	44	47
GRAND TOTAL	**87**	**13.6**	**93**	**2**	**3**	**11**	**17**	**27**	**32**	**47**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	7.5	18	2	3	6	10	14	17	17
35-49	29	4.6	13	2	2	4	5	10	14	15
50-64	62	7.7	22	2	3	7	10	13	17	23
65+	112	8.5	56	2	2	7	11	17	25	70
B. *Operated*										
0-19 YRS										
20-34	13	6.4	40	1	1	3	9	18	20	21
35-49	38	10.3	46	2	2	8	15	19	24	29
50-64	65	7.3	33	1	1	6	11	16	18	24
65+	29	10.5	60	1	2	8	15	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	8	11.0	272	1	1	4	12	39	50	50
35-49	44	8.4	47	2	3	5	11	17	23	34
50-64	140	9.6	61	2	2	8	13	18	24	41
65+	357	12.2	116	3	4	9	16	25	32	99
B. *Operated*										
0-19 YRS										
20-34	12	8.7	29	1	2	8	12	17	18	18
35-49	51	10.9	67	1	2	9	17	22	27	33
50-64	93	13.9	149	1	2	13	18	24	30	75
65+	60	18.7	253	1	5	16	23	39	59	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	7.7	39	2	2	6	10	15	19	39
B. *Operated*	145	8.6	44	1	1	7	13	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	551	11.2	100	2	3	9	14	22	29	69
B. *Operated*	216	14.3	160	1	2	12	18	27	35	72
1. SINGLE DX	360	8.1	41	1	2	7	11	16	21	31
2. MULTIPLE DX	767	12.1	119	2	3	9	16	24	32	71
A. NOT OPERATED	766	10.2	85	2	3	8	13	21	27	65
B. OPERATED	361	12.0	121	1	2	10	17	23	29	67
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	45	8.1	69	1	2	6	11	17	19	50
35-49	162	9.0	51	2	2	7	13	19	24	33
50-64	360	10.0	78	1	2	8	13	19	24	40
65+	558	12.1	123	2	3	9	16	25	32	89
GRAND TOTAL	**1127**	**10.8**	**97**	**2**	**2**	**8**	**14**	**21**	**27**	**66**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.9	20	2	3	6	9	11	18	20
20-34	285	7.9	40	1	2	7	10	14	18	25
35-49	430	7.6	30	1	2	7	10	14	18	26
50-64	301	9.7	54	2	3	8	12	17	23	33
65+	105	10.0	48	3	3	8	13	19	26	34
B. *Operated*										
0-19 YRS	37	8.7	44	1	2	7	12	20	23	25
20-34	787	8.4	40	1	1	7	11	16	20	32
35-49	1115	9.0	43	1	2	8	12	17	21	33
50-64	466	8.8	43	1	1	8	12	17	21	31
65+	69	12.0	98	1	1	11	16	28	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.4	26	1	2	7	9	16	17	17
20-34	110	7.1	23	2	2	6	9	13	16	24
35-49	205	9.3	45	2	3	8	11	17	21	37
50-64	235	10.4	67	2	3	8	13	20	25	46
65+	215	13.7	134	3	3	11	18	27	37	62
B. *Operated*										
0-19 YRS	11	7.7	38	1	2	7	10	16	22	23
20-34	319	10.4	55	2	3	9	14	19	24	37
35-49	540	11.6	70	2	3	10	15	21	28	46
50-64	418	12.4	75	1	3	11	17	23	29	43
65+	130	16.5	246	1	3	13	19	37	41	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1135	8.5	41	2	3	7	11	16	20	30
B. *Operated*	2474	8.8	44	1	1	8	12	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	772	10.5	78	2	3	8	13	20	26	48
B. *Operated*	1418	12.0	86	2	3	10	15	22	29	47
1. SINGLE DX	3609	8.7	43	1	2	8	12	17	21	32
2. MULTIPLE DX	2190	11.5	84	2	3	10	15	22	28	47
A. NOT OPERATED	1907	9.3	57	2	3	8	12	18	22	38
B. OPERATED	3892	10.0	61	1	2	9	13	19	24	38
TOTAL 0-19 YRS	69	8.0	36	1	2	6	10	17	22	25
20-34	1501	8.7	43	1	2	8	11	16	20	32
35-49	2290	9.4	49	1	2	8	12	18	22	36
50-64	1420	10.3	61	1	2	9	14	20	24	36
65+	519	13.5	144	2	3	11	17	27	36	65
GRAND TOTAL	**5799**	**9.8**	**60**	**1**	**2**	**8**	**13**	**18**	**23**	**38**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	16	2	2	5	9	12	12	12
20-34	44	6.4	18	2	3	5	8	14	17	17
35-49	70	7.5	29	2	2	6	10	14	17	27
50-64	61	9.4	56	1	2	8	12	19	26	36
65+	29	8.2	67	3	3	7	9	14	18	46
B. *Operated*										
0-19 YRS										
20-34	40	6.8	27	1	1	6	9	14	19	21
35-49	118	8.2	39	1	1	7	11	16	21	31
50-64	80	10.5	115	1	1	9	13	21	30	56
65+	11	9.5	50	1	1	9	14	20	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	6.1	16	<1	1	5	8	12	14	16
35-49	45	8.1	37	2	3	6	12	17	20	28
50-64	65	12.2	97	3	4	8	14	27	33	44
65+	83	12.7	132	2	3	9	15	26	37	55
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	9.8	39	1	1	10	14	18	20	20
35-49	92	10.0	55	1	2	9	13	23	26	36
50-64	70	10.8	55	1	2	10	15	22	27	86
65+	19	13.4	82	2	4	10	18	32	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	7.9	40	2	2	6	10	15	17	34
B. *Operated*	249	8.8	63	1	1	8	12	18	21	38
2. MULTIPLE DX										
A. *Not Operated*	217	10.9	94	2	3	8	13	24	31	53
B. *Operated*	206	10.5	56	1	2	9	13	22	27	66
1. SINGLE DX	459	8.4	53	1	2	7	11	16	21	36
2. MULTIPLE DX	423	10.7	75	2	3	9	13	23	29	53
A. NOT OPERATED	427	9.4	70	2	3	7	12	17	27	44
B. OPERATED	455	9.6	60	1	1	8	13	19	25	41
TOTAL 0-19 YRS	8	5.6	13	2	2	5	8	11	12	12
20-34	131	7.1	26	1	2	5	10	15	18	20
35-49	325	8.5	42	1	2	7	11	16	22	29
50-64	276	10.8	82	1	2	9	14	23	30	52
65+	142	11.6	108	2	3	9	14	25	35	58
GRAND TOTAL	**882**	**9.5**	**65**	**1**	**2**	**8**	**12**	**19**	**26**	**43**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	43	1	1	5	12	15	15	15
20-34	33	7.0	73	2	2	5	8	12	13	51
35-49	31	7.5	28	2	2	6	9	15	18	25
50-64	27	7.4	32	2	2	6	11	16	20	22
65+	7	8.7	106	2	2	5	9	27	31	31
B. *Operated*										
0-19 YRS	5	4.0	12	2	2	3	5	10	10	10
20-34	27	8.1	67	1	1	5	11	23	28	32
35-49	33	8.1	48	1	2	8	13	17	19	31
50-64	5	12.4	68	5	5	11	16	26	26	26
65+	2	23.0	72	17	17	23	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	2	1	1	2	3	5	5	5
20-34	19	7.1	42	1	2	5	10	13	22	29
35-49	19	9.5	134	2	3	7	9	15	38	55
50-64	16	7.1	22	1	2	6	10	15	16	16
65+	19	14.9	131	4	4	12	17	34	42	46
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	23	14.4	134	2	3	11	17	28	42	50
35-49	33	14.7	228	2	3	12	19	26	36	82
50-64	5	15.4	174	2	2	9	26	34	34	34
65+	4	9.5	14	5	5	10	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	7.4	47	2	2	5	9	14	19	41
B. *Operated*	72	8.5	60	1	2	7	12	18	27	32
2. MULTIPLE DX										
A. *Not Operated*	78	9.3	89	1	2	7	12	17	30	52
B. *Operated*	67	14.0	172	2	3	11	18	25	37	77
1. SINGLE DX	174	7.9	53	1	2	6	10	16	24	32
2. MULTIPLE DX	145	11.5	132	2	3	8	15	25	35	56
A. NOT OPERATED	180	8.2	66	2	2	6	10	16	21	49
B. OPERATED	139	11.2	121	1	2	8	15	25	31	53
TOTAL 0-19 YRS	16	4.2	15	1	1	3	4	10	13	15
20-34	102	9.0	86	1	2	6	11	18	28	50
35-49	116	10.0	114	2	2	7	13	19	25	64
50-64	53	8.6	48	2	2	7	11	17	24	34
65+	32	13.4	114	2	4	12	17	30	36	46
GRAND TOTAL	**319**	**9.5**	**92**	**1**	**2**	**7**	**12**	**19**	**28**	**50**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	57	6.3	11	2	2	6	8	11	13	14
35-49	76	8.7	61	1	2	6	11	16	22	48
50-64	48	8.4	41	2	3	6	10	16	23	31
65+	32	9.1	35	2	3	8	12	17	20	26
B. *Operated*										
0-19 YRS	4	6.0	7	4	4	5	8	10	10	10
20-34	39	2.9	5	1	1	2	4	7	8	8
35-49	30	4.5	34	1	1	2	5	11	17	27
50-64	14	3.5	26	1	1	2	3	9	18	20
65+	8	6.8	63	1	1	2	14	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	9	1	1	5	6	7	7	7
20-34	20	7.2	10	2	3	7	9	11	12	14
35-49	41	10.6	75	2	3	8	14	19	31	40
50-64	50	9.4	38	2	3	8	13	19	22	27
65+	49	12.9	111	2	3	9	21	26	33	48
B. *Operated*										
0-19 YRS										
20-34	17	10.4	111	1	1	7	11	29	35	38
35-49	18	13.3	89	1	3	11	15	28	35	38
50-64	9	7.4	22	1	1	9	11	12	12	12
65+	8	16.3	164	1	1	14	28	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	8.0	39	2	2	7	10	15	20	28
B. *Operated*	95	4.0	23	1	1	2	5	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	163	10.4	68	2	3	8	14	22	26	40
B. *Operated*	52	11.8	98	1	1	9	14	30	34	38
1. SINGLE DX	311	6.8	38	1	1	6	9	14	18	27
2. MULTIPLE DX	215	10.7	75	1	2	9	14	23	30	39
A. NOT OPERATED	379	9.0	53	2	3	7	11	18	23	38
B. OPERATED	147	6.7	63	1	1	4	9	16	25	38
TOTAL 0-19 YRS	10	5.4	6	1	2	5	7	9	10	10
20-34	133	6.0	27	1	1	5	8	11	13	31
35-49	165	8.9	68	1	1	6	12	18	24	40
50-64	121	8.2	39	1	2	7	11	17	22	28
65+	97	11.4	90	1	2	9	17	25	32	42
GRAND TOTAL	**526**	**8.4**	**57**	**1**	**1**	**7**	**11**	**18**	**24**	**38**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.8	12	<1	1	3	5	7	9	19
20-34	322	5.4	15	1	1	4	7	10	13	19
35-49	352	6.9	32	1	2	6	9	13	18	29
50-64	234	6.7	60	1	2	5	8	14	17	28
65+	112	7.2	37	1	2	6	9	13	17	38
B. *Operated*										
0-19 YRS	37	5.4	26	1	1	4	7	14	17	23
20-34	249	5.2	24	1	1	4	7	11	14	24
35-49	277	6.9	56	1	1	5	9	15	18	39
50-64	209	7.7	50	1	1	6	9	16	20	38
65+	64	11.3	85	1	2	9	15	22	31	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.5	12	1	1	4	6	9	10	17
20-34	230	6.0	32	1	1	4	8	12	16	30
35-49	298	8.3	49	1	2	7	11	17	22	37
50-64	274	8.8	49	2	3	7	12	16	21	39
65+	277	11.0	132	3	3	8	13	21	30	94
B. *Operated*										
0-19 YRS	18	6.4	23	2	2	4	9	14	17	18
20-34	154	8.4	51	2	2	7	11	17	24	41
35-49	233	9.2	77	1	2	7	12	19	25	43
50-64	244	11.3	92	1	2	10	15	23	27	64
65+	160	17.1	161	2	3	15	24	35	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1100	6.2	33	1	1	5	8	12	16	22
B. *Operated*	836	6.9	48	1	1	5	9	15	19	37
2. MULTIPLE DX										
A. *Not Operated*	1132	8.4	67	1	2	6	11	16	22	41
B. *Operated*	809	11.2	102	1	2	9	15	24	32	51
1. SINGLE DX	1936	6.5	40	1	1	5	8	14	17	31
2. MULTIPLE DX	1941	9.6	83	1	2	7	12	20	27	49
A. NOT OPERATED	2232	7.3	52	1	2	6	9	15	19	35
B. OPERATED	1645	9.0	79	1	2	7	11	19	26	47
TOTAL 0-19 YRS	188	4.5	16	1	1	3	6	9	14	19
20-34	955	6.0	28	1	1	4	8	12	16	31
35-49	1160	7.7	52	1	2	6	10	16	21	39
50-64	961	8.7	65	1	2	7	11	17	22	40
65+	613	11.9	128	2	3	9	15	25	34	61
GRAND TOTAL	**3877**	**8.0**	**64**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	4.4	9	1	2	3	6	9	11	13
20-34	59	4.6	10	2	2	4	6	9	10	17
35-49	59	6.6	94	<1	1	4	8	14	19	65
50-64	66	6.2	39	<1	1	5	8	16	19	31
65+	47	7.6	44	1	1	6	11	15	19	35
B. *Operated*										
0-19 YRS	135	2.8	4	<1	1	2	3	5	6	12
20-34	198	3.1	5	<1	1	3	4	6	8	12
35-49	248	3.1	5	<1	1	3	4	5	7	11
50-64	208	3.3	8	<1	<1	2	4	7	9	15
65+	70	3.7	16	<1	<1	2	4	8	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.9	17	1	1	5	8	12	14	16
20-34	29	6.3	29	1	2	5	7	13	16	27
35-49	38	8.3	98	1	2	5	8	15	37	45
50-64	69	7.7	59	2	2	5	9	14	24	41
65+	91	10.0	66	2	2	7	14	24	28	34
B. *Operated*										
0-19 YRS	28	5.9	80	<1	<1	3	5	13	33	38
20-34	89	5.0	37	1	1	3	6	10	13	40
35-49	106	4.9	25	<1	1	3	7	10	12	27
50-64	120	5.3	20	1	1	3	7	13	16	19
65+	66	5.7	37	1	1	4	7	10	14	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	5.7	36	1	1	4	7	11	16	28
B. *Operated*	859	3.2	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	265	8.2	59	1	2	6	10	16	26	40
B. *Operated*	409	5.2	31	1	1	3	7	10	14	35
1. SINGLE DX	1193	3.9	16	<1	1	3	4	8	10	18
2. MULTIPLE DX	674	6.4	44	1	1	4	8	14	17	39
A. NOT OPERATED	599	6.8	48	1	2	5	8	14	19	35
B. OPERATED	1268	3.8	15	<1	1	3	4	8	10	17
TOTAL 0-19 YRS	304	4.0	15	1	1	3	5	9	11	15
20-34	375	4.1	16	<1	1	3	5	8	10	17
35-49	451	4.4	31	<1	1	3	5	9	11	33
50-64	463	4.9	26	<1	1	3	6	10	16	27
65+	274	7.0	48	<1	1	5	9	16	22	34
GRAND TOTAL	**1867**	**4.8**	**28**	**<1**	**1**	**3**	**6**	**10**	**14**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	131	3.9	3	1	2	4	5	7	7	9
20-34	215	4.2	5	1	2	4	5	7	8	11
35-49	239	4.3	6	2	2	4	5	7	9	15
50-64	332	4.8	9	1	2	4	6	8	9	16
65+	182	5.2	13	1	2	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	9	1.7	1	1	1	1	2	3	3	3
65+	5	11.2	403	1	1	2	15	47	47	47
B. *Operated*										
0-19 YRS	70	4.1	4	1	2	4	5	7	8	10
20-34	150	4.7	9	1	2	4	6	8	10	15
35-49	200	4.8	7	1	2	4	6	8	9	13
50-64	429	5.4	14	1	2	5	6	9	11	20
65+	298	6.5	22	1	2	6	8	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	3	1	1	3	5	5	5	5
B. *Operated*	1099	4.5	8	1	2	4	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	21	4.1	99	1	1	1	3	5	24	47
B. *Operated*	1147	5.4	14	1	2	5	7	9	11	22
1. SINGLE DX	1105	4.5	8	1	2	4	6	8	9	15
2. MULTIPLE DX	1168	5.4	16	1	2	5	7	9	11	22
A. NOT OPERATED	27	3.9	77	1	1	2	3	5	12	47
B. OPERATED	2246	5.0	11	1	2	4	6	8	10	18
TOTAL 0-19 YRS	205	3.9	4	1	2	4	5	7	7	10
20-34	368	4.4	6	1	2	4	5	7	9	13
35-49	442	4.5	6	1	2	4	6	8	9	14
50-64	771	5.1	12	1	2	4	6	8	10	18
65+	487	6.0	22	1	2	5	7	11	14	26
GRAND TOTAL	**2273**	**5.0**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	3	4.3	4	2	2	5	6	6	6	6
65+	2	13.5	1	13	13	13	14	14	14	14
B. *Operated*										
0-19 YRS	184	2.0	8	<1	<1	1	2	3	4	19
20-34	281	1.7	2	<1	<1	1	2	2	3	8
35-49	134	2.1	3	<1	<1	1	3	4	6	10
50-64	72	2.7	4	<1	<1	2	3	5	7	11
65+	37	3.4	5	<1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	7	2.4	6	<1	<1	1	4	7	7	7
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	15	2.1	1	<1	<1	2	3	3	4	4
20-34	48	3.8	91	<1	<1	1	3	5	15	65
35-49	39	4.1	20	<1	<1	2	6	11	12	22
50-64	35	4.3	11	<1	1	3	6	10	11	13
65+	20	6.2	40	<1	1	4	7	16	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.3	19	<1	1	2	6	13	14	14
B. *Operated*	708	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	16	2.8	8	<1	<1	1	5	7	9	10
B. *Operated*	157	4.1	40	<1	<1	2	4	10	13	26
1. SINGLE DX	722	2.1	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX	173	4.0	38	<1	<1	2	4	10	12	25
A. NOT OPERATED	30	3.5	13	<1	<1	2	5	9	13	14
B. OPERATED	865	2.4	12	<1	<1	2	2	4	6	15
TOTAL 0-19 YRS	205	2.0	7	<1	<1	2	2	3	4	15
20-34	339	2.0	15	<1	<1	1	2	3	5	15
35-49	179	2.6	7	<1	<1	2	3	6	8	12
50-64	111	3.3	7	<1	<1	2	4	7	10	12
65+	61	4.6	20	<1	1	3	5	10	15	25
GRAND TOTAL	**895**	**2.4**	**12**	**<1**	**<1**	**2**	**2**	**5**	**7**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	14.1	123	2	2	11	21	30	36	47
20-34	25	11.7	76	2	3	8	15	27	31	33
35-49	18	14.1	161	3	5	10	18	31	45	53
50-64	16	13.2	126	<1	1	11	18	21	39	47
65+	4	8.5	43	2	2	10	38	99+	99+	99+
B. *Operated*										
0-19 YRS	29	17.3	164	3	4	15	25	39	43	45
20-34	61	15.1	165	3	3	12	19	35	43	54
35-49	24	20.0	465	1	2	16	25	50	69	92
50-64	14	15.2	356	3	4	7	19	34	66	75
65+	19	16.1	198	1	2	13	23	39	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	17.8	94	5	7	17	24	34	37	38
20-34	17	10.2	59	2	3	7	16	21	24	26
35-49	20	14.1	119	4	4	10	17	32	38	41
50-64	27	15.4	177	2	4	11	19	38	46	54
65+	32	19.3	215	4	4	14	29	40	47	64
B. *Operated*										
0-19 YRS	36	18.3	315	2	2	13	35	47	62	99+
20-34	57	23.4	503	3	5	16	31	67	86	99
35-49	41	23.8	518	2	4	15	39	59	79	82
50-64	48	27.2	374	4	10	25	35	80	99+	99+
65+	32	27.9	513	4	6	26	50	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	13.2	114	2	2	11	19	30	36	69
B. *Operated*	147	16.5	232	2	3	13	22	36	47	75
2. MULTIPLE DX										
A. *Not Operated*	120	16.0	149	3	4	13	21	34	40	57
B. *Operated*	214	24.2	449	3	4	17	35	72	88	99+
1. SINGLE DX	262	15.1	182	2	3	12	21	33	45	73
2. MULTIPLE DX	334	21.2	356	3	4	15	30	51	80	99+
A. NOT OPERATED	235	14.6	133	2	3	12	20	32	39	55
B. OPERATED	361	21.0	374	3	3	16	29	51	79	99+
TOTAL 0-19 YRS	141	16.5	175	2	3	14	23	38	44	66
20-34	160	17.0	283	3	3	12	21	37	53	89
35-49	103	19.3	375	2	4	13	25	43	64	87
50-64	105	20.4	315	3	4	15	29	54	79	99+
65+	87	21.3	337	3	4	17	31	52	96	99+
GRAND TOTAL	**596**	**18.5**	**288**	**2**	**3**	**14**	**26**	**44**	**60**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	9.3	69	<1	1	8	12	19	22	46
20-34	44	3.2	6	1	1	2	5	7	8	10
35-49	41	6.1	43	<1	1	4	8	13	16	38
50-64	59	8.1	50	<1	1	6	14	19	21	32
65+	90	14.1	240	2	3	9	16	30	39	91
B. *Operated*										
0-19 YRS	319	5.7	36	1	1	4	7	12	15	27
20-34	411	5.2	17	2	2	4	6	10	13	20
35-49	175	6.1	22	1	2	5	8	12	17	23
50-64	116	9.3	86	2	2	7	12	18	27	56
65+	74	13.5	130	2	2	11	18	28	35	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	9.6	83	1	1	5	14	22	29	39
20-34	26	4.7	13	1	1	4	6	10	12	16
35-49	47	6.7	31	1	1	6	10	16	30	99+
50-64	96	12.5	185	2	2	8	14	34	42	89
65+	463	16.3	252	3	4	12	21	37	63	99+
B. *Operated*										
0-19 YRS	101	7.9	121	1	2	4	8	19	32	84
20-34	192	7.9	96	2	2	5	10	15	20	68
35-49	122	14.1	209	2	3	10	18	32	61	77
50-64	136	16.7	287	2	3	12	23	42	67	99+
65+	181	23.9	409	3	5	19	34	64	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	9.2	114	1	1	6	12	19	27	55
B. *Operated*	1095	6.5	43	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	668	14.2	220	2	3	10	18	35	57	99+
B. *Operated*	732	14.5	270	2	2	9	19	38	62	99+
1. SINGLE DX	1413	7.1	60	1	2	5	8	15	20	37
2. MULTIPLE DX	1400	14.4	246	2	2	9	18	36	61	99+
A. NOT OPERATED	986	12.6	191	1	2	9	16	29	42	99+
B. OPERATED	1827	9.7	149	1	2	5	11	22	36	87
TOTAL 0-19 YRS	540	6.9	62	1	1	4	8	15	21	41
20-34	673	5.8	41	1	2	4	7	12	15	31
35-49	385	8.7	98	1	2	6	11	19	30	68
50-64	407	12.3	181	1	2	8	16	30	42	95
65+	808	17.5	287	3	4	13	22	42	66	99+
GRAND TOTAL	**2813**	**10.7**	**166**	**1**	**2**	**7**	**13**	**25**	**38**	**94**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	14	1	1	2	5	10	10	10
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+	2	32.0	1922	<1	<1	31	63	63	63	63
B. *Operated*										
0-19 YRS	73	5.2	14	1	1	4	8	10	12	18
20-34	45	4.0	10	<1	1	3	5	8	9	18
35-49	21	4.0	13	1	1	2	5	10	13	13
50-64	25	4.5	15	1	2	3	6	11	14	16
65+	8	4.6	12	1	1	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.3	44	<1	<1	9	14	16	16	16
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+	5	23.8	673	5	5	11	38	67	67	67
B. *Operated*										
0-19 YRS	60	5.9	15	2	2	5	7	12	14	18
20-34	67	7.0	55	1	2	5	9	14	21	45
35-49	28	8.8	75	1	2	5	11	24	29	31
50-64	26	8.8	80	1	2	6	10	26	32	35
65+	21	13.0	354	2	2	8	11	35	61	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	9.4	412	<1	<1	2	5	42	63	63
B. *Operated*	172	4.6	13	1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	18	10.4	256	<1	1	4	13	25	52	67
B. *Operated*	202	7.8	82	2	2	5	9	15	25	46
1. SINGLE DX	181	4.9	32	1	1	4	6	10	12	18
2. MULTIPLE DX	220	8.0	95	1	2	5	9	15	27	54
A. NOT OPERATED	27	10.1	294	<1	1	3	11	26	64	67
B. OPERATED	374	6.3	53	1	2	4	8	12	17	34
TOTAL 0-19 YRS	145	5.6	16	1	2	4	8	12	14	18
20-34	116	5.6	38	1	1	4	7	12	17	33
35-49	53	6.4	51	1	1	3	7	16	25	31
50-64	51	6.7	52	1	2	5	8	12	27	35
65+	36	13.7	389	1	2	7	12	42	66	83
GRAND TOTAL	**401**	**6.6**	**69**	**1**	**1**	**4**	**8**	**13**	**18**	**46**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	6.7	17	3	3	6	9	13	14	14
35-49	11	7.5	50	1	1	6	9	19	24	25
50-64	6	6.8	18	2	2	6	10	13	13	13
65+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34	5	11.8	38	3	3	14	17	17	17	17
35-49	6	6.2	23	2	2	4	12	12	12	12
50-64	8	8.9	50	2	2	6	13	20	23	23
65+	2	19.5	61	14	14	19	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	8.8	100	1	1	6	12	26	26	26
35-49	12	9.7	100	1	1	5	15	25	30	31
50-64	10	8.7	13	2	3	9	11	13	14	14
65+	16	6.3	16	<1	1	6	8	10	15	17
B. *Operated*										
0-19 YRS										
20-34	3	19.0	721	3	3	4	38	50	50	50
35-49	13	10.6	81	3	3	8	12	20	35	38
50-64	7	15.6	207	2	3	10	20	41	45	45
65+	2	19.5	221	9	9	19	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.6	28	1	2	5	9	14	16	25
B. *Operated*	21	9.8	49	2	2	8	14	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	44	8.0	45	1	1	7	9	17	24	31
B. *Operated*	25	13.7	174	2	3	9	14	38	46	50
1. SINGLE DX	49	8.0	38	2	2	6	12	16	23	25
2. MULTIPLE DX	69	10.1	97	1	2	8	10	23	31	49
A. NOT OPERATED	72	7.5	38	1	2	6	9	14	23	30
B. OPERATED	46	11.9	118	2	3	9	14	25	39	50
TOTAL 0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	20	10.4	128	2	3	7	14	22	38	50
35-49	42	8.9	68	1	2	7	11	22	27	38
50-64	31	9.9	70	2	2	9	12	18	23	45
65+	23	8.2	53	1	2	7	9	19	27	30
GRAND TOTAL	**118**	**9.2**	**73**	**1**	**2**	**7**	**11**	**21**	**26**	**47**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	3.5	8	1	1	2	4	7	10	14
20-34	109	3.9	12	1	1	3	5	9	11	16
35-49	92	4.1	11	1	1	3	5	8	10	18
50-64	112	4.9	12	1	1	4	7	9	12	16
65+	66	6.3	29	<1	1	5	8	15	19	23
B. *Operated*										
0-19 YRS	182	6.6	51	<1	1	3	11	17	19	35
20-34	333	3.8	12	<1	<1	3	5	9	11	16
35-49	183	4.7	21	<1	1	3	5	11	13	24
50-64	265	3.8	18	<1	1	2	4	8	12	25
65+	146	3.8	15	1	2	3	4	7	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.2	6	<1	1	3	4	7	9	95
20-34	97	4.7	27	<1	1	4	6	9	10	34
35-49	105	7.0	57	1	1	5	8	13	22	35
50-64	92	7.3	66	1	2	5	10	13	20	51
65+	234	10.4	136	2	2	7	12	22	34	56
B. *Operated*										
0-19 YRS	150	7.3	88	1	1	4	9	16	26	46
20-34	291	4.8	45	<1	1	3	4	10	16	32
35-49	201	7.3	75	<1	1	4	10	19	25	53
50-64	190	6.6	65	1	1	3	9	14	21	48
65+	142	8.2	115	1	1	4	11	21	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	4.4	14	1	1	3	6	9	12	20
B. *Operated*	1109	4.4	23	<1	1	3	5	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	583	7.6	85	1	1	5	9	15	27	47
B. *Operated*	974	6.5	73	<1	1	3	7	15	22	49
1. SINGLE DX	1595	4.4	20	<1	1	3	5	10	14	22
2. MULTIPLE DX	1557	7.0	78	1	1	4	8	15	23	48
A. NOT OPERATED	1069	6.2	55	1	1	4	8	12	18	40
B. OPERATED	2083	5.4	47	<1	1	3	6	13	18	36
TOTAL 0-19 YRS	494	5.8	51	<1	1	3	6	15	18	38
20-34	830	4.2	25	<1	1	3	5	9	12	23
35-49	581	5.9	45	<1	1	4	7	13	19	35
50-64	659	5.3	39	1	1	3	6	11	15	27
65+	588	7.8	95	1	2	4	9	17	25	47
GRAND TOTAL	**3152**	**5.7**	**50**	**<1**	**1**	**3**	**6**	**13**	**18**	**37**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	72	1	1	7	13	13	13	13
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
1. SINGLE DX	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX	2	9.5	1	9	9	9	10	10	10	10
A. NOT OPERATED	4	8.3	26	1	1	9	11	13	13	13
B. OPERATED	1	2.0		2	2	2	2	2	2	2
TOTAL 0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**5**	**7.0**	**28**	**1**	**1**	**9**	**11**	**13**	**13**	**13**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.9	104	1	2	6	11	15	35	44
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	11.0	32	7	7	11	15	15	15	15
50-64	1	13.0		13	13	13	13	13	13	13
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	11	7.5	34	2	2	5	10	18	19	19
20-34	3	16.7	137	8	8	12	25	30	30	30
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.4	69	1	1	6	9	14	40	99+
20-34	5	5.4	9	1	1	6	7	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	6	4.8	10	2	2	4	5	10	11	11
B. *Operated*										
0-19 YRS	35	12.5	126	2	3	8	18	28	36	52
20-34	12	17.9	195	1	1	20	31	52	91	99+
35-49										
50-64	2	15.5	265	4	4	15	27	27	27	27
65+	2	16.5	61	11	11	16	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.8	80	1	2	7	12	15	27	44
B. *Operated*	16	9.3	56	2	2	7	12	19	27	30
2. MULTIPLE DX										
A. *Not Operated*	49	6.9	52	1	2	6	8	11	32	99+
B. *Operated*	51	14.0	141	2	3	10	21	35	40	99
1. SINGLE DX	38	9.0	68	2	2	7	12	16	26	44
2. MULTIPLE DX	100	10.5	109	1	2	7	13	28	39	99+
A. NOT OPERATED	71	7.5	60	1	2	6	9	13	30	88
B. OPERATED	67	12.9	123	2	3	9	20	30	38	91
TOTAL 0-19 YRS	97	9.5	94	1	2	7	11	21	36	77
20-34	21	14.1	157	1	1	10	28	39	64	99+
35-49	5	9.0	16	5	5	7	12	15	15	15
50-64	5	12.2	80	4	4	10	16	27	27	27
65+	10	7.3	36	2	2	5	11	17	22	22
GRAND TOTAL	**138**	**10.1**	**98**	**1**	**2**	**7**	**12**	**27**	**37**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.3	1	<1	<1	1	1	2	3	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	310	3.0	16	<1	<1	2	3	5	8	19
20-34	81	2.9	5	<1	<1	2	3	6	8	12
35-49	23	4.2	13	<1	<1	3	5	11	12	13
50-64	19	3.7	12	<1	1	3	4	7	12	16
65+	17	5.4	7	2	2	5	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.6	7	<1	<1	1	3	6	9	12
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	48	4.0	17	1	2	3	4	9	10	26
20-34	27	5.0	14	1	1	4	7	11	13	15
35-49	12	3.8	8	2	2	3	5	7	11	12
50-64	8	5.4	6	3	3	5	7	9	9	9
65+	16	11.8	136	2	2	8	15	27	39	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	450	3.2	14	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	29	2.4	6	<1	<1	1	3	5	7	12
B. *Operated*	111	5.5	38	1	2	3	6	11	15	34
1. SINGLE DX	500	3.0	13	<1	<1	2	3	6	8	15
2. MULTIPLE DX	140	4.8	32	<1	1	3	5	10	13	29
A. NOT OPERATED	79	1.7	3	<1	<1	1	1	4	5	11
B. OPERATED	561	3.6	19	<1	<1	2	4	7	10	26
TOTAL 0-19 YRS	429	2.9	14	<1	<1	2	3	5	8	17
20-34	114	3.3	8	<1	<1	3	4	7	9	14
35-49	37	4.0	11	<1	<1	3	5	10	12	13
50-64	27	4.2	10	<1	2	3	5	9	10	16
65+	33	8.5	78	2	2	6	10	20	27	44
GRAND TOTAL	**640**	**3.4**	**18**	**<1**	**<1**	**2**	**4**	**7**	**10**	**25**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.5	21	1	1	3	5	12	15	22
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	193	6.5	42	2	2	3	9	14	17	31
20-34	48	6.5	47	1	2	4	8	14	23	37
35-49	19	4.3	15	<1	<1	3	6	11	13	13
50-64	15	6.2	27	<1	1	4	11	12	16	18
65+	5	8.4	34	1	1	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	7.8	99	1	1	5	10	17	25	80
20-34	18	5.1	10	1	1	5	7	10	11	11
35-49	18	9.4	82	1	1	6	16	26	28	29
50-64	7	7.3	47	1	2	5	17	76	99+	99+
65+	9	8.6	26	2	2	10	11	15	17	17
B. *Operated*										
0-19 YRS	197	9.5	143	2	2	5	13	22	30	80
20-34	42	9.5	151	1	2	5	11	19	42	56
35-49	42	10.4	58	1	2	10	15	18	24	37
50-64	23	8.3	74	<1	1	4	12	18	29	36
65+	16	11.5	60	2	2	12	15	24	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.4	18	1	1	3	5	10	14	22
B. *Operated*	280	6.4	40	1	2	3	9	13	17	33
2. MULTIPLE DX										
A. *Not Operated*	166	7.7	81	1	1	5	10	17	25	94
B. *Operated*	320	9.7	123	1	2	6	13	20	29	64
1. SINGLE DX	327	6.1	37	1	2	3	9	13	17	26
2. MULTIPLE DX	486	9.0	109	1	2	6	12	19	28	70
A. NOT OPERATED	213	7.0	69	1	1	5	9	16	24	80
B. OPERATED	600	8.1	87	1	2	4	11	17	24	54
TOTAL 0-19 YRS	541	7.8	91	1	2	4	10	17	24	62
20-34	114	7.2	80	1	2	4	9	15	22	55
35-49	80	8.7	58	<1	1	7	12	17	25	35
50-64	46	7.3	53	<1	1	4	11	18	27	99+
65+	32	9.8	43	2	2	10	13	18	24	27
GRAND TOTAL	**813**	**7.8**	**82**	**1**	**2**	**4**	**11**	**17**	**24**	**56**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	141	5.9	8	1	2	6	7	9	11	14
20-34	10	8.8	150	2	2	5	8	26	43	43
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	12.9	317	1	1	6	14	51	56	57
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	102	9.7	59	2	3	7	13	18	26	39
20-34	8	4.3	7	1	1	4	6	8	9	9
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	154	6.0	17	2	2	6	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	16	11.8	286	1	1	6	12	46	55	57
B. *Operated*	112	9.3	57	2	3	7	12	17	25	38
1. SINGLE DX	156	6.0	17	1	2	6	7	9	11	17
2. MULTIPLE DX	128	9.6	84	1	3	7	12	18	28	52
A. NOT OPERATED	18	10.7	262	1	1	5	10	39	54	57
B. OPERATED	266	7.4	36	2	3	6	8	14	17	34
TOTAL 0-19 YRS	259	7.7	49	1	3	6	8	15	18	43
20-34	19	6.5	85	1	1	4	7	9	28	43
35-49	4	5.8	12	4	4	4	8	11	11	11
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
GRAND TOTAL	**284**	**7.6**	**50**	**1**	**2**	**6**	**8**	**15**	**17**	**44**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.9	16	<1	1	3	5	7	15	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	97	6.2	10	2	4	6	7	9	11	22
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	70	1	1	2	12	16	16	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	11.0	48	4	4	8	16	23	24	24
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.9	16	<1	1	3	5	7	15	16
B. *Operated*	97	6.2	10	2	4	6	7	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	3	6.3	70	1	1	2	12	16	16	16
B. *Operated*	24	11.0	48	4	4	8	16	23	24	24
1. SINGLE DX	122	5.8	12	1	2	5	7	9	11	19
2. MULTIPLE DX	27	10.5	50	2	3	8	16	23	24	24
A. NOT OPERATED	28	4.2	20	<1	1	3	5	13	16	16
B. OPERATED	121	7.2	21	3	4	6	8	11	18	25
TOTAL 0-19 YRS	149	6.6	22	1	2	6	8	11	16	24
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**149**	**6.6**	**22**	**1**	**2**	**6**	**8**	**11**	**16**	**24**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	10	<1	<1	2	4	9	11	14
20-34	3	5.0		5	5	5	5	5	5	5
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	3.8	1	3	3	4	4	5	5	5
65+	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	97	8.1	162	<1	<1	4	8	20	25	76
20-34	41	5.2	16	<1	1	4	7	12	14	15
35-49	13	5.5	14	<1	1	6	8	10	14	15
50-64	10	6.7	30	<1	1	5	9	16	16	16
65+	8	5.0	34	1	1	3	6	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.2	15	<1	1	5	7	12	16	99+
20-34	9	6.3	25	1	1	6	8	14	17	17
35-49	2	17.0	18	14	14	17	20	20	20	20
50-64	5	5.8	5	3	3	7	7	8	8	8
65+	11	9.6	114	1	2	5	13	25	37	38
B. *Operated*										
0-19 YRS	91	12.7	203	2	2	8	14	35	44	73
20-34	28	5.0	21	<1	1	3	7	10	13	23
35-49	10	10.7	68	2	3	9	12	24	30	30
50-64	15	9.9	49	<1	2	10	14	20	22	23
65+	13	11.4	40	3	4	10	15	18	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.4	9	<1	<1	2	5	8	10	13
B. *Operated*	169	6.9	102	<1	<1	4	8	16	21	66
2. MULTIPLE DX										
A. *Not Operated*	63	6.6	37	1	1	5	8	15	18	91
B. *Operated*	157	10.8	141	1	2	7	12	23	36	51
1. SINGLE DX	240	5.9	77	<1	<1	3	7	13	19	54
2. MULTIPLE DX	220	9.6	114	1	2	6	12	20	35	62
A. NOT OPERATED	134	4.9	25	<1	<1	3	7	11	15	47
B. OPERATED	326	8.8	124	<1	1	6	10	19	28	56
TOTAL 0-19 YRS	284	8.1	137	<1	<1	4	10	19	32	77
20-34	81	5.2	18	<1	1	4	7	11	14	21
35-49	27	8.2	44	1	2	6	10	18	21	30
50-64	34	7.6	35	1	2	6	12	16	20	23
65+	34	9.1	63	1	2	7	13	17	25	38
GRAND TOTAL	**460**	**7.7**	**98**	**<1**	**1**	**5**	**10**	**17**	**24**	**52**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	2	2	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	517	3.7	5	1	2	3	4	7	8	10
20-34	31	3.6	5	<1	1	3	4	6	7	12
35-49	13	4.1	5	2	2	4	6	8	8	8
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.3	1	<1	<1	1	1	2	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	234	4.2	8	2	2	3	5	7	10	12
20-34	33	4.3	8	1	2	3	5	9	12	12
35-49	10	3.2	1	2	2	3	4	4	4	4
50-64	4	6.8	12	5	5	5	9	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	563	3.7	5	1	2	3	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	16	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*	282	4.2	7	2	2	3	5	7	10	12
1. SINGLE DX	574	3.6	5	1	2	3	4	6	8	11
2. MULTIPLE DX	298	4.1	8	1	2	3	5	7	10	12
A. NOT OPERATED	27	1.6	1	<1	<1	1	2	3	3	4
B. OPERATED	845	3.9	6	2	2	3	5	7	8	12
TOTAL 0-19 YRS	776	3.8	6	1	2	3	4	7	8	11
20-34	64	4.0	6	1	2	3	4	7	11	12
35-49	25	3.6	3	1	2	3	4	6	8	8
50-64	6	5.7	11	2	2	5	5	11	12	12
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**872**	**3.8**	**6**	**1**	**2**	**3**	**4**	**7**	**8**	**12**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	12	<1	1	2	4	8	12	15
20-34	8	3.3	7	<1	<1	3	6	63	99+	99+
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	5.0	48	1	1	1	10	13	13	13
65+	5	7.8	55	1	1	7	11	20	20	20
B. *Operated*										
0-19 YRS	183	7.9	43	<1	1	7	12	16	20	28
20-34	79	5.0	23	<1	<1	4	6	11	16	23
35-49	16	5.5	15	<1	<1	5	9	10	13	14
50-64	16	7.5	36	1	1	6	11	17	19	20
65+	7	7.3	51	2	2	3	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.7	21	<1	<1	3	8	13	15	15
20-34	11	4.2	6	<1	<1	4	6	7	6	8
35-49	11	5.2	11	1	1	5	8	9	11	11
50-64	11	8.0	50	1	1	5	13	19	24	24
65+	10	12.0	125	3	3	6	18	28	38	38
B. *Operated*										
0-19 YRS	130	12.0	198	1	2	10	14	22	34	99
20-34	88	6.6	38	<1	1	5	9	14	19	32
35-49	47	9.3	37	2	2	8	13	20	22	24
50-64	23	15.7	185	3	5	11	21	29	42	65
65+	14	11.4	156	<1	1	8	13	37	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.1	18	<1	1	3	6	11	17	99+
B. *Operated*	301	7.0	37	<1	1	5	10	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	61	6.5	44	<1	1	5	8	15	18	36
B. *Operated*	302	10.3	129	1	2	8	13	21	27	77
1. SINGLE DX	340	6.7	36	<1	1	5	10	15	19	27
2. MULTIPLE DX	363	9.6	117	1	1	7	12	20	26	70
A. NOT OPERATED	100	5.6	35	<1	1	4	7	14	18	68
B. OPERATED	603	8.6	86	<1	1	7	11	18	23	48
TOTAL 0-19 YRS	351	9.0	103	<1	1	7	12	18	22	71
20-34	186	5.7	29	<1	1	4	7	13	17	32
35-49	77	7.7	31	1	2	7	10	15	21	24
50-64	53	11.0	118	1	1	9	14	24	28	64
65+	36	10.3	109	1	1	7	14	21	38	41
GRAND TOTAL	**703**	**8.2**	**80**	**<1**	**1**	**6**	**11**	**17**	**22**	**48**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	11.2	155	1	1	7	17	27	41	44
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	197	4.7	15	<1	2	3	6	9	13	23
20-34	15	4.1	4	1	2	4	5	7	8	8
35-49	8	4.3	2	2	2	4	5	6	6	6
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.9	323	<1	<1	2	17	41	56	60
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	70	6.3	13	2	2	6	8	11	15	16
20-34	32	4.5	6	2	2	4	5	8	10	11
35-49	21	4.0	6	1	2	3	4	6	9	13
50-64	15	3.6	4	2	2	3	4	5	9	10
65+	13	3.8	6	2	2	3	4	6	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	11.2	155	1	1	7	17	27	41	44
B. *Operated*	224	4.6	14	1	2	4	6	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	15	10.3	304	<1	<1	2	14	39	55	60
B. *Operated*	151	5.1	10	2	2	4	6	10	12	16
1. SINGLE DX	237	5.0	23	1	1	4	6	9	15	23
2. MULTIPLE DX	166	5.6	37	1	2	4	6	10	14	36
A. NOT OPERATED	28	10.8	227	<1	<1	3	16	34	46	60
B. OPERATED	375	4.8	12	1	2	4	6	9	12	18
TOTAL 0-19 YRS	294	5.6	37	<1	1	4	6	11	16	32
20-34	47	4.4	5	2	2	4	5	8	9	11
35-49	29	4.0	5	2	2	3	5	6	7	13
50-64	19	3.6	3	2	2	3	4	5	8	10
65+	14	3.9	6	2	3	3	4	6	11	12
GRAND TOTAL	**403**	**5.2**	**29**	**1**	**2**	**4**	**6**	**10**	**15**	**24**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.4	38	<1	1	3	6	15	18	32
20-34	14	8.3	46	1	2	7	11	19	21	22
35-49	12	6.3	17	1	1	5	9	13	13	13
50-64	8	10.1	20	4	5	9	14	16	16	16
65+	11	9.2	41	1	2	7	14	18	22	22
B. *Operated*										
0-19 YRS	404	6.1	60	1	2	4	7	14	19	39
20-34	193	4.6	17	1	1	3	5	9	12	21
35-49	98	5.7	17	2	2	4	8	13	14	18
50-64	45	6.3	28	1	3	4	7	13	17	26
65+	10	9.1	90	2	2	5	12	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.0	99	1	1	4	8	17	20	88
20-34	26	7.3	87	2	2	5	9	39	99+	99+
35-49	15	10.2	82	1	2	5	15	27	27	27
50-64	24	9.4	32	1	2	8	14	18	19	21
65+	23	15.9	285	3	5	7	20	53	75	99+
B. *Operated*										
0-19 YRS	201	11.6	143	1	2	8	14	28	41	67
20-34	94	8.0	117	2	2	5	9	17	19	72
35-49	43	10.3	97	2	3	8	12	21	29	55
50-64	38	11.0	57	1	2	9	17	21	24	31
65+	12	16.8	156	2	5	11	28	36	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	6.4	38	<1	1	5	9	16	19	26
B. *Operated*	750	5.7	42	1	2	4	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	189	8.7	116	1	1	5	11	19	43	99+
B. *Operated*	388	10.7	126	2	2	8	13	23	33	54
1. SINGLE DX	875	5.8	42	1	1	4	7	13	17	28
2. MULTIPLE DX	577	10.0	123	1	2	7	13	22	33	87
A. NOT OPERATED	314	7.8	86	1	1	5	10	18	23	99+
B. OPERATED	1138	7.4	76	1	2	4	9	16	22	48
TOTAL 0-19 YRS	786	7.6	90	1	1	4	9	17	24	51
20-34	327	5.9	55	1	2	4	7	12	17	58
35-49	168	7.3	47	2	2	5	10	14	18	30
50-64	115	8.8	41	1	3	7	13	18	22	28
65+	56	13.6	180	2	2	8	19	35	50	98
GRAND TOTAL	**1452**	**7.5**	**78**	**1**	**2**	**4**	**9**	**17**	**22**	**51**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	547	3.4	9	1	1	3	4	6	9	17
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	11	1	1	3	5	10	11	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	8.1	81	1	2	5	10	20	27	53
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	13.5	307	2	2	7	24	71	96	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	3.4	9	1	1	3	4	6	9	17
B. *Operated*	7	4.0	11	1	1	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	320	8.1	81	1	2	5	10	20	27	53
B. *Operated*	11	13.5	307	2	2	7	24	71	96	99+
1. SINGLE DX	554	3.4	9	1	1	3	4	6	9	17
2. MULTIPLE DX	331	8.3	89	1	2	5	10	20	30	58
A. NOT OPERATED	867	5.1	41	1	1	3	5	11	18	34
B. OPERATED	18	9.8	207	1	2	5	11	49	82	99+
TOTAL 0-19 YRS	885	5.2	44	1	1	3	5	11	18	38
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**885**	**5.2**	**44**	**1**	**1**	**3**	**5**	**11**	**18**	**38**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	863	3.3	8	1	1	3	4	6	8	15
20-34	123	3.9	22	1	1	3	5	7	9	29
35-49	74	3.4	8	1	1	3	4	7	8	17
50-64	76	4.2	13	1	1	3	6	9	12	18
65+	41	6.3	41	<1	1	5	8	10	20	32
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	17.7	170	3	3	22	26	28	28	28
35-49	4	11.3	24	7	7	11	15	16	16	16
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1024	4.4	18	1	1	3	5	9	12	21
20-34	122	4.9	27	1	1	3	6	9	13	31
35-49	133	5.8	58	1	1	4	6	13	22	39
50-64	140	7.9	80	1	2	6	10	15	21	57
65+	186	9.7	93	2	2	7	12	19	33	85
B. *Operated*										
0-19 YRS	14	10.2	74	2	3	8	13	18	32	36
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	11	14.5	244	1	2	9	26	40	45	46
50-64	14	10.3	141	1	3	7	12	21	42	48
65+	11	21.5	286	10	10	18	22	48	65	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1177	3.6	11	1	1	3	4	7	9	18
B. *Operated*	14	10.3	57	2	3	8	15	23	27	28
2. MULTIPLE DX										
A. *Not Operated*	1605	5.5	39	1	1	4	7	11	16	36
B. *Operated*	53	13.1	182	1	2	9	15	36	45	66
1. SINGLE DX	1191	3.6	12	1	1	3	4	7	9	19
2. MULTIPLE DX	1658	5.7	45	1	1	4	7	12	17	39
A. NOT OPERATED	2782	4.7	28	1	1	3	6	9	13	29
B. OPERATED	67	12.5	156	1	2	9	15	30	38	64
TOTAL 0-19 YRS	1904	4.0	14	1	1	3	5	8	10	20
20-34	251	4.5	28	1	1	3	5	9	13	28
35-49	222	5.6	55	1	1	3	6	12	18	39
50-64	232	6.9	64	1	1	5	8	13	19	49
65+	240	9.6	99	1	2	7	11	19	32	70
GRAND TOTAL	**2849**	**4.9**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**32**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	728	3.1	5	1	1	3	4	6	7	13
20-34	54	4.2	9	1	1	4	6	8	9	16
35-49	40	6.3	25	2	2	5	8	13	16	25
50-64	31	6.5	17	1	2	6	9	11	13	18
65+	27	6.4	51	1	1	4	9	11	28	29
B. *Operated*										
0-19 YRS	9	13.8	145	3	5	10	14	34	44	44
20-34	6	8.3	53	3	3	5	16	19	19	19
35-49	7	15.3	185	3	3	15	20	38	42	42
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	612	4.0	10	1	1	3	5	7	10	14
20-34	53	5.0	13	1	1	4	7	11	12	16
35-49	47	6.8	18	2	2	5	10	12	14	18
50-64	59	6.7	23	2	3	5	8	13	16	27
65+	108	10.0	148	2	3	7	11	18	24	77
B. *Operated*										
0-19 YRS	6	9.5	46	3	3	8	15	19	20	20
20-34	11	14.5	76	5	6	12	23	53	93	99+
35-49	10	15.6	200	2	4	8	20	40	43	43
50-64	15	19.1	109	4	5	23	26	30	36	38
65+	15	16.7	315	5	5	9	16	51	62	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	3.5	9	1	1	3	4	7	9	15
B. *Operated*	26	12.9	117	3	3	11	18	22	42	44
2. MULTIPLE DX										
A. *Not Operated*	879	5.1	32	1	1	4	6	10	13	24
B. *Operated*	57	16.0	164	4	5	12	23	36	48	97
1. SINGLE DX	906	3.8	14	1	1	3	4	7	10	19
2. MULTIPLE DX	936	5.8	47	1	1	4	7	11	16	38
A. NOT OPERATED	1759	4.3	21	1	1	3	5	8	11	19
B. OPERATED	83	15.0	149	3	3	11	20	33	43	88
TOTAL 0-19 YRS	1355	3.6	9	1	1	3	4	7	9	14
20-34	124	5.7	26	1	1	4	7	11	16	50
35-49	104	8.0	57	2	2	6	10	16	20	42
50-64	107	8.4	51	2	3	6	10	18	25	34
65+	152	10.1	151	1	2	7	11	19	28	76
GRAND TOTAL	**1842**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**13**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.3	4	1	1	3	4	6	8	10
20-34	158	3.5	11	1	1	3	5	6	8	17
35-49	94	4.4	18	1	1	3	5	9	12	24
50-64	37	6.6	44	1	1	6	8	14	29	99+
65+	29	6.9	21	1	2	7	9	14	15	18
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	18	6.4	19	1	2	5	8	14	16	17
35-49	16	5.8	46	1	2	4	6	12	24	29
50-64	9	4.2	4	2	2	4	6	7	7	7
65+	2	21.0	392	7	7	21	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.1	20	1	1	3	5	9	10	27
20-34	120	4.8	16	1	1	4	6	10	13	21
35-49	86	4.9	16	1	1	4	6	11	12	21
50-64	88	5.4	18	1	1	4	7	11	13	22
65+	88	7.4	95	1	2	6	9	13	17	62
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	10	7.9	25	2	3	6	11	16	17	17
35-49	23	7.9	75	1	2	5	8	14	29	43
50-64	16	9.1	45	2	3	8	11	16	25	29
65+	5	12.2	32	6	6	13	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	4.1	15	1	1	3	5	8	11	23
B. *Operated*	47	6.3	42	1	2	5	7	13	19	35
2. MULTIPLE DX										
A. *Not Operated*	466	5.3	33	1	1	4	7	11	13	23
B. *Operated*	55	8.8	53	1	3	7	11	17	20	42
1. SINGLE DX	473	4.3	18	1	1	3	5	8	12	28
2. MULTIPLE DX	521	5.7	36	1	1	4	7	11	15	23
A. NOT OPERATED	892	4.7	25	1	1	3	6	9	12	23
B. OPERATED	102	7.6	49	1	2	5	9	16	20	39
TOTAL 0-19 YRS	195	3.7	12	1	1	3	4	8	9	17
20-34	306	4.3	15	1	1	3	5	8	11	19
35-49	219	5.1	26	1	1	4	6	10	13	26
50-64	150	6.0	27	1	1	5	8	12	16	35
65+	124	7.7	80	1	2	6	9	14	18	48
GRAND TOTAL	**994**	**5.0**	**28**	**1**	**1**	**4**	**6**	**10**	**14**	**24**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.3	4	<1	1	2	3	5	7	10
20-34	51	3.0	5	<1	<1	2	4	5	9	10
35-49	49	3.5	7	1	1	2	5	7	9	12
50-64	106	3.7	6	<1	1	3	5	7	8	12
65+	129	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	33	2.9	3	<1	<1	2	4	5	6	9
20-34	21	4.5	18	1	1	3	6	9	14	19
35-49	19	4.2	7	1	1	4	5	9	9	9
50-64	20	3.5	4	1	1	3	5	6	7	7
65+	27	4.4	24	1	2	3	5	7	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	6	<1	<1	2	3	7	9	12
20-34	20	4.2	18	1	1	3	4	6	14	21
35-49	40	5.4	14	1	2	4	8	11	12	15
50-64	116	4.4	16	1	1	3	5	9	14	21
65+	234	6.1	65	1	2	4	7	13	19	29
B. *Operated*										
0-19 YRS	12	6.2	15	2	3	5	8	12	15	15
20-34	12	3.8	6	1	1	4	5	7	10	10
35-49	13	4.8	8	1	2	4	7	9	11	11
50-64	58	5.2	15	1	2	4	6	11	14	18
65+	84	6.8	73	1	2	5	7	14	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	3.2	5	<1	1	2	4	6	8	10
B. *Operated*	120	3.8	11	1	1	3	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	472	5.1	40	1	1	3	6	11	14	25
B. *Operated*	179	5.9	41	1	2	4	6	11	16	33
1. SINGLE DX	518	3.3	7	<1	1	3	4	7	8	10
2. MULTIPLE DX	651	5.3	41	1	1	4	6	11	15	27
A. NOT OPERATED	870	4.2	25	1	1	3	5	8	11	22
B. OPERATED	299	5.1	30	1	1	4	6	9	14	30
TOTAL 0-19 YRS	170	2.9	6	<1	<1	2	4	6	8	12
20-34	104	3.6	10	<1	1	3	4	7	10	20
35-49	121	4.4	10	1	1	4	6	9	11	14
50-64	300	4.3	12	1	1	3	5	8	12	17
65+	474	5.3	49	1	1	3	6	10	15	31
GRAND TOTAL	**1169**	**4.4**	**27**	**1**	**1**	**3**	**5**	**9**	**11**	**23**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.3	7	1	1	3	4	6	10	12
20-34	12	3.6	10	<1	<1	2	6	8	11	11
35-49	11	1.4		<1	<1	1	2	3	3	3
50-64	24	3.6	6	1	1	3	5	8	9	10
65+	21	4.6	13	1	1	4	6	10	12	15
B. *Operated*										
0-19 YRS	47	2.6	7	<1	1	2	3	5	7	16
20-34	59	3.1	9	<1	<1	2	3	6	8	17
35-49	41	5.1	121	<1	<1	3	4	7	16	69
50-64	20	4.6	11	<1	1	4	6	9	12	14
65+	10	3.9	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.3	12	<1	1	3	6	10	12	13
20-34	13	4.8	29	<1	1	4	4	9	19	22
35-49	16	7.3	60	<1	1	5	9	18	27	31
50-64	30	4.9	9	<1	1	4	7	9	11	12
65+	59	11.9	213	1	1	6	16	28	36	83
B. *Operated*										
0-19 YRS	9	2.4	2	<1	<1	2	4	4	4	4
20-34	23	3.7	26	<1	<1	3	3	6	16	25
35-49	21	4.0	9	<1	1	3	5	8	11	13
50-64	33	6.1	38	1	1	4	8	17	21	26
65+	22	10.6	299	2	2	6	12	16	44	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.5	8	1	1	2	5	8	10	14
B. *Operated*	177	3.6	35	<1	<1	2	4	7	8	24
2. MULTIPLE DX										
A. *Not Operated*	149	7.8	108	1	1	5	9	18	28	55
B. *Operated*	108	5.8	84	<1	1	3	6	13	17	51
1. SINGLE DX	272	3.6	25	<1	1	2	4	7	9	17
2. MULTIPLE DX	257	7.0	99	<1	1	4	8	16	22	54
A. NOT OPERATED	244	6.1	73	1	1	4	7	12	20	42
B. OPERATED	285	4.4	54	<1	1	3	5	8	14	26
TOTAL 0-19 YRS	114	3.2	8	<1	1	2	4	7	10	14
20-34	107	3.5	15	<1	<1	2	4	7	11	23
35-49	89	4.8	70	<1	<1	3	5	8	13	54
50-64	107	4.9	18	1	1	4	7	9	12	24
65+	112	9.6	181	1	2	6	11	20	29	85
GRAND TOTAL	**529**	**5.2**	**64**	**<1**	**1**	**3**	**6**	**11**	**16**	**33**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	4	12.5	54	2	2	15	17	18	18	18
65+	5	10.0	88	2	2	6	17	24	24	24
B. *Operated*										
0-19 YRS	4	5.3	52	1	1	2	9	16	16	16
20-34	6	3.7	4	2	2	3	5	7	7	7
35-49	9	12.0	107	1	1	12	21	27	29	29
50-64	4	39.0	1518	4	4	37	72	78	78	78
65+	28	22.5	199	6	7	19	30	47	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	31.0	1250	6	6	31	56	56	56	56
50-64	8	15.6	127	2	4	16	34	99+	99+	99+
65+	36	16.0	295	1	2	12	22	29	57	81
B. *Operated*										
0-19 YRS	3	15.3	46	10	10	13	20	23	23	23
20-34	8	8.1	32	1	1	9	12	15	16	16
35-49	15	36.7	652	6	7	38	47	71	91	98
50-64	38	29.7	625	2	4	24	38	68	91	97
65+	132	29.5	489	3	7	24	50	82	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	10.3	57	2	2	9	16	20	24	24
B. *Operated*	51	18.4	310	1	2	13	26	46	51	78
2. MULTIPLE DX										
A. *Not Operated*	47	16.4	284	1	2	13	25	50	82	99+
B. *Operated*	196	29.0	521	2	6	23	45	79	99+	99+
1. SINGLE DX	62	16.9	273	1	2	13	23	40	51	77
2. MULTIPLE DX	243	26.6	499	2	5	21	40	76	99	99+
A. NOT OPERATED	58	15.2	245	1	2	13	22	37	73	99+
B. OPERATED	247	26.8	495	2	4	21	40	73	97	99+
TOTAL 0-19 YRS	8	9.0	63	1	1	7	14	21	23	23
20-34	14	6.2	24	1	2	4	11	13	15	16
35-49	28	26.2	576	2	3	20	41	56	74	98
50-64	54	27.0	594	2	3	19	37	77	97	99+
65+	201	25.6	435	2	5	21	39	74	99	99+
GRAND TOTAL	**305**	**24.6**	**467**	**2**	**3**	**19**	**37**	**72**	**94**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.0	5	<1	1	2	4	5	7	13
20-34	204	2.8	4	1	1	2	3	5	6	12
35-49	517	3.5	9	1	1	3	4	7	9	15
50-64	594	4.3	13	1	1	3	5	8	11	18
65+	339	4.6	12	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	3.9	6	1	2	3	4	9	10	10
35-49	113	4.1	19	1	1	2	4	10	13	23
50-64	120	3.7	12	1	1	3	4	8	11	18
65+	34	4.6	23	1	1	2	6	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.1	12	1	1	3	4	10	12	14
20-34	221	3.7	8	1	1	3	5	7	10	13
35-49	597	4.7	23	1	1	4	6	9	12	19
50-64	995	5.3	17	1	1	4	7	11	14	21
65+	830	6.8	37	1	2	5	9	13	18	29
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	29	7.4	54	1	1	5	9	16	20	36
35-49	153	5.9	31	1	1	3	7	13	17	30
50-64	247	5.5	28	1	2	3	7	11	15	28
65+	64	8.0	33	2	2	6	12	16	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1718	3.9	11	1	1	3	5	8	10	16
B. *Operated*	286	4.0	16	1	1	3	4	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	2673	5.5	25	1	1	4	7	11	14	23
B. *Operated*	494	6.0	32	1	2	4	8	13	17	29
1. SINGLE DX	2004	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX	3167	5.6	26	1	1	4	7	11	15	24
A. NOT OPERATED	4391	4.9	20	1	1	4	6	10	13	21
B. OPERATED	780	5.3	27	1	1	3	7	12	16	26
TOTAL 0-19 YRS	96	3.3	8	1	1	2	4	7	10	14
20-34	472	3.5	10	1	1	3	4	7	10	14
35-49	1380	4.3	19	1	1	3	5	9	12	20
50-64	1956	4.9	17	1	1	4	7	10	13	20
65+	1267	6.2	31	1	2	5	8	13	16	28
GRAND TOTAL	**5171**	**4.9**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.8	12	<1	1	3	4	8	11	18
20-34	26	2.9	4	<1	1	2	4	7	7	8
35-49	29	4.2	9	1	1	4	6	8	9	15
50-64	24	4.6	11	<1	1	4	6	9	11	12
65+	54	5.8	35	1	1	4	6	12	19	33
B. *Operated*										
0-19 YRS	7	4.3	12	1	1	3	6	10	11	11
20-34	8	4.1	9	<1	<1	4	5	9	10	10
35-49	17	3.4	6	<1	<1	3	4	8	8	8
50-64	32	3.7	5	1	1	3	5	7	8	9
65+	24	4.5	15	<1	1	3	6	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.6	34	1	1	4	7	11	13	33
20-34	31	3.8	10	<1	<1	3	6	8	9	13
35-49	42	5.5	24	1	1	4	7	10	18	22
50-64	80	6.3	26	1	2	5	8	13	18	24
65+	161	7.1	37	1	2	6	9	12	17	34
B. *Operated*										
0-19 YRS	14	16.6	225	1	1	11	28	43	44	44
20-34	20	7.0	38	<1	1	5	12	15	19	23
35-49	25	5.6	15	<1	1	6	7	10	15	15
50-64	52	7.6	122	1	1	4	9	13	18	67
65+	67	9.5	113	1	1	7	12	19	37	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.2	15	1	1	3	5	9	12	20
B. *Operated*	88	3.9	9	<1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	465	6.1	32	1	1	5	8	11	15	33
B. *Operated*	178	8.7	107	1	1	6	11	18	28	66
1. SINGLE DX	403	4.1	14	<1	1	3	5	8	11	19
2. MULTIPLE DX	643	6.8	54	1	1	5	9	13	18	44
A. NOT OPERATED	780	5.3	26	1	1	4	7	10	14	26
B. OPERATED	266	7.1	79	1	1	5	9	14	21	61
TOTAL 0-19 YRS	354	5.1	35	1	1	3	6	10	15	33
20-34	85	4.3	17	<1	1	3	6	9	13	21
35-49	113	4.9	16	<1	1	4	7	9	14	21
50-64	188	6.0	48	1	1	4	8	11	16	39
65+	306	7.2	53	1	2	5	9	14	19	46
GRAND TOTAL	**1046**	**5.8**	**40**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.9	10	1	1	3	5	7	10	17
20-34	314	2.4	3	1	1	2	3	5	6	10
35-49	281	2.4	3	<1	1	2	3	4	6	11
50-64	217	2.6	3	<1	1	2	3	5	6	9
65+	137	4.3	37	1	1	3	5	8	12	27
B. *Operated*										
0-19 YRS	65	3.4	12	<1	<1	2	5	9	11	15
20-34	51	5.0	8	<1	1	5	7	9	11	13
35-49	58	5.4	17	<1	<1	4	9	11	12	17
50-64	54	5.8	18	<1	1	5	8	12	13	20
65+	56	6.8	35	1	1	5	10	14	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.7	29	1	1	4	7	11	17	30
20-34	125	3.3	10	<1	1	2	4	6	9	18
35-49	110	3.3	10	1	1	2	4	7	9	19
50-64	138	3.9	15	1	1	3	5	7	9	22
65+	291	8.4	118	1	2	5	10	18	26	72
B. *Operated*										
0-19 YRS	54	3.9	28	<1	<1	2	5	9	12	32
20-34	40	5.8	19	1	1	5	8	11	14	21
35-49	28	10.0	78	2	2	8	13	24	26	36
50-64	67	9.8	63	1	2	8	13	19	23	40
65+	159	13.3	166	2	3	10	17	32	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	2.8	9	1	1	2	3	5	7	13
B. *Operated*	284	5.2	19	<1	1	4	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	714	5.7	61	1	1	3	7	11	18	44
B. *Operated*	348	10.0	113	<1	1	7	13	23	33	99
1. SINGLE DX	1330	3.3	12	<1	1	2	4	7	10	15
2. MULTIPLE DX	1062	7.1	83	1	1	4	9	16	25	64
A. NOT OPERATED	1760	4.0	32	1	1	2	4	8	11	26
B. OPERATED	632	7.9	76	<1	1	5	10	18	25	58
TOTAL 0-19 YRS	266	4.1	18	<1	<1	3	5	9	12	20
20-34	530	3.1	8	1	1	2	4	7	8	15
35-49	477	3.4	14	<1	1	2	4	8	11	23
50-64	476	4.4	22	1	1	3	5	9	13	22
65+	643	8.6	114	1	1	5	10	20	30	75
GRAND TOTAL	**2392**	**5.0**	**47**	**<1**	**1**	**3**	**6**	**11**	**16**	**38**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2499	2.7	5	1	1	2	3	5	7	11
20-34	1621	3.0	6	1	1	2	4	6	8	12
35-49	796	4.0	11	1	1	3	5	8	10	16
50-64	487	4.4	15	<1	1	3	6	9	13	20
65+	448	5.5	22	1	1	4	7	11	14	26
B. *Operated*										
0-19 YRS	247	4.4	7	1	2	4	6	8	9	13
20-34	377	4.6	16	1	1	3	6	10	13	21
35-49	111	5.4	20	<1	1	4	8	11	14	24
50-64	45	8.1	49	1	2	7	11	16	21	37
65+	37	8.3	34	2	2	8	11	17	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	999	3.5	17	1	1	3	5	7	9	15
20-34	1099	3.8	15	1	1	3	5	8	10	18
35-49	496	5.3	21	1	1	4	7	10	13	22
50-64	482	6.3	27	1	2	5	8	12	18	25
65+	817	8.7	86	1	2	6	11	17	24	67
B. *Operated*										
0-19 YRS	106	6.3	23	1	2	5	8	11	16	27
20-34	275	6.6	46	1	2	5	8	13	19	40
35-49	139	8.5	70	1	2	6	10	16	31	42
50-64	103	11.4	75	2	3	9	14	24	33	69
65+	93	16.1	183	3	5	13	21	31	54	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5851	3.3	9	1	1	2	4	7	9	15
B. *Operated*	817	5.0	17	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	3893	5.3	36	1	1	4	6	11	15	27
B. *Operated*	716	8.9	79	1	2	6	11	19	28	48
1. SINGLE DX	6668	3.5	10	1	1	2	4	7	9	16
2. MULTIPLE DX	4609	5.8	45	1	1	4	7	12	17	33
A. NOT OPERATED	9744	4.1	21	1	1	3	5	8	11	21
B. OPERATED	1533	6.8	50	1	2	5	8	14	20	38
TOTAL 0-19 YRS	3851	3.1	9	1	1	2	4	6	8	13
20-34	3372	3.7	14	1	1	3	5	8	10	18
35-49	1542	4.9	22	1	1	4	6	10	13	23
50-64	1117	6.0	31	1	1	4	7	12	17	28
65+	1395	8.1	77	1	2	6	10	16	23	59
GRAND TOTAL	**11277**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	4.2	18	1	1	3	5	9	12	25
20-34	46	3.0	6	<1	1	2	3	7	8	14
35-49	37	4.7	19	<1	1	3	6	9	12	24
50-64	53	5.8	47	<1	<1	3	6	15	24	31
65+	70	6.5	43	<1	<1	4	10	15	18	34
B. *Operated*										
0-19 YRS	7	5.3	23	1	1	3	8	13	14	14
20-34	18	7.4	25	<1	<1	7	11	13	17	19
35-49	14	3.4	8	<1	<1	2	4	7	10	11
50-64	15	7.6	34	<1	2	6	10	16	20	22
65+	19	8.6	56	2	2	6	12	21	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	5.0	23	1	1	3	6	10	16	25
20-34	77	3.9	10	<1	1	3	5	8	10	15
35-49	63	6.0	47	<1	1	3	7	16	22	32
50-64	156	6.2	23	1	1	5	9	13	15	22
65+	250	8.9	111	1	2	6	10	18	24	75
B. *Operated*										
0-19 YRS	15	13.7	184	2	2	10	16	22	49	58
20-34	15	7.5	41	1	2	6	9	11	24	28
35-49	22	5.7	12	<1	1	5	8	9	12	15
50-64	32	12.4	299	<1	2	9	12	23	37	97
65+	45	15.0	265	2	2	11	17	34	42	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	4.6	24	1	1	3	6	10	14	26
B. *Operated*	73	6.8	34	<1	1	5	10	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	828	6.4	53	1	1	4	8	13	19	35
B. *Operated*	129	11.7	203	1	2	8	13	25	35	92
1. SINGLE DX	591	4.9	26	<1	1	3	6	11	14	27
2. MULTIPLE DX	957	7.1	77	1	1	5	8	15	21	41
A. NOT OPERATED	1346	5.7	43	1	1	4	7	12	17	31
B. OPERATED	202	9.9	147	1	2	7	11	20	30	74
TOTAL 0-19 YRS	616	4.8	26	1	1	3	6	10	14	26
20-34	156	4.4	16	<1	1	3	6	10	12	19
35-49	136	5.3	30	<1	1	4	7	11	16	30
50-64	256	7.0	67	1	1	5	9	14	20	31
65+	384	9.2	118	1	2	6	11	19	26	66
GRAND TOTAL	**1548**	**6.3**	**58**	**1**	**1**	**4**	**8**	**13**	**19**	**35**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1100	4.6	19	1	1	3	6	9	12	22
20-34	284	3.9	10	<1	1	3	5	8	11	15
35-49	256	4.4	18	1	1	3	6	9	13	20
50-64	328	5.2	21	1	1	4	7	11	15	25
65+	626	8.7	135	1	1	5	10	19	36	99+
B. *Operated*										
0-19 YRS	46	4.3	19	<1	1	3	5	8	14	21
20-34	115	3.7	16	<1	<1	2	4	9	13	19
35-49	62	4.7	17	<1	1	3	7	10	12	21
50-64	48	8.1	88	1	1	4	9	21	31	43
65+	47	11.5	300	1	1	3	12	35	60	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	763	7.3	72	1	1	4	9	16	24	44
20-34	289	4.8	29	<1	1	3	6	10	12	26
35-49	301	5.6	32	1	1	4	7	11	14	30
50-64	665	7.4	58	1	2	5	10	15	20	39
65+	1740	10.7	141	1	2	7	13	24	38	99+
B. *Operated*										
0-19 YRS	36	11.4	182	1	1	6	12	37	42	56
20-34	66	6.4	34	1	1	5	9	14	17	28
35-49	84	8.2	63	1	1	6	10	17	25	40
50-64	135	9.8	90	1	2	7	13	22	30	49
65+	177	14.8	233	1	2	12	19	34	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2594	5.6	49	1	1	4	7	11	16	46
B. *Operated*	318	5.8	76	<1	1	3	6	13	20	58
2. MULTIPLE DX										
A. *Not Operated*	3758	8.6	100	1	2	6	11	19	29	73
B. *Operated*	498	11.0	144	1	2	8	14	26	36	99+
1. SINGLE DX	2912	5.6	52	1	1	4	7	11	17	48
2. MULTIPLE DX	4256	8.9	105	1	2	6	11	20	30	77
A. NOT OPERATED	6352	7.3	81	1	1	5	9	16	24	64
B. OPERATED	816	9.0	124	1	1	5	12	21	31	73
TOTAL 0-19 YRS	1945	5.8	45	1	1	4	7	12	17	35
20-34	754	4.4	21	<1	1	3	6	9	12	21
35-49	703	5.4	31	1	1	4	7	11	15	29
50-64	1176	7.1	55	1	1	5	9	15	21	38
65+	2590	10.5	151	1	2	7	13	25	41	99+
GRAND TOTAL	**7168**	**7.5**	**86**	**1**	**1**	**5**	**9**	**16**	**25**	**67**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.4	8	1	1	2	3	4	6	20
20-34	11	4.3	10	<1	1	3	7	9	10	10
35-49	3	7.0	49	2	2	4	12	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	7	6.1	9	2	2	7	8	10	10	10
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	3	9.3	108	1	1	6	17	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	4.0	27	1	1	2	4	9	12	28
20-34	37	4.8	21	1	1	4	6	9	12	26
35-49	16	5.9	13	1	2	6	8	10	13	14
50-64	17	8.5	48	1	1	6	14	20	22	23
65+	19	11.4	313	1	1	6	15	21	53	79
B. *Operated*										
0-19 YRS	44	15.5	318	1	2	8	19	49	56	73
20-34	43	18.2	518	1	2	11	26	55	92	99+
35-49	20	13.2	154	1	2	10	23	66	99+	99+
50-64	7	21.1	1024	3	3	7	20	78	92	92
65+	10	15.4	318	3	3	7	27	44	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.9	10	1	1	2	3	6	8	19
B. *Operated*	14	7.4	24	1	2	7	9	11	19	21
2. MULTIPLE DX										
A. *Not Operated*	289	4.9	48	1	1	3	6	11	15	29
B. *Operated*	124	16.4	389	1	2	9	23	52	76	99+
1. SINGLE DX	100	3.5	14	1	1	2	4	8	10	21
2. MULTIPLE DX	413	8.4	178	1	1	4	9	22	35	92
A. NOT OPERATED	375	4.5	40	1	1	2	5	9	14	27
B. OPERATED	138	15.5	359	1	2	8	21	50	71	99+
TOTAL 0-19 YRS	322	5.3	78	1	1	2	5	11	21	54
20-34	93	11.0	292	1	1	5	11	30	52	97
35-49	41	9.7	93	1	2	8	13	26	68	99+
50-64	28	11.6	296	1	1	6	15	22	30	92
65+	29	12.8	307	1	1	6	17	29	59	79
GRAND TOTAL	**513**	**7.4**	**149**	**1**	**1**	**3**	**8**	**17**	**30**	**91**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	40	1	1	3	4	11	20	29
20-34	10	5.2	20	<1	1	3	8	12	13	13
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	6	6.0	65	1	1	3	6	20	22	22
65+										
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	4	7.5	4	5	5	7	9	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MU[illegible]										
A. *Nc[illegible]*										
[illegible] YRS	100	4.3	27	1	1	2	5	9	14	28
20-[illegible]	59	4.6	16	<1	1	4	6	10	12	22
35-49	35	5.7	31	1	1	4	8	11	20	24
50-64	19	6.7	42	1	1	4	11	17	21	23
65+	10	7.8	22	1	1	8	11	14	14	14
B. *Operated*										
0-19 YRS	24	13.5	149	1	2	11	19	42	59	99+
20-34	34	11.4	175	1	1	8	13	24	45	63
35-49	13	17.3	243	1	2	11	32	41	47	49
50-64	10	9.3	81	<1	<1	7	11	24	30	30
65+	3	31.0	487	8	8	33	47	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.7	35	1	1	3	5	12	20	29
B. *Operated*	7	6.7	6	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	223	5.0	26	1	1	3	7	11	15	23
B. *Operated*	84	13.4	183	1	1	10	17	34	49	87
1. SINGLE DX	53	5.0	32	1	1	3	6	12	18	29
2. MULTIPLE DX	307	7.3	83	1	1	4	9	17	27	50
A. NOT OPERATED	269	4.9	28	1	1	3	6	12	15	24
B. OPERATED	91	12.9	173	1	2	9	15	33	48	84
TOTAL 0-19 YRS	153	5.8	58	1	1	3	7	14	22	46
20-34	107	7.0	75	1	1	4	8	13	20	55
35-49	52	8.4	105	1	1	5	10	21	34	49
50-64	35	7.3	55	1	1	4	10	19	23	30
65+	13	13.2	201	1	2	9	14	37	49	52
GRAND TOTAL	**360**	**6.9**	**76**	**1**	**1**	**4**	**8**	**15**	**24**	**49**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	3	<1	1	2	4	5	6	6
20-34	21	2.4	2	1	1	2	3	5	5	6
35-49	15	3.3	9	<1	1	2	5	6	11	12
50-64	9	4.6	8	1	1	5	6	9	10	10
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	140	2.9	10	<1	<1	2	4	5	7	14
20-34	247	3.0	4	<1	1	2	4	6	7	10
35-49	46	3.0	4	1	1	3	4	6	7	10
50-64	14	3.9	14	<1	1	3	4	10	13	14
65+	5	4.2	6	1	1	4	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	5	<1	<1	1	3	5	8	11
20-34	98	2.5	4	<1	<1	2	3	5	6	12
35-49	34	3.2	12	<1	<1	2	4	7	9	19
50-64	23	3.3	13	<1	1	2	4	7	11	17
65+	25	7.6	112	<1	1	4	7	19	33	48
B. *Operated*										
0-19 YRS	337	3.6	30	<1	1	2	4	7	9	27
20-34	696	4.0	22	1	1	3	5	8	11	25
35-49	201	5.5	47	1	1	3	6	11	15	40
50-64	70	6.6	41	1	1	5	8	13	15	37
65+	23	9.0	98	<1	1	4	12	28	33	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.0	5	1	1	2	4	6	7	12
B. *Operated*	452	3.0	7	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	237	3.2	20	<1	<1	2	4	6	9	20
B. *Operated*	1327	4.4	31	<1	1	3	5	9	13	31
1. SINGLE DX	515	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	1564	4.2	30	<1	1	3	5	8	12	30
A. NOT OPERATED	300	3.1	17	<1	<1	2	4	6	8	19
B. OPERATED	1779	4.0	25	<1	1	3	5	8	11	27
TOTAL 0-19 YRS	551	3.3	22	<1	1	2	4	6	9	24
20-34	1062	3.6	17	<1	1	3	4	7	9	18
35-49	296	4.7	36	1	1	3	5	10	13	32
50-64	116	5.4	31	1	1	4	7	12	15	35
65+	54	7.8	94	<1	1	4	10	20	30	48
GRAND TOTAL	**2079**	**3.9**	**24**	**<1**	**1**	**3**	**4**	**8**	**11**	**26**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.6	50	2	2	4	7	14	25	34
20-34	80	7.0	55	1	1	5	8	13	20	45
35-49	46	8.4	61	1	2	7	10	18	23	42
50-64	39	9.6	64	2	2	7	11	24	28	31
65+	46	15.0	140	1	3	11	21	32	41	50
B. *Operated*										
0-19 YRS	7	10.4	20	3	3	13	13	14	14	14
20-34	9	16.3	109	5	5	14	19	32	40	40
35-49	6	16.5	186	2	3	12	19	40	42	42
50-64	6	25.7	281	7	7	28	32	49	51	51
65+	2	44.5	421	30	30	44	59	59	59	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	8.1	125	1	1	5	9	13	24	62
20-34	243	8.0	56	1	2	5	10	17	24	37
35-49	124	8.9	60	1	2	7	12	18	23	38
50-64	136	12.1	111	2	3	10	15	22	30	58
65+	263	17.9	208	3	5	14	25	36	53	85
B. *Operated*										
0-19 YRS	22	21.5	451	1	3	18	28	62	86	99+
20-34	69	20.4	360	2	4	13	30	43	58	96
35-49	22	22.6	414	3	4	16	33	47	66	89
50-64	25	19.9	258	2	3	14	30	47	50	55
65+	22	21.5	240	6	7	18	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	9.1	80	1	2	6	11	22	30	43
B. *Operated*	30	18.7	205	3	5	13	26	41	51	59
2. MULTIPLE DX										
A. *Not Operated*	883	11.7	137	1	2	8	14	26	35	62
B. *Operated*	160	20.9	340	2	4	14	31	48	58	99+
1. SINGLE DX	281	10.1	102	1	2	7	12	24	32	50
2. MULTIPLE DX	1043	13.1	179	1	2	9	17	30	42	73
A. NOT OPERATED	1134	11.1	126	1	2	8	14	25	33	60
B. OPERATED	190	20.6	318	2	4	14	30	47	57	99+
TOTAL 0-19 YRS	186	9.4	161	1	1	6	10	22	35	85
20-34	401	10.1	132	1	2	6	12	24	33	53
35-49	198	10.5	120	1	2	8	12	22	32	53
50-64	206	13.0	135	2	3	10	16	28	40	57
65+	333	17.9	206	3	5	14	25	37	53	89
GRAND TOTAL	**1324**	**12.5**	**164**	**1**	**2**	**8**	**15**	**29**	**40**	**64**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.6	8	1	1	6	8	8	8	8
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
0-19 YRS										
20-34	2	19.5	481	4	4	19	35	35	35	35
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.9	95	1	2	5	15	26	30	30
20-34	13	6.1	72	<1	1	3	6	17	29	32
35-49	7	21.6	884	2	2	5	50	66	66	66
50-64	8	22.3	339	3	4	20	29	52	60	60
65+	12	18.7	100	5	6	19	24	34	35	35
B. *Operated*										
0-19 YRS	9	41.2	449	15	17	48	99+	99+	99+	99+
20-34	7	20.1	311	4	10	78	99+	99+	99+	99+
35-49	4	25.0	170	14	14	26	57	99+	99+	99+
50-64	3	23.7	376	11	11	14	38	46	46	46
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.9	41	1	1	7	8	19	20	20
B. *Operated*	3	17.0	259	4	4	12	29	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	48	14.8	265	1	1	8	22	35	60	66
B. *Operated*	23	29.7	398	11	13	45	99+	99+	99+	99+
1. SINGLE DX	13	10.0	90	1	2	8	13	23	33	35
2. MULTIPLE DX	71	19.6	352	1	3	18	45	99+	99+	99+
A. NOT OPERATED	58	13.6	232	1	1	8	20	33	50	66
B. OPERATED	26	28.2	388	7	12	43	99+	99+	99+	99+
TOTAL 0-19 YRS	17	26.5	526	2	4	30	70	99+	99+	99+
20-34	29	10.3	161	1	1	8	33	99+	99+	99+
35-49	13	21.6	497	2	3	15	43	69	93	99+
50-64	12	20.9	320	2	3	16	29	50	59	60
65+	13	18.8	92	5	6	20	25	41	87	99+
GRAND TOTAL	**84**	**18.1**	**322**	**1**	**2**	**15**	**35**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	81	1	1	2	4	22	24	24
20-34	21	3.2	7	<1	<1	2	4	7	9	10
35-49	28	4.2	8	<1	1	4	6	9	9	9
50-64	28	4.0	9	1	1	3	6	8	11	13
65+	50	8.3	62	1	2	6	9	19	24	42
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.3	14	<1	1	3	5	12	14	99+
20-34	105	4.3	16	1	1	3	5	9	11	23
35-49	157	5.0	16	1	1	4	6	10	12	21
50-64	199	8.1	61	1	2	6	10	15	25	44
65+	314	10.3	88	2	3	8	13	21	30	68
B. *Operated*										
0-19 YRS	9	5.4	8	<1	1	5	7	10	10	10
20-34	24	8.2	47	<1	1	6	12	18	22	25
35-49	43	11.6	191	2	3	8	11	20	38	80
50-64	36	14.3	269	2	2	9	19	26	45	89
65+	36	17.2	273	2	3	12	26	37	51	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	5.6	35	1	1	4	7	10	19	30
B. *Operated*	3	5.7	5	3	3	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	815	7.6	60	1	2	6	10	15	23	43
B. *Operated*	148	12.7	204	1	2	8	15	30	37	80
1. SINGLE DX	136	5.6	34	1	1	4	7	10	18	30
2. MULTIPLE DX	963	8.4	86	1	2	6	10	18	25	50
A. NOT OPERATED	948	7.4	57	1	1	5	9	15	22	42
B. OPERATED	151	12.5	201	1	2	8	15	29	37	80
TOTAL 0-19 YRS	55	4.6	19	<1	1	3	6	11	15	95
20-34	151	4.8	22	1	1	3	6	10	12	25
35-49	230	6.1	54	1	1	4	8	11	15	35
50-64	263	8.5	90	1	2	6	10	19	25	46
65+	400	10.6	105	2	3	8	13	22	32	64
GRAND TOTAL	**1099**	**8.1**	**80**	**1**	**2**	**6**	**10**	**17**	**24**	**48**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	10.7	145	1	1	7	12	26	39	48
20-34	13	10.0	37	4	4	6	15	20	21	21
35-49	9	12.3	147	1	1	10	15	31	41	41
50-64	9	13.2	49	5	6	12	15	25	28	28
65+	43	18.2	155	4	6	15	27	35	39	60
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	19.0		19	19	19	19	19	19	19
65+	3	30.0	571	4	4	35	47	51	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	9.8	46	2	3	9	12	16	30	32
20-34	74	12.3	74	1	4	11	17	21	31	43
35-49	35	15.0	235	3	3	9	20	31	44	81
50-64	64	17.6	145	2	5	15	23	32	45	56
65+	240	25.6	322	5	8	22	33	50	66	99
B. *Operated*										
0-19 YRS	28	27.0	281	5	6	25	41	48	53	62
20-34	35	34.0	415	9	9	33	49	65	84	99+
35-49	16	39.1	463	7	11	47	57	63	69	71
50-64	12	31.5	340	12	13	24	51	58	61	62
65+	15	28.9	323	10	11	21	51	61	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	14.5	134	2	3	11	20	31	38	55
B. *Operated*	5	25.2	329	4	4	19	39	51	51	51
2. MULTIPLE DX										
A. *Not Operated*	462	19.9	260	3	5	16	26	40	55	87
B. *Operated*	106	31.9	368	7	9	30	49	61	66	99+
1. SINGLE DX	97	15.1	146	2	3	12	20	34	39	56
2. MULTIPLE DX	568	22.1	302	3	6	18	30	47	62	96
A. NOT OPERATED	554	19.0	243	3	5	15	25	39	49	84
B. OPERATED	111	31.6	365	6	9	29	49	60	65	99+
TOTAL 0-19 YRS	95	15.0	192	2	3	9	20	40	46	57
20-34	122	18.3	265	3	4	13	23	42	55	92
35-49	61	21.0	388	2	4	14	25	56	60	80
50-64	86	19.1	183	2	6	15	24	37	50	60
65+	301	24.8	305	5	7	21	33	50	64	99
GRAND TOTAL	**665**	**21.1**	**285**	**3**	**5**	**17**	**29**	**46**	**60**	**89**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.7	3	<1	<1	1	2	4	5	9
20-34	6	2.2	1	<1	<1	2	3	4	4	4
35-49	6	4.7	14	<1	<1	4	8	9	9	9
50-64	12	6.1	62	<1	1	3	7	18	27	28
65+	36	12.2	144	1	1	8	16	33	36	50
B. *Operated*										
0-19 YRS	184	4.5	34	1	1	2	4	14	19	23
20-34	25	6.0	47	1	1	3	6	21	21	22
35-49	20	7.9	45	<1	1	6	11	18	23	26
50-64	23	3.9	6	1	2	3	5	8	10	10
65+	19	7.7	39	1	1	5	12	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.7	93	<1	1	2	4	8	16	62
20-34	36	3.5	7	1	1	3	4	7	10	12
35-49	22	5.7	41	<1	1	4	7	11	20	30
50-64	68	6.8	45	1	1	4	10	14	20	32
65+	204	15.5	232	1	3	12	21	33	53	99+
B. *Operated*										
0-19 YRS	300	4.9	37	1	1	2	6	12	19	30
20-34	77	8.9	159	1	1	4	8	25	39	64
35-49	47	8.9	177	1	2	5	9	17	25	87
50-64	71	13.4	224	1	2	9	18	32	38	77
65+	107	17.3	331	1	2	12	24	46	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	5.9	78	<1	<1	2	7	15	27	42
B. *Operated*	271	5.0	35	1	1	2	6	16	20	23
2. MULTIPLE DX										
A. *Not Operated*	411	10.3	170	1	1	6	14	27	35	90
B. *Operated*	602	8.9	159	1	1	4	11	24	33	80
1. SINGLE DX	378	5.3	47	<1	1	2	6	16	21	33
2. MULTIPLE DX	1013	9.5	164	1	1	5	12	25	34	84
A. NOT OPERATED	518	9.4	154	1	1	5	12	26	34	83
B. OPERATED	873	7.7	124	1	1	3	9	20	27	71
TOTAL 0-19 YRS	612	4.5	41	1	1	2	5	11	18	30
20-34	144	6.8	100	1	1	3	7	21	25	47
35-49	95	7.7	108	1	1	5	9	17	23	62
50-64	174	9.0	127	1	1	5	11	23	31	64
65+	366	15.3	246	1	2	11	21	35	54	99+
GRAND TOTAL	**1391**	**8.4**	**136**	**1**	**1**	**4**	**10**	**22**	**31**	**75**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	4	4
20-34	10	1.9	2	<1	<1	1	3	4	5	5
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	9	1.7	1	<1	<1	2	2	3	3	3
65+	23	4.8	47	<1	1	3	5	9	21	33
B. *Operated*										
0-19 YRS	724	1.7	2	1	1	1	2	3	4	7
20-34	141	2.5	4	<1	1	2	3	5	6	9
35-49	74	2.3	3	1	1	2	3	4	7	9
50-64	106	2.3	2	1	1	2	3	4	5	7
65+	125	3.7	20	<1	1	2	4	8	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	1.9	5	<1	<1	1	2	3	6	13
20-34	36	2.9	6	<1	<1	2	5	6	7	9
35-49	25	2.4	3	1	1	2	4	5	6	6
50-64	24	4.9	67	<1	1	3	5	7	19	42
65+	63	15.7	312	1	1	8	26	44	54	97
B. *Operated*										
0-19 YRS	909	2.2	9	<1	1	1	2	4	6	17
20-34	338	4.2	36	<1	1	3	5	8	13	32
35-49	194	3.8	20	1	1	3	4	7	10	22
50-64	300	3.6	21	1	1	2	4	8	13	23
65+	321	6.3	110	1	1	3	6	15	22	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.5	15	<1	<1	1	3	5	6	27
B. *Operated*	1170	2.1	5	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	221	6.4	133	<1	1	2	6	15	36	66
B. *Operated*	2062	3.5	34	1	1	2	4	7	12	33
1. SINGLE DX	1256	2.1	5	<1	1	1	2	4	5	10
2. MULTIPLE DX	2283	3.8	44	<1	1	2	4	7	13	39
A. NOT OPERATED	307	5.3	103	<1	1	2	5	12	33	55
B. OPERATED	3232	3.0	24	1	1	2	3	6	9	24
TOTAL 0-19 YRS	1746	1.9	6	<1	1	1	2	3	5	12
20-34	525	3.6	25	<1	1	2	4	7	9	28
35-49	297	3.3	15	1	1	2	4	7	9	16
50-64	439	3.4	19	1	1	2	4	7	11	22
65+	532	6.7	121	1	1	3	6	15	35	79
GRAND TOTAL	**3539**	**3.2**	**31**	**<1**	**1**	**2**	**3**	**6**	**10**	**34**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	4	<1	<1	1	2	6	8	8
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	5.3	24	2	2	3	9	11	11	11
B. *Operated*										
0-19 YRS	147	1.7	2	<1	<1	1	2	3	4	7
20-34	114	1.9	2	<1	1	2	2	3	4	7
35-49	43	2.3	2	<1	1	2	3	4	6	7
50-64	26	2.2	3	1	1	1	3	5	7	7
65+	14	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	4	<1	1	2	4	5	7	9
20-34	34	2.6	5	<1	<1	1	3	6	8	8
35-49	13	3.1	7	1	1	2	4	8	8	8
50-64	7	6.3	18	1	1	6	10	12	12	12
65+	13	16.3	339	<1	1	6	23	46	54	56
B. *Operated*										
0-19 YRS	247	2.9	29	<1	1	2	3	5	8	27
20-34	252	2.7	10	<1	1	2	3	5	7	13
35-49	93	4.5	63	<1	1	2	5	10	13	49
50-64	64	3.3	7	<1	1	2	4	8	9	10
65+	37	5.8	38	1	1	4	7	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.7	7	<1	<1	2	3	6	9	11
B. *Operated*	344	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	88	5.0	75	<1	<1	2	5	9	18	51
B. *Operated*	693	3.2	25	<1	1	2	3	6	9	26
1. SINGLE DX	367	2.0	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	781	3.4	31	<1	1	2	3	7	10	28
A. NOT OPERATED	111	4.5	62	<1	<1	2	5	8	16	49
B. OPERATED	1037	2.8	18	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	428	2.5	18	<1	1	1	2	4	7	18
20-34	404	2.4	7	<1	1	2	3	4	6	11
35-49	150	3.8	41	<1	1	2	4	7	11	26
50-64	99	3.2	8	1	1	2	4	8	9	12
65+	67	7.1	105	1	1	3	7	18	29	54
GRAND TOTAL	**1148**	**3.0**	**22**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	9.3	108	1	1	6	17	21	21	21
50-64	5	10.0	56	<1	<1	10	15	20	20	20
65+	35	12.9	290	<1	<1	9	19	36	97	99+
B. *Operated*										
0-19 YRS	7	12.1	201	1	1	9	14	37	42	42
20-34	17	17.2	307	6	7	12	14	37	64	77
35-49	20	12.5	28	7	7	11	14	20	24	27
50-64	62	19.0	164	7	9	14	21	43	49	61
65+	312	21.5	220	7	9	17	27	41	58	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.9	186	2	3	8	24	37	40	40
20-34	7	13.3	160	5	5	6	20	35	38	38
35-49	5	11.6	61	2	2	14	16	22	22	22
50-64	19	15.8	300	<1	1	11	18	41	58	67
65+	149	27.5	578	1	3	23	46	83	99+	99+
B. *Operated*										
0-19 YRS	29	22.0	427	4	5	16	27	62	66	68
20-34	33	18.8	225	2	4	16	21	35	55	69
35-49	61	18.0	178	6	7	14	22	38	48	62
50-64	208	21.0	225	5	8	17	28	45	68	99+
65+	1414	28.5	433	6	9	24	42	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	11.3	230	<1	<1	7	18	34	92	99+
B. *Operated*	418	20.3	210	7	8	16	25	40	55	79
2. MULTIPLE DX										
A. *Not Operated*	188	24.8	527	1	3	19	41	78	99+	99+
B. *Operated*	1745	26.9	405	6	8	22	39	73	99+	99+
1. SINGLE DX	466	19.4	219	5	7	15	24	40	56	98
2. MULTIPLE DX	1933	26.7	417	5	8	22	39	73	99+	99+
A. NOT OPERATED	236	22.1	495	1	2	17	37	75	99+	99+
B. OPERATED	2163	25.7	374	6	8	20	36	68	97	99+
TOTAL 0-19 YRS	48	17.8	345	1	2	10	21	48	63	68
20-34	58	17.4	237	2	5	13	19	36	54	76
35-49	89	16.1	140	5	6	12	20	30	42	61
50-64	294	20.1	216	5	7	16	27	45	61	99+
65+	1910	27.0	417	5	8	22	39	74	99+	99+
GRAND TOTAL	**2399**	**25.3**	**387**	**5**	**7**	**20**	**36**	**68**	**98**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	24.9	292	1	5	24	32	43	55	88
20-34	11	11.2	218	<1	1	4	17	33	49	50
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	22.0	169	7	7	29	30	30	30	30
65+	11	12.2	117	1	2	10	31	99+	99+	99+
B. *Operated*										
0-19 YRS	78	20.4	336	2	2	15	27	52	60	73
20-34	22	21.1	440	2	4	15	23	51	72	88
35-49	9	10.4	38	2	3	9	15	19	20	20
50-64	10	27.2	773	3	4	16	28	77	83	83
65+	15	21.0	336	4	6	13	40	58	88	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	25.8	279	1	3	24	35	48	59	67
20-34	11	14.5	529	<1	<1	4	16	54	72	74
35-49	6	52.8	1212	6	7	57	81	94	96	96
50-64	13	21.5	627	2	4	11	36	91	98	99+
65+	39	26.2	564	1	1	22	46	80	99+	99+
B. *Operated*										
0-19 YRS	219	31.0	480	3	5	27	48	65	85	99+
20-34	131	23.0	410	4	6	18	28	60	90	99+
35-49	27	26.1	544	4	5	19	42	94	99+	99+
50-64	34	31.8	588	5	9	28	51	99	99+	99+
65+	94	32.2	498	6	9	26	53	79	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	21.4	285	1	2	21	30	43	58	99+
B. *Operated*	134	20.4	364	2	3	14	25	53	64	90
2. MULTIPLE DX										
A. *Not Operated*	206	25.8	411	1	2	23	38	59	70	99+
B. *Operated*	505	28.9	486	4	6	23	45	71	92	99+
1. SINGLE DX	228	20.8	331	2	3	16	29	48	62	99+
2. MULTIPLE DX	711	28.0	465	2	5	23	43	65	91	99+
A. NOT OPERATED	300	24.4	375	1	2	23	35	54	69	99+
B. OPERATED	639	27.2	472	3	5	21	43	65	89	99+
TOTAL 0-19 YRS	502	27.1	390	2	4	24	39	57	67	99+
20-34	175	21.5	414	2	3	16	26	59	76	99+
35-49	43	26.0	657	3	4	17	42	88	99+	99+
50-64	60	28.3	599	4	5	21	46	92	99+	99+
65+	159	28.3	499	3	5	22	46	79	99+	99+
GRAND TOTAL	**939**	**26.3**	**442**	**2**	**4**	**22**	**39**	**62**	**83**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.3	3	1	1	2	3	5	6	9
20-34	44	3.3	9	<1	<1	2	5	7	9	13
35-49	30	6.7	48	<1	1	5	7	16	21	33
50-64	17	8.3	94	<1	1	6	8	19	34	41
65+	20	19.0	548	1	2	7	29	57	72	85
B. *Operated*										
0-19 YRS	153	5.0	38	1	1	3	5	11	16	37
20-34	127	6.8	42	1	2	5	8	14	18	34
35-49	79	7.1	32	2	2	6	9	13	18	31
50-64	46	10.0	97	2	3	6	12	22	33	48
65+	15	17.5	364	1	3	11	16	52	65	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	3.3	6	1	1	3	4	7	9	12
20-34	96	4.9	91	<1	<1	3	5	8	13	63
35-49	54	6.2	85	<1	1	3	7	14	17	60
50-64	50	11.2	301	1	1	6	12	27	45	98
65+	66	19.1	437	2	3	14	28	67	99+	99+
B. *Operated*										
0-19 YRS	363	7.0	75	1	1	4	8	16	19	56
20-34	368	9.7	174	1	2	5	11	20	39	82
35-49	198	11.8	202	1	2	7	13	28	47	84
50-64	112	15.1	212	2	3	10	21	39	48	89
65+	66	22.7	374	6	7	16	30	68	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	5.2	91	<1	1	2	5	9	21	57
B. *Operated*	420	6.9	61	1	2	5	8	15	19	48
2. MULTIPLE DX										
A. *Not Operated*	436	7.3	162	1	1	3	7	16	31	98
B. *Operated*	1107	10.5	177	1	2	6	12	24	43	83
1. SINGLE DX	630	6.4	72	1	1	4	7	13	20	50
2. MULTIPLE DX	1543	9.6	175	1	1	5	11	22	41	86
A. NOT OPERATED	646	6.6	140	1	1	3	6	14	30	85
B. OPERATED	1527	9.5	148	1	2	5	11	21	36	78
TOTAL 0-19 YRS	785	5.2	47	1	1	3	6	11	16	37
20-34	635	8.0	128	1	1	5	9	15	27	77
35-49	361	9.5	140	1	2	6	10	20	37	63
50-64	225	12.6	203	1	2	7	15	31	45	87
65+	167	20.4	415	2	3	14	28	65	86	99+
GRAND TOTAL	**2173**	**8.7**	**147**	**1**	**1**	**5**	**10**	**19**	**33**	**80**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.7	7	<1	1	2	3	5	7	18
20-34	70	3.2	10	<1	1	2	4	6	10	16
35-49	31	3.4	8	<1	1	2	4	7	9	13
50-64	39	7.0	62	1	1	4	9	19	25	35
65+	38	4.8	16	<1	1	4	6	11	14	15
B. *Operated*										
0-19 YRS	160	4.6	16	1	2	3	5	9	12	23
20-34	252	4.6	9	1	2	4	6	8	10	17
35-49	136	5.8	17	2	2	5	7	10	13	27
50-64	101	6.7	32	2	2	5	8	14	18	30
65+	70	7.7	22	2	3	6	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	3.7	14	1	1	3	4	8	11	21
20-34	146	4.2	29	<1	<1	3	5	8	12	52
35-49	75	5.4	34	<1	1	4	7	12	16	32
50-64	86	7.6	141	1	1	4	8	13	20	77
65+	107	13.8	282	1	2	8	17	30	57	78
B. *Operated*										
0-19 YRS	338	5.9	56	1	2	4	6	12	16	46
20-34	670	5.8	49	1	2	4	6	11	15	46
35-49	360	6.4	35	1	2	5	7	12	16	35
50-64	351	8.8	82	2	3	6	10	17	28	49
65+	166	14.6	276	3	4	9	16	33	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	4.0	20	<1	1	3	4	9	14	23
B. *Operated*	719	5.4	18	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	517	6.8	111	1	1	4	7	14	24	62
B. *Operated*	1885	7.3	80	1	2	5	8	14	21	56
1. SINGLE DX	960	5.0	19	1	1	4	6	10	13	22
2. MULTIPLE DX	2402	7.2	87	1	2	4	8	14	21	58
A. NOT OPERATED	758	5.9	84	<1	1	3	6	13	19	57
B. OPERATED	2604	6.8	63	1	2	5	7	13	19	41
TOTAL 0-19 YRS	664	4.9	36	1	1	3	5	10	14	24
20-34	1138	5.2	36	1	1	4	6	9	13	36
35-49	602	6.0	30	1	2	5	7	11	15	32
50-64	577	8.1	81	1	2	5	9	16	24	48
65+	381	12.1	216	1	3	8	13	26	38	90
GRAND TOTAL	**3362**	**6.6**	**68**	**1**	**2**	**4**	**7**	**13**	**19**	**49**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	5	<1	<1	1	2	4	8	10
20-34	22	2.1	3	<1	<1	1	2	6	7	7
35-49	5	4.6	16	1	1	2	9	9	9	9
50-64	9	3.3	6	1	1	3	4	7	9	9
65+	4	12.3	68	2	2	12	18	22	22	22
B. *Operated*										
0-19 YRS	10	2.6	2	1	1	2	4	5	5	5
20-34	14	2.3	1	1	1	2	3	4	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	4.7	8	3	3	3	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	2.6	5	1	1	2	4	6	7	10
20-34	86	3.5	12	1	1	2	4	8	11	17
35-49	43	4.2	12	<1	1	3	6	9	13	15
50-64	30	7.5	48	1	1	5	12	17	19	30
65+	40	14.1	340	2	3	7	13	36	64	82
B. *Operated*										
0-19 YRS	32	4.2	10	1	2	3	5	9	11	16
20-34	44	4.3	15	<1	1	3	6	9	16	99+
35-49	14	6.1	23	<1	1	5	8	12	17	19
50-64	8	9.1	160	1	1	4	11	31	38	38
65+	7	17.0	227	2	3	15	36	83	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.1	14	<1	1	2	3	9	10	21
B. *Operated*	29	2.7	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	300	5.1	70	1	1	3	6	11	15	52
B. *Operated*	105	5.7	47	1	1	4	7	14	22	99+
1. SINGLE DX	94	3.0	10	<1	1	2	3	7	9	18
2. MULTIPLE DX	405	5.3	64	1	1	3	6	11	16	63
A. NOT OPERATED	365	4.8	61	1	1	2	5	10	14	44
B. OPERATED	134	5.1	39	1	1	3	5	11	20	99+
TOTAL 0-19 YRS	168	2.8	6	1	1	2	4	6	8	11
20-34	166	3.4	11	<1	1	2	4	8	10	20
35-49	64	4.6	15	<1	1	4	6	9	13	18
50-64	50	6.9	56	1	1	4	9	16	19	38
65+	51	14.3	298	2	3	8	17	46	70	99+
GRAND TOTAL	**499**	**4.8**	**55**	**1**	**1**	**3**	**5**	**10**	**16**	**52**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	3	13.3	56	6	6	13	19	21	21	21
20-34	6	26.0	694	9	9	14	32	72	77	77
35-49	3	45.3	1317	4	4	60	69	72	72	72
50-64										
65+	1	46.0		46	46	46	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	5.5	21	<1	<1	4	9	12	13	13
B. *Operated*	13	29.1	675	4	6	15	49	73	76	77
1. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX	21	20.1	550	1	2	11	24	65	74	77
A. NOT OPERATED	10	4.9	18	<1	<1	3	8	12	13	13
B. OPERATED	13	29.1	675	4	6	15	49	73	76	77
TOTAL 0-19 YRS	8	7.3	46	1	1	5	10	19	21	21
20-34	8	21.1	583	2	4	12	23	63	77	77
35-49	4	34.3	1370	<1	<1	32	66	72	72	72
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	29.5	545	13	13	29	46	46	46	46
GRAND TOTAL	**23**	**18.6**	**526**	**1**	**2**	**10**	**19**	**62**	**74**	**77**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	8	1.4	1	<1	<1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	4	6.5	38	1	1	5	11	14	14	14
B. *Operated*										
0-19 YRS	34	2.6	2	<1	1	2	3	5	5	5
20-34	146	2.5	3	<1	1	2	3	5	5	7
35-49	28	2.4	2	<1	<1	2	3	4	5	7
50-64	21	2.5	9	<1	<1	1	3	5	9	14
65+	15	2.1	2	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	38	1.7	2	<1	<1	1	2	4	5	7
35-49	3	5.7	20	1	1	6	9	10	10	10
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	12	5.6	24	1	1	4	8	14	16	16
B. *Operated*										
0-19 YRS	63	2.7	4	<1	1	2	3	5	7	11
20-34	248	3.2	37	<1	1	2	4	5	6	19
35-49	75	3.1	8	1	1	2	4	6	8	15
50-64	45	3.4	19	<1	<1	2	4	7	15	22
65+	59	8.7	138	1	1	3	11	23	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	9	<1	<1	1	2	4	10	14
B. *Operated*	244	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	65	2.5	9	<1	<1	1	3	5	10	16
B. *Operated*	490	3.8	42	<1	1	2	4	6	12	28
1. SINGLE DX	268	2.4	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	555	3.7	38	<1	1	2	4	6	12	24
A. NOT OPERATED	89	2.5	9	<1	<1	1	2	5	10	15
B. OPERATED	734	3.4	29	<1	1	2	4	5	8	22
TOTAL 0-19 YRS	111	2.5	3	<1	1	2	3	5	6	9
20-34	440	2.8	22	<1	1	2	3	5	6	15
35-49	107	3.0	7	<1	1	2	4	6	8	14
50-64	75	2.9	14	<1	<1	1	3	5	12	21
65+	90	7.1	100	1	1	3	9	18	24	54
GRAND TOTAL	**823**	**3.3**	**27**	**<1**	**1**	**2**	**4**	**5**	**9**	**21**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	4	1	1	2	4	6	6	6
20-34	9	2.9	2	<1	1	3	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	64	5.0	28	1	1	4	6	8	15	31
20-34	169	4.0	6	1	1	4	5	7	8	12
35-49	86	4.4	6	1	2	4	5	7	9	13
50-64	26	4.9	33	1	1	4	5	8	16	30
65+	4	8.8	38	5	5	6	12	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	5	<1	<1	3	4	5	8	10
20-34	15	2.1	2	1	1	2	2	4	5	6
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	5	15.8	145	5	5	9	25	34	34	34
B. *Operated*										
0-19 YRS	110	4.3	8	1	1	4	5	7	9	16
20-34	307	3.9	7	1	1	4	5	6	8	12
35-49	127	4.8	9	2	2	4	5	9	10	19
50-64	66	5.7	24	1	2	4	6	11	13	30
65+	10	8.0	39	1	1	6	9	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.8	2	<1	1	2	4	5	6	6
B. *Operated*	349	4.4	12	1	1	4	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	46	4.0	33	<1	1	2	4	8	12	34
B. *Operated*	620	4.4	10	1	2	4	5	7	10	19
1. SINGLE DX	368	4.3	12	1	1	4	5	7	9	19
2. MULTIPLE DX	666	4.4	12	1	1	4	5	7	10	22
A. NOT OPERATED	65	3.6	24	<1	1	2	4	6	9	32
B. OPERATED	969	4.4	11	1	2	4	5	7	10	19
TOTAL 0-19 YRS	201	4.3	14	1	1	4	5	8	9	21
20-34	500	3.9	7	1	1	3	5	6	8	12
35-49	218	4.6	8	1	2	4	5	8	10	15
50-64	96	5.4	25	1	2	4	6	11	13	31
65+	19	10.2	70	1	3	7	14	22	29	34
GRAND TOTAL	**1034**	**4.4**	**12**	**1**	**1**	**4**	**5**	**7**	**10**	**21**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	8	3.6	7	<1	<1	3	6	7	8	8
35-49	3	6.3	21	<1	<1	9	9	9	9	9
50-64	3	12.7	122	1	1	14	21	23	23	23
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	38	2.7	17	<1	<1	1	3	5	8	25
20-34	46	3.9	34	<1	1	2	3	8	16	35
35-49	21	4.3	17	<1	<1	2	7	11	13	13
50-64	7	3.4	27	<1	<1	1	3	13	15	15
65+	4	2.5	9	1	1	1	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	4	<1	1	3	5	6	7	7
20-34	16	9.8	30	2	3	10	13	18	21	22
35-49	18	6.2	14	1	1	7	9	11	12	12
50-64	7	12.7	138	<1	1	9	15	33	37	37
65+	9	21.1	901	<1	1	11	20	72	96	96
B. *Operated*										
0-19 YRS	94	4.9	42	<1	1	2	5	14	21	29
20-34	107	6.7	65	1	1	3	10	19	22	38
35-49	50	8.5	169	<1	<1	3	11	22	32	74
50-64	37	10.6	236	<1	<1	4	12	38	46	67
65+	17	7.8	152	<1	1	3	5	25	40	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.4	35	<1	<1	3	8	13	20	23
B. *Operated*	116	3.5	24	<1	<1	2	4	8	13	28
2. MULTIPLE DX										
A. *Not Operated*	64	9.3	172	1	1	7	11	15	26	88
B. *Operated*	305	7.0	102	<1	1	3	9	19	25	51
1. SINGLE DX	133	3.8	26	<1	<1	2	4	9	14	27
2. MULTIPLE DX	369	7.4	114	<1	1	3	9	19	25	54
A. NOT OPERATED	81	8.4	145	<1	1	6	11	14	22	78
B. OPERATED	421	6.0	83	<1	1	3	7	16	23	47
TOTAL 0-19 YRS	148	4.2	32	<1	1	2	5	10	20	25
20-34	177	6.1	54	1	1	3	8	16	20	32
35-49	92	7.1	101	<1	1	3	9	16	24	59
50-64	54	10.1	191	<1	<1	4	14	28	43	66
65+	31	10.8	372	<1	1	4	10	30	46	96
GRAND TOTAL	**502**	**6.4**	**93**	**<1**	**1**	**3**	**8**	**16**	**23**	**47**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	15	1	1	3	3	9	15	16
20-34	25	1.8	1	<1	1	1	2	3	4	5
35-49	10	3.4	17	1	1	2	3	10	14	14
50-64	11	4.4	24	<1	1	3	5	11	17	18
65+	6	14.2	108	7	7	11	12	33	35	35
B. *Operated*										
0-19 YRS	36	3.5	4	1	1	3	4	6	8	10
20-34	57	4.0	5	1	1	4	5	7	8	11
35-49	14	4.0	2	2	2	4	5	6	6	6
50-64	10	4.4	2	2	2	5	6	6	6	6
65+	4	7.8	32	2	2	7	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.2	11	1	1	2	3	7	10	20
20-34	80	2.3	3	<1	1	2	3	5	7	9
35-49	30	3.0	5	1	1	2	4	6	9	11
50-64	16	5.4	17	1	1	4	8	12	14	15
65+	42	11.6	181	1	2	8	12	27	39	72
B. *Operated*										
0-19 YRS	106	4.3	4	2	2	4	6	7	8	11
20-34	326	4.6	18	1	2	4	5	7	8	16
35-49	86	4.7	8	2	2	4	5	8	10	17
50-64	38	6.0	19	2	3	5	7	9	16	24
65+	10	14.8	240	3	3	9	20	39	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	4.0	27	1	1	2	4	10	14	31
B. *Operated*	121	4.0	5	1	1	4	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	230	4.6	50	1	1	2	4	10	14	36
B. *Operated*	566	4.8	19	1	2	4	5	8	9	19
1. SINGLE DX	197	4.0	14	1	1	3	5	7	10	17
2. MULTIPLE DX	796	4.7	28	1	1	4	5	8	11	24
A. NOT OPERATED	306	4.4	44	1	1	2	4	10	14	34
B. OPERATED	687	4.7	17	1	2	4	5	7	9	18
TOTAL 0-19 YRS	228	3.8	7	1	1	3	5	7	9	14
20-34	488	4.0	14	1	1	4	5	7	8	15
35-49	140	4.2	8	1	1	4	5	8	9	15
50-64	75	5.4	17	1	2	4	7	9	14	23
65+	62	12.1	170	2	2	9	12	27	39	70
GRAND TOTAL	**993**	**4.6**	**25**	**1**	**1**	**4**	**5**	**8**	**10**	**23**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	2	1	1	4	4	5	5	5
20-34	75	5.3	30	1	1	3	5	11	17	28
35-49	56	7.6	78	1	3	5	8	18	23	51
50-64	32	5.7	16	2	2	4	7	12	16	17
65+	14	8.0	13	4	4	7	11	14	15	15
B. *Operated*										
0-19 YRS										
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.2	3	<1	<1	1	3	5	6	7
20-34	96	5.3	28	1	1	4	6	10	12	32
35-49	78	5.6	12	2	2	5	8	9	12	18
50-64	63	8.9	51	3	3	7	11	19	21	42
65+	48	10.2	64	3	4	8	13	16	24	47
B. *Operated*										
0-19 YRS										
20-34	5	9.0	4	7	7	10	10	11	11	11
35-49	3	5.3	26	1	1	4	9	11	11	11
50-64	4	6.3	14	3	3	6	9	10	10	10
65+	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	6.2	40	1	2	4	7	12	18	34
B. *Operated*	6	4.3	29	1	1	2	4	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	300	6.8	38	1	2	5	8	13	19	35
B. *Operated*	13	8.8	45	1	2	9	10	15	25	28
1. SINGLE DX	192	6.1	40	1	2	4	7	13	18	34
2. MULTIPLE DX	313	6.8	38	1	2	5	8	13	19	34
A. NOT OPERATED	486	6.5	39	1	2	5	8	13	18	34
B. OPERATED	19	7.4	42	1	1	7	10	13	22	28
TOTAL 0-19 YRS	24	2.6	3	<1	1	2	4	5	6	7
20-34	180	5.4	28	1	1	4	7	11	14	28
35-49	139	6.5	40	2	2	5	8	11	17	39
50-64	99	7.8	40	2	3	6	9	17	20	35
65+	63	10.0	58	3	4	8	13	16	25	45
GRAND TOTAL	**505**	**6.6**	**39**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.5	5	<1	1	2	3	5	7	13
20-34	157	3.8	11	1	1	3	5	8	10	20
35-49	92	5.3	21	1	1	5	7	9	11	29
50-64	47	5.9	16	1	2	5	8	11	13	20
65+	20	4.8	7	1	2	4	6	9	10	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	10.4	15	4	4	12	13	14	14	14
35-49	4	6.8	5	4	4	7	8	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	2.9	7	1	1	2	4	6	7	14
20-34	348	4.3	21	1	1	3	5	8	11	20
35-49	198	5.5	20	1	1	4	7	12	15	22
50-64	144	7.0	74	1	2	5	8	12	16	34
65+	113	10.2	136	2	2	7	12	18	28	67
B. *Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	16	6.3	47	1	2	4	7	12	24	29
35-49	16	8.6	49	1	1	6	14	18	22	23
50-64	10	10.7	100	2	2	8	13	26	36	36
65+	5	9.6	22	3	4	10	16	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	4.3	14	1	1	3	6	8	10	20
B. *Operated*	12	8.2	14	2	3	8	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	928	5.5	45	1	1	4	7	11	16	29
B. *Operated*	52	7.8	54	1	2	6	11	18	28	98
1. SINGLE DX	387	4.4	14	1	1	3	6	9	11	20
2. MULTIPLE DX	980	5.6	46	1	1	4	7	12	16	31
A. NOT OPERATED	1303	5.2	37	1	1	4	6	10	14	28
B. OPERATED	64	7.8	46	1	2	6	11	17	24	90
TOTAL 0-19 YRS	190	2.8	6	1	1	2	3	6	7	14
20-34	526	4.3	19	1	1	3	5	9	11	21
35-49	310	5.6	22	1	1	4	7	11	15	23
50-64	202	6.9	62	1	2	6	8	12	16	33
65+	139	9.4	115	2	2	6	11	18	27	91
GRAND TOTAL	**1367**	**5.3**	**37**	**1**	**1**	**4**	**6**	**11**	**15**	**29**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.1	3	<1	<1	2	2	3	6	10
20-34	41	2.1	2	<1	<1	2	3	4	5	7
35-49	28	3.6	18	<1	1	2	4	9	11	21
50-64	23	4.2	12	1	1	3	5	9	12	16
65+	24	4.3	10	1	2	3	6	8	12	13
B. Operated										
0-19 YRS	35	3.1	2	1	1	3	4	5	5	6
20-34	65	3.0	3	1	1	3	4	5	6	10
35-49	49	3.5	3	1	2	3	4	7	7	8
50-64	27	3.9	6	1	1	4	5	6	9	12
65+	14	7.7	43	2	2	6	10	16	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	2.4	5	<1	1	2	3	5	6	13
20-34	115	3.1	9	<1	<1	2	4	7	9	17
35-49	48	3.1	9	<1	1	2	4	8	9	13
50-64	46	4.2	8	1	1	4	5	9	10	12
65+	83	8.2	56	2	2	5	10	17	23	39
B. Operated										
0-19 YRS	50	2.6	2	1	1	2	3	4	5	9
20-34	157	3.3	24	1	1	3	3	5	6	13
35-49	64	3.3	4	1	1	3	4	6	8	12
50-64	51	6.0	23	2	2	5	7	12	19	23
65+	26	6.2	36	1	2	4	7	9	20	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	3.0	8	<1	1	2	3	6	9	16
B. Operated	190	3.6	7	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. Not Operated	377	4.2	23	<1	1	3	5	9	14	23
B. Operated	348	3.8	20	1	1	3	4	7	9	21
1. SINGLE DX	354	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	725	4.0	21	<1	1	3	5	8	11	22
A. NOT OPERATED	541	3.8	19	<1	1	2	5	8	12	21
B. OPERATED	538	3.7	15	1	1	3	4	7	9	19
TOTAL 0-19 YRS	218	2.5	4	<1	1	2	3	4	6	10
20-34	378	3.1	14	<1	1	2	4	5	7	12
35-49	189	3.4	7	1	1	3	4	7	8	13
50-64	147	4.8	14	1	2	4	6	9	12	21
65+	147	7.1	45	2	2	5	9	16	21	31
GRAND TOTAL	**1079**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	558	1.5	3	1	1	1	2	2	3	8
20-34	130	1.8	2	<1	<1	1	2	3	4	9
35-49	28	1.9	2	<1	1	1	2	4	5	6
50-64	18	2.8	20	1	1	1	3	5	14	20
65+	14	2.1	4	<1	1	1	2	4	7	8
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	2	10.0	18	7	7	10	13	13	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1157	1.7	2	<1	1	1	2	3	4	8
20-34	496	2.4	9	<1	1	1	3	5	7	17
35-49	162	3.1	12	<1	1	2	3	7	10	15
50-64	95	3.0	7	<1	1	2	5	6	9	13
65+	125	8.3	134	1	1	4	9	20	39	73
B. Operated										
0-19 YRS	140	3.2	16	<1	1	2	3	7	9	23
20-34	174	3.0	17	<1	1	2	3	6	11	26
35-49	48	3.7	29	<1	1	2	4	7	16	29
50-64	37	4.7	22	1	1	3	6	10	17	20
65+	24	10.7	252	1	1	4	16	23	42	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	748	1.6	3	<1	1	1	2	3	4	8
B. Operated	10	3.6	14	1	1	2	4	10	13	13
2. MULTIPLE DX										
A. Not Operated	2035	2.4	16	<1	1	1	2	5	7	19
B. Operated	423	3.7	34	<1	1	2	4	8	14	27
1. SINGLE DX	758	1.6	3	<1	1	1	2	3	4	9
2. MULTIPLE DX	2458	2.6	19	<1	1	1	2	5	8	23
A. NOT OPERATED	2783	2.2	12	<1	1	1	2	4	6	15
B. OPERATED	433	3.7	34	<1	1	2	4	8	13	27
TOTAL 0-19 YRS	1857	1.7	4	<1	1	1	2	3	4	9
20-34	804	2.4	10	<1	1	1	3	5	7	18
35-49	240	3.1	14	<1	1	2	4	7	10	23
50-64	151	3.4	13	1	1	2	5	7	11	20
65+	164	8.0	143	1	1	4	9	22	38	72
GRAND TOTAL	**3216**	**2.4**	**15**	**<1**	**1**	**1**	**2**	**5**	**7**	**20**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	1.5	2	<1	1	1	2	3	3	6
20-34	87	2.1	5	<1	<1	1	2	5	8	11
35-49	15	3.1	6	<1	<1	3	5	7	8	9
50-64	10	1.8	1	<1	<1	2	2	3	4	4
65+	15	3.0	6	<1	<1	2	5	7	8	8
B. *Operated*										
0-19 YRS	7	6.4	51	1	1	2	10	18	20	20
20-34	6	16.7	1195	<1	<1	2	8	79	87	87
35-49										
50-64	5	6.8	4	4	4	7	8	9	9	9
65+	6	8.7	24	3	3	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	893	2.3	15	<1	1	1	2	4	7	20
20-34	302	2.7	15	<1	<1	1	3	6	9	17
35-49	103	3.9	38	<1	<1	1	5	9	11	40
50-64	78	5.3	38	<1	<1	3	6	14	21	81
65+	99	8.1	139	1	1	4	8	22	36	90
B. *Operated*										
0-19 YRS	105	9.1	208	1	1	3	9	32	46	85
20-34	145	6.1	134	<1	1	2	6	18	40	99+
35-49	58	13.2	347	<1	1	7	16	65	99+	99+
50-64	40	13.3	260	1	1	7	22	44	60	99+
65+	48	15.6	385	1	1	7	26	58	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	1.7	3	<1	<1	1	2	3	5	9
B. *Operated*	24	9.6	297	<1	1	6	10	15	40	87
2. MULTIPLE DX										
A. *Not Operated*	1475	3.0	28	<1	1	1	3	7	11	32
B. *Operated*	396	9.8	237	1	1	4	12	40	63	99+
1. SINGLE DX	513	2.1	19	<1	1	1	2	4	6	13
2. MULTIPLE DX	1871	4.5	80	<1	1	1	4	10	22	77
A. NOT OPERATED	1964	2.7	22	<1	1	1	2	6	9	27
B. OPERATED	420	9.8	240	1	1	4	12	39	63	99+
TOTAL 0-19 YRS	1367	2.6	30	<1	1	1	2	5	8	33
20-34	540	3.7	60	<1	<1	1	3	8	13	72
35-49	176	6.9	155	<1	<1	3	8	15	50	99+
50-64	133	7.5	115	<1	1	4	9	22	35	99+
65+	168	9.8	207	1	1	5	10	31	51	99+
GRAND TOTAL	**2384**	**4.0**	**68**	**<1**	**1**	**1**	**3**	**9**	**16**	**70**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	21	<1	<1	1	6	12	13	13
20-34	6	4.3	9	2	2	3	5	9	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	9.5	41	5	5	9	14	14	14	14
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	6	7.2	9	5	5	6	7	12	13	13
35-49	5	7.0	13	3	3	6	10	12	12	12
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.8	6	1	1	4	5	8	8	8
20-34	44	4.5	13	1	1	3	6	12	12	13
35-49	29	4.7	13	1	1	3	7	11	12	13
50-64	20	7.9	49	1	2	6	9	17	24	30
65+	13	12.4	242	1	3	7	13	31	55	60
B. *Operated*										
0-19 YRS	29	8.3	21	3	4	8	10	13	17	25
20-34	79	8.6	47	2	3	7	10	16	19	42
35-49	37	10.7	77	3	4	9	12	22	26	49
50-64	23	16.9	138	4	5	16	21	40	43	46
65+	10	19.1	459	4	5	10	35	83	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.4	17	<1	1	3	5	12	14	14
B. *Operated*	12	7.1	8	3	4	6	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	122	5.8	47	1	1	4	7	12	14	38
B. *Operated*	178	10.7	92	3	4	8	12	21	28	65
1. SINGLE DX	30	5.5	15	1	1	5	7	12	13	14
2. MULTIPLE DX	300	8.7	79	1	2	7	10	17	24	54
A. NOT OPERATED	140	5.7	43	1	1	4	7	12	14	33
B. OPERATED	190	10.4	87	3	4	8	12	20	27	63
TOTAL 0-19 YRS	52	6.3	21	1	1	5	9	11	14	25
20-34	135	7.0	36	1	2	6	9	13	17	32
35-49	72	7.9	54	1	2	6	10	14	22	44
50-64	45	12.6	111	2	3	9	17	23	40	46
65+	26	14.0	305	1	3	7	14	56	76	99+
GRAND TOTAL	**330**	**8.4**	**74**	**1**	**2**	**6**	**10**	**17**	**23**	**51**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.7	24	<1	1	3	6	12	15	24
20-34	43	4.0	7	1	1	4	6	8	10	12
35-49	4	4.3	11	<1	<1	4	7	8	8	8
50-64	8	5.1	13	2	2	4	6	11	13	13
65+	4	4.3	6	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	22	6.3	13	<1	1	6	7	10	13	17
20-34	16	8.2	22	3	4	7	9	14	20	23
35-49	6	6.8	20	1	1	7	11	12	12	12
50-64	3	12.0	147	1	1	10	21	25	25	25
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	5.0	15	1	1	4	7	11	12	17
20-34	115	4.4	14	1	1	4	6	9	12	19
35-49	33	4.1	8	1	1	3	5	8	10	11
50-64	20	4.6	7	<1	1	4	6	8	10	11
65+	8	8.4	39	2	2	7	11	18	21	21
B. *Operated*										
0-19 YRS	107	12.9	131	4	5	9	13	30	43	54
20-34	167	14.6	186	3	5	10	16	30	45	87
35-49	49	15.9	223	4	5	11	18	31	51	79
50-64	17	18.7	194	5	7	14	22	38	53	60
65+	16	27.8	680	7	8	17	29	68	88	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.5	16	1	1	3	6	9	12	22
B. *Operated*	48	7.4	24	1	1	7	9	12	18	25
2. MULTIPLE DX										
A. *Not Operated*	316	4.8	14	1	1	4	6	10	12	19
B. *Operated*	356	15.0	203	4	5	10	17	31	48	80
1. SINGLE DX	170	5.3	20	1	1	4	7	10	13	24
2. MULTIPLE DX	672	10.2	140	1	2	7	12	22	32	65
A. NOT OPERATED	438	4.7	15	1	1	4	6	10	12	21
B. OPERATED	404	14.1	188	3	5	10	15	29	44	79
TOTAL 0-19 YRS	332	7.6	67	1	1	6	9	14	22	48
20-34	341	9.5	123	1	2	7	11	22	30	63
35-49	92	10.6	155	1	1	7	12	21	34	72
50-64	48	10.1	121	1	2	6	12	23	34	60
65+	29	18.4	487	2	3	11	19	51	69	97
GRAND TOTAL	**842**	**9.2**	**120**	**1**	**2**	**6**	**11**	**19**	**29**	**61**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	4	1	1	3	5	6	6	6
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	24	5.4	29	<1	1	3	8	12	17	23
20-34	29	5.6	19	1	1	5	6	13	14	19
35-49	6	3.2	2	2	2	3	5	5	5	5
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	3	11.0	84	3	3	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.2	20	<1	1	4	8	11	14	19
20-34	34	3.1	4	<1	1	3	5	6	7	8
35-49	14	5.6	24	<1	1	5	6	10	19	21
50-64	6	5.3	31	<1	<1	4	5	15	16	16
65+	8	3.1	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	102	5.1	13	<1	1	5	7	10	13	16
20-34	101	6.3	29	1	1	5	7	14	19	27
35-49	44	6.4	29	1	2	5	7	12	20	25
50-64	19	9.8	376	1	1	4	9	15	55	88
65+	20	7.3	51	1	1	5	9	15	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.6	5	1	1	4	5	6	7	8
B. *Operated*	66	5.4	23	1	1	4	7	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	87	4.3	14	<1	1	4	5	8	11	20
B. *Operated*	286	6.2	48	1	1	5	7	12	16	28
1. SINGLE DX	81	5.0	20	1	1	4	6	11	14	22
2. MULTIPLE DX	373	5.8	41	1	1	5	7	11	15	26
A. NOT OPERATED	102	4.2	13	<1	1	4	5	8	10	20
B. OPERATED	352	6.0	43	1	1	5	7	12	16	26
TOTAL 0-19 YRS	159	5.1	16	1	1	4	7	10	13	19
20-34	167	5.5	23	1	1	5	7	10	15	25
35-49	67	5.8	26	1	1	5	6	11	19	25
50-64	30	7.8	247	1	1	4	6	14	16	88
65+	31	6.5	44	1	1	4	9	14	21	31
GRAND TOTAL	**454**	**5.6**	**37**	**1**	**1**	**5**	**7**	**11**	**15**	**25**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	1	1	3	3	5	5	5
20-34	10	3.8	16	<1	<1	2	4	11	12	12
35-49	9	3.4	9	<1	<1	3	5	8	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	84	2.2	4	<1	<1	1	3	5	6	9
20-34	47	2.8	8	<1	<1	2	3	6	7	17
35-49	17	3.5	10	<1	1	3	4	8	12	13
50-64	7	5.9	27	1	1	6	8	14	16	16
65+	8	3.9	24	1	1	2	5	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.8	8	<1	<1	2	4	6	8	15
20-34	93	2.8	8	<1	<1	2	3	6	9	14
35-49	45	4.0	52	<1	<1	2	4	9	12	46
50-64	40	3.8	17	<1	1	2	5	7	14	19
65+	52	6.5	63	1	1	4	8	13	21	39
B. *Operated*										
0-19 YRS	335	3.3	28	<1	<1	2	4	6	10	28
20-34	359	3.4	14	<1	<1	2	4	8	11	17
35-49	130	3.8	15	<1	<1	2	5	9	11	17
50-64	95	5.5	113	<1	1	3	6	10	18	64
65+	117	8.1	120	1	1	5	9	18	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.0	7	<1	1	2	4	6	9	12
B. *Operated*	163	2.7	8	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	356	3.6	24	<1	<1	2	4	8	12	21
B. *Operated*	1036	4.1	42	<1	<1	2	5	9	13	31
1. SINGLE DX	203	2.8	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX	1392	4.0	37	<1	<1	2	5	9	12	30
A. NOT OPERATED	396	3.5	22	<1	<1	2	4	8	11	20
B. OPERATED	1199	3.9	37	<1	<1	2	4	8	12	28
TOTAL 0-19 YRS	561	3.0	19	<1	<1	2	4	6	9	18
20-34	509	3.2	12	<1	<1	2	4	7	10	17
35-49	201	3.8	22	<1	<1	2	5	9	11	22
50-64	144	5.0	81	<1	1	3	6	9	16	31
65+	180	7.4	98	1	1	4	9	16	26	49
GRAND TOTAL	**1595**	**3.8**	**34**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.9	1	1	1	2	3	3	3	3
20-34	12	2.3	2	1	1	2	3	4	6	6
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	17	2.6	4	<1	1	2	4	5	7	8
20-34	12	2.8	6	1	1	2	4	7	8	8
35-49	9	3.2	9	<1	<1	2	4	8	10	10
50-64	2	11.0	200	1	1	11	21	21	21	21
65+	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	40	<1	<1	2	4	15	22	27
20-34	39	4.4	77	<1	1	2	5	7	9	56
35-49	16	4.6	17	1	1	3	7	8	14	16
50-64	7	8.0	43	2	2	6	8	19	22	22
65+	7	5.1	22	1	1	4	6	13	15	15
B. *Operated*										
0-19 YRS	72	4.5	23	1	1	2	7	10	16	23
20-34	104	6.2	43	1	1	5	9	16	26	99+
35-49	34	6.8	52	1	1	4	9	13	27	31
50-64	11	12.6	91	2	4	10	24	52	93	99+
65+	3	13.7	158	2	2	12	23	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.1	1	1	1	2	3	3	4	6
B. *Operated*	42	3.5	16	<1	1	2	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	105	4.8	49	<1	1	3	6	8	16	40
B. *Operated*	224	6.2	44	1	1	4	9	16	25	99+
1. SINGLE DX	69	3.0	11	1	1	2	3	6	8	20
2. MULTIPLE DX	329	5.7	46	1	1	4	8	15	24	99+
A. NOT OPERATED	132	4.2	40	<1	1	2	5	8	16	32
B. OPERATED	266	5.8	40	1	1	4	8	15	24	99+
TOTAL 0-19 YRS	135	4.1	24	<1	1	2	5	9	16	25
20-34	167	5.3	47	1	1	4	6	11	17	99+
35-49	63	5.4	36	1	1	3	8	11	18	31
50-64	20	10.9	77	1	2	8	21	27	62	99+
65+	13	7.8	54	1	2	5	12	17	25	27
GRAND TOTAL	**398**	**5.2**	**41**	**1**	**1**	**3**	**7**	**12**	**21**	**77**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	7	1	1	3	4	7	9	11
20-34	25	3.1	5	<1	<1	3	4	6	7	9
35-49	10	3.5	7	<1	<1	3	5	7	9	9
50-64	6	3.3	15	1	1	2	4	10	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	119	2.7	17	<1	1	1	3	6	9	22
20-34	166	3.1	10	<1	1	2	4	8	10	16
35-49	67	2.6	12	<1	1	2	3	5	10	22
50-64	37	3.3	31	<1	1	2	4	5	7	35
65+	20	3.4	8	1	1	2	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.4	35	1	1	3	4	8	15	36
20-34	87	4.1	12	<1	1	3	5	7	9	22
35-49	28	6.9	91	<1	1	4	7	15	23	49
50-64	30	5.8	65	1	1	4	5	10	21	43
65+	20	6.0	56	1	1	3	6	17	25	31
B. *Operated*										
0-19 YRS	326	3.8	26	<1	1	2	4	9	12	28
20-34	543	3.8	31	<1	1	2	4	8	12	26
35-49	225	4.3	44	<1	1	2	4	10	18	36
50-64	132	4.6	24	1	1	3	6	11	13	26
65+	57	5.8	67	1	1	3	7	11	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.3	6	<1	<1	3	4	7	9	11
B. *Operated*	409	2.9	14	<1	1	2	3	6	10	17
2. MULTIPLE DX										
A. *Not Operated*	229	4.9	39	1	1	3	5	9	16	39
B. *Operated*	1283	4.1	33	<1	1	2	4	9	13	29
1. SINGLE DX	469	3.0	13	<1	1	2	4	6	10	16
2. MULTIPLE DX	1512	4.2	34	<1	1	2	5	9	13	30
A. NOT OPERATED	289	4.6	33	<1	1	3	5	9	13	35
B. OPERATED	1692	3.8	29	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	527	3.6	25	<1	1	2	4	8	12	28
20-34	821	3.7	24	<1	1	2	4	8	11	25
35-49	330	4.1	41	<1	1	2	4	9	16	36
50-64	205	4.5	31	1	1	3	5	10	13	33
65+	98	5.3	52	1	1	3	6	11	21	40
GRAND TOTAL	**1981**	**3.9**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	14	<1	1	3	4	6	7	23
20-34	26	4.8	11	1	1	4	7	8	12	13
35-49	7	2.9	3	1	1	3	4	6	6	6
50-64	9	5.6	31	1	1	4	6	15	19	19
65+	5	8.0	55	2	2	5	12	20	20	20
B. *Operated*										
0-19 YRS	82	5.0	44	<1	1	3	6	10	15	41
20-34	69	5.3	32	1	1	3	7	12	20	27
35-49	26	5.6	19	1	1	5	8	12	16	16
50-64	10	9.6	44	<1	<1	9	14	19	21	21
65+	8	18.8	517	1	1	10	25	58	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.5	10	<1	1	4	6	8	10	17
20-34	64	5.7	29	<1	1	4	6	14	18	27
35-49	23	6.7	27	1	2	5	11	15	16	17
50-64	22	8.4	49	2	2	6	10	19	26	28
65+	18	12.0	119	1	1	8	19	26	35	40
B. *Operated*										
0-19 YRS	180	5.9	64	<1	1	3	6	15	24	50
20-34	173	8.0	126	1	1	5	9	16	27	58
35-49	62	8.5	89	<1	<1	5	11	23	26	46
50-64	50	10.6	147	1	1	6	13	33	43	99
65+	32	16.8	329	1	1	10	24	38	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.4	17	1	1	3	6	8	12	22
B. *Operated*	195	6.0	61	1	1	3	8	14	19	43
2. MULTIPLE DX										
A. *Not Operated*	206	6.2	35	1	1	4	7	14	18	28
B. *Operated*	497	8.1	120	<1	1	4	9	22	31	57
1. SINGLE DX	277	5.5	48	1	1	3	7	12	18	31
2. MULTIPLE DX	703	7.5	96	1	1	4	9	18	27	48
A. NOT OPERATED	288	5.7	31	1	1	4	7	13	18	27
B. OPERATED	692	7.5	104	<1	1	4	9	18	27	52
TOTAL 0-19 YRS	376	5.2	44	<1	1	3	6	11	17	43
20-34	332	6.7	80	1	1	4	8	15	21	47
35-49	118	7.2	59	<1	1	4	10	17	24	36
50-64	91	9.5	101	1	1	6	12	27	33	77
65+	63	15.0	269	1	1	9	21	34	42	86
GRAND TOTAL	**980**	**7.0**	**83**	**1**	**1**	**4**	**8**	**16**	**25**	**48**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	4	4	4
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	117	<1	<1	1	12	26	28	28
20-34	7	2.1	2	<1	<1	1	4	4	4	4
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	5	2.8	6	<1	<1	2	4	7	7	7
65+	4	6.3	28	2	2	5	10	13	13	13
B. *Operated*										
0-19 YRS	11	10.5	175	1	1	6	21	59	94	99+
20-34	24	10.8	177	1	1	6	13	31	46	52
35-49	12	7.8	34	1	1	7	12	16	19	19
50-64	6	23.2	486	2	3	17	33	59	62	62
65+	4	12.8	180	1	1	9	21	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	25	4.7	40	<1	<1	2	6	13	19	28
B. *Operated*	57	11.5	182	1	1	8	14	33	49	97
1. SINGLE DX	13	2.3	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX	82	9.4	147	<1	1	5	12	29	43	87
A. NOT OPERATED	35	3.9	30	<1	<1	2	4	9	15	28
B. OPERATED	60	11.1	176	1	1	8	13	32	48	96
TOTAL 0-19 YRS	25	7.2	115	<1	<1	2	9	28	54	99+
20-34	37	7.8	131	1	1	4	9	16	39	52
35-49	14	7.7	29	1	1	7	10	15	18	19
50-64	11	13.9	359	<1	<1	7	20	45	61	62
65+	8	9.5	101	1	1	8	11	26	32	32
GRAND TOTAL	**95**	**8.5**	**134**	**<1**	**1**	**4**	**10**	**27**	**39**	**82**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	11	9.2	191	1	1	5	8	29	47	49
35-49	9	3.9	6	2	2	2	6	7	8	8
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	42	4.1	11	1	1	3	5	10	11	14
20-34	60	5.6	83	1	1	3	6	9	18	55
35-49	27	6.2	57	1	1	3	8	10	22	38
50-64	22	5.0	18	1	2	4	5	10	17	18
65+	8	6.8	21	2	2	6	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.7	242	<1	1	3	8	29	45	67
20-34	23	8.0	68	1	2	5	10	29	54	99+
35-49	25	5.9	25	1	1	4	7	14	16	18
50-64	19	14.0	177	2	2	9	18	33	45	55
65+	27	16.2	169	1	1	17	28	43	99+	99+
B. *Operated*										
0-19 YRS	61	6.9	55	1	2	4	10	15	30	92
20-34	129	5.7	89	<1	1	3	5	14	20	76
35-49	60	7.6	50	<1	1	4	11	18	22	29
50-64	38	7.7	166	1	2	4	9	14	28	75
65+	27	14.7	186	1	1	12	24	33	45	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.8	82	1	1	3	6	8	18	49
B. *Operated*	159	5.3	47	1	1	3	6	10	16	43
2. MULTIPLE DX										
A. *Not Operated*	116	10.8	144	1	1	6	16	32	43	99+
B. *Operated*	315	7.3	97	<1	1	4	9	18	27	72
1. SINGLE DX	187	5.4	52	1	1	3	6	10	15	47
2. MULTIPLE DX	431	8.2	112	<1	1	4	10	22	33	99+
A. NOT OPERATED	144	9.8	135	1	1	6	13	30	39	99+
B. OPERATED	474	6.6	81	1	1	4	7	16	24	63
TOTAL 0-19 YRS	129	6.3	73	1	1	3	7	14	28	74
20-34	223	6.1	90	1	1	3	6	14	24	77
35-49	121	6.6	43	<1	1	4	8	16	20	32
50-64	81	8.4	133	2	2	4	9	18	32	69
65+	64	14.0	160	1	2	10	24	35	47	99+
GRAND TOTAL	**618**	**7.4**	**95**	**1**	**1**	**4**	**8**	**18**	**29**	**71**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.1	7	1	1	4	5	7	8	17
20-34	46	3.5	4	1	1	4	5	6	7	8
35-49	16	3.4	4	<1	<1	3	5	6	7	7
50-64	4	3.3	5	<1	<1	3	5	6	6	6
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	6.5	61	<1	<1	6	12	12	12	12
20-34	2	13.0	2	12	12	13	14	14	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.5	8	1	1	4	6	8	9	15
20-34	161	4.6	32	1	1	4	5	7	9	20
35-49	44	5.0	7	1	2	5	6	9	10	13
50-64	24	4.8	8	1	1	5	7	8	10	11
65+	11	3.2	5	1	1	3	5	6	8	8
B. *Operated*										
0-19 YRS	14	8.6	32	1	1	7	13	15	19	20
20-34	29	6.1	23	<1	1	5	7	12	15	24
35-49	5	5.2	6	2	2	5	7	8	8	8
50-64	10	6.2	22	2	3	5	6	13	19	19
65+	2	9.5	41	5	5	9	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.8	6	1	1	4	5	6	7	11
B. *Operated*	4	9.8	35	<1	<1	12	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	442	4.6	16	1	1	4	5	8	9	17
B. *Operated*	60	6.8	24	1	2	5	8	14	17	24
1. SINGLE DX	154	4.0	7	<1	1	4	5	6	8	14
2. MULTIPLE DX	502	4.8	18	1	1	4	6	8	11	19
A. NOT OPERATED	592	4.4	14	1	1	4	5	7	9	17
B. OPERATED	64	6.9	25	1	2	5	9	14	16	23
TOTAL 0-19 YRS	300	4.6	10	1	1	4	6	8	11	18
20-34	238	4.6	26	1	1	4	5	7	10	20
35-49	65	4.6	6	1	1	4	6	8	9	13
50-64	38	5.0	12	1	1	5	6	8	11	19
65+	15	4.1	11	1	1	3	5	8	12	14
GRAND TOTAL	**656**	**4.6**	**15**	**1**	**1**	**4**	**5**	**8**	**11**	**19**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.0	3	<1	1	1	2	4	5	8
20-34	201	2.3	3	<1	<1	2	3	5	6	9
35-49	82	2.9	5	<1	<1	2	4	6	8	10
50-64	49	3.9	10	1	1	3	4	9	11	14
65+	77	7.7	124	1	1	5	8	13	27	66
B. *Operated*										
0-19 YRS	44	3.8	11	<1	1	3	6	9	10	14
20-34	18	4.9	40	1	1	3	4	11	21	27
35-49	7	5.1	40	1	1	3	5	16	19	19
50-64	9	8.7	73	1	2	6	11	24	26	26
65+	7	6.7	39	1	1	4	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	800	2.4	6	<1	<1	1	3	5	7	12
20-34	761	2.6	7	<1	<1	2	3	6	7	11
35-49	326	4.0	32	<1	1	3	5	8	12	22
50-64	300	5.5	31	1	1	4	7	12	18	30
65+	571	11.3	169	1	2	7	15	26	36	84
B. *Operated*										
0-19 YRS	85	4.5	27	<1	1	2	6	10	15	28
20-34	83	5.4	35	<1	<1	3	7	15	17	30
35-49	41	5.4	22	1	1	4	8	14	15	19
50-64	26	9.5	47	1	2	8	15	20	22	24
65+	45	16.9	408	1	2	11	17	45	72	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	2.9	20	<1	1	2	3	6	8	14
B. *Operated*	85	4.9	29	<1	1	3	6	10	17	27
2. MULTIPLE DX										
A. *Not Operated*	2758	4.8	58	<1	1	2	5	11	17	40
B. *Operated*	280	7.4	109	<1	1	4	9	16	21	67
1. SINGLE DX	798	3.1	21	<1	1	2	4	7	9	20
2. MULTIPLE DX	3038	5.1	63	<1	1	2	6	11	18	41
A. NOT OPERATED	3471	4.4	50	<1	1	2	5	10	16	36
B. OPERATED	365	6.8	91	<1	1	4	9	16	20	55
TOTAL 0-19 YRS	1233	2.5	7	<1	<1	2	3	5	7	14
20-34	1063	2.8	10	<1	<1	2	3	6	8	16
35-49	456	3.9	26	<1	1	3	5	8	12	19
50-64	384	5.6	31	1	1	4	7	13	18	28
65+	700	11.2	181	1	2	7	14	25	39	83
GRAND TOTAL	**3836**	**4.7**	**55**	**<1**	**1**	**2**	**5**	**10**	**16**	**38**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	13	1	1	2	5	10	11	11
20-34	13	3.2	4	<1	1	3	5	6	8	8
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	39.0		39	39	39	39	39	39	39
B. *Operated*										
0-19 YRS	3	7.0	108	<1	<1	1	14	19	19	19
20-34	8	3.4	8	1	1	3	3	8	10	10
35-49	3	13.7	124	1	1	18	21	22	22	22
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	34	<1	1	2	5	8	15	30
20-34	21	3.8	12	<1	1	2	5	9	11	13
35-49	11	2.9	4	1	1	2	3	6	7	7
50-64	13	3.5	5	1	1	3	5	7	8	8
65+	9	17.3	218	4	4	14	21	43	48	48
B. *Operated*										
0-19 YRS	17	8.8	100	<1	1	3	15	25	31	33
20-34	28	8.1	133	1	1	3	11	31	51	99+
35-49	13	15.2	283	<1	1	10	20	38	56	60
50-64	14	13.8	78	2	4	13	23	25	26	27
65+	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.3	50	<1	1	2	4	8	12	39
B. *Operated*	15	6.7	55	<1	1	3	11	19	21	22
2. MULTIPLE DX										
A. *Not Operated*	84	5.2	55	1	1	3	5	11	16	44
B. *Operated*	74	10.5	141	1	1	6	17	27	35	90
1. SINGLE DX	44	5.1	52	<1	1	3	5	12	20	39
2. MULTIPLE DX	158	7.7	102	1	1	3	9	22	31	59
A. NOT OPERATED	113	4.9	53	1	1	3	5	10	16	42
B. OPERATED	89	9.9	128	1	1	5	16	26	33	84
TOTAL 0-19 YRS	58	5.5	55	<1	1	2	6	15	24	33
20-34	70	5.4	62	1	1	3	5	12	24	89
35-49	32	8.8	157	1	1	3	11	24	32	60
50-64	30	8.4	65	1	1	5	11	23	24	27
65+	12	17.3	226	3	4	12	26	42	47	48
GRAND TOTAL	**202**	**7.1**	**92**	**1**	**1**	**3**	**9**	**19**	**29**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	12	1.5		<1	<1	1	2	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	6.3	6	4	4	6	8	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	2	3	4	5	5
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	22	2.0	2	<1	<1	2	2	3	5	7
B. *Operated*	9	5.0	10	1	1	4	7	10	10	10
1. SINGLE DX	11	2.4	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX	31	2.8	6	<1	<1	2	3	7	9	10
A. NOT OPERATED	32	2.1	2	<1	<1	2	3	4	5	7
B. OPERATED	10	4.6	10	1	1	4	7	9	10	10
TOTAL 0-19 YRS	11	2.8	8	<1	<1	2	4	7	10	10
20-34	21	1.7	1	<1	<1	2	2	3	3	3
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	6	5.2	7	2	2	5	7	9	9	9
65+										
GRAND TOTAL	**42**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**6**	**8**	**10**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	1.5	1	<1	<1	1	1	3	4	6
20-34	23	1.4	1	<1	<1	1	1	3	4	4
35-49	20	2.3	10	<1	<1	1	2	6	11	14
50-64	28	1.4		<1	<1	1	2	3	3	3
65+	23	1.7	1	<1	1	1	2	3	5	6
B. *Operated*										
0-19 YRS	34	3.5	11	<1	<1	2	4	8	12	14
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	4	3.3	10	1	1	2	5	8	8	8
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	3	7.3	37	2	2	6	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	1.9	4	<1	<1	1	2	4	6	13
20-34	59	2.7	29	<1	<1	1	2	4	10	37
35-49	40	3.8	49	<1	<1	1	3	8	21	34
50-64	49	2.6	11	1	1	1	2	6	10	19
65+	53	4.6	54	1	1	2	5	9	14	48
B. *Operated*										
0-19 YRS	58	4.8	20	1	1	3	7	11	14	20
20-34	15	6.9	76	1	1	3	9	18	29	33
35-49	10	17.3	661	1	1	7	26	56	85	85
50-64	28	8.0	95	1	1	4	9	27	33	33
65+	18	8.2	39	1	1	7	12	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	47	3.7	12	<1	<1	2	5	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	383	2.7	21	<1	<1	1	3	5	8	27
B. *Operated*	129	7.2	99	1	1	4	9	17	26	44
1. SINGLE DX	268	2.0	4	<1	<1	1	2	4	6	14
2. MULTIPLE DX	512	3.8	45	<1	<1	1	4	9	14	33
A. NOT OPERATED	604	2.3	14	<1	<1	1	2	4	7	18
B. OPERATED	176	6.3	78	1	1	3	8	14	19	33
TOTAL 0-19 YRS	401	2.3	7	<1	<1	1	2	5	8	15
20-34	101	3.1	31	<1	<1	1	3	7	11	36
35-49	74	5.2	134	<1	<1	1	4	11	28	73
50-64	107	3.7	36	<1	1	1	3	8	15	33
65+	97	4.7	42	1	1	2	5	12	16	36
GRAND TOTAL	**780**	**3.2**	**31**	**<1**	**<1**	**1**	**3**	**7**	**11**	**31**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	9	1	1	5	7	9	9	9
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	2	16.5	41	12	12	16	21	21	21	21
50-64	1	15.0		15	15	15	15	15	15	15
65+	2	42.5	2245	9	9	42	76	76	76	76
B. *Operated*										
0-19 YRS	13	27.4	322	4	6	25	41	55	57	57
20-34	3	8.0	27	5	5	10	57	99+	99+	99+
35-49										
50-64	3	14.0	91	5	5	13	21	24	24	24
65+	2	22.0	32	18	18	22	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	10.0	232	<1	<1	5	11	20	47	73
20-34	17	11.9	54	2	3	11	17	21	26	29
35-49	11	16.5	310	1	2	10	29	43	54	55
50-64	5	20.6	390	5	5	11	35	51	51	51
65+	9	37.3	364	11	12	48	52	57	60	60
B. *Operated*										
0-19 YRS	55	27.6	438	3	6	23	41	58	76	99+
20-34	55	25.4	436	3	4	20	42	69	94	99+
35-49	27	23.7	309	2	4	23	35	56	74	99+
50-64	27	23.4	330	2	4	20	31	45	65	74
65+	12	30.5	322	5	7	34	50	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	12.6	362	1	2	6	12	26	65	76
B. *Operated*	21	22.2	264	4	5	19	32	55	74	99+
2. MULTIPLE DX										
A. *Not Operated*	72	15.6	292	1	1	9	19	49	53	70
B. *Operated*	176	25.9	389	3	5	22	39	62	79	99+
1. SINGLE DX	35	18.3	317	2	4	13	25	54	70	99+
2. MULTIPLE DX	248	22.9	382	2	3	18	35	58	73	99+
A. NOT OPERATED	86	15.1	300	1	1	8	18	48	53	75
B. OPERATED	197	25.5	376	3	5	22	38	61	78	99+
TOTAL 0-19 YRS	103	21.4	413	1	1	16	32	54	69	99+
20-34	79	20.7	366	3	3	16	29	61	90	99+
35-49	40	21.4	298	2	3	17	32	50	65	99+
50-64	36	22.0	303	2	5	15	31	45	60	74
65+	25	33.2	392	7	9	32	52	74	99+	99+
GRAND TOTAL	**283**	**22.3**	**375**	**2**	**3**	**17**	**33**	**57**	**73**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	6.1	38	1	1	4	8	14	19	31
20-34	43	3.6	16	<1	<1	2	5	10	12	19
35-49	24	5.0	23	<1	1	4	7	11	17	18
50-64	15	5.3	19	<1	1	5	6	9	16	19
65+	8	15.0	167	2	3	15	28	76	99+	99+
B. *Operated*										
0-19 YRS	13	10.5	86	2	2	8	14	25	31	32
20-34	13	17.8	180	3	5	15	20	44	46	47
35-49	4	11.3	44	7	7	9	15	21	21	21
50-64	5	30.4	915	8	8	18	44	82	82	82
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	508	7.1	50	1	1	6	10	14	19	37
20-34	293	5.6	40	1	1	3	7	14	19	30
35-49	107	7.9	47	1	1	7	11	19	21	29
50-64	74	9.1	59	1	2	7	13	18	25	36
65+	54	15.3	128	2	3	14	28	38	99+	99+
B. *Operated*										
0-19 YRS	66	18.6	317	2	3	13	25	44	61	82
20-34	61	20.4	335	1	3	16	28	46	59	84
35-49	28	21.0	357	3	4	14	31	57	71	99+
50-64	13	12.7	224	<1	1	8	13	39	50	53
65+	18	35.8	562	4	9	42	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	5.7	39	<1	1	4	7	14	19	38
B. *Operated*	37	15.4	247	2	3	10	20	32	46	82
2. MULTIPLE DX										
A. *Not Operated*	1036	7.3	56	1	1	5	10	16	21	40
B. *Operated*	186	20.8	367	2	3	15	29	53	69	99+
1. SINGLE DX	221	7.3	86	<1	1	4	9	18	24	57
2. MULTIPLE DX	1222	9.4	126	1	1	6	12	22	32	77
A. NOT OPERATED	1220	7.1	53	1	1	5	10	16	21	39
B. OPERATED	223	19.9	350	2	3	14	28	50	66	99+
TOTAL 0-19 YRS	681	8.2	87	1	1	6	10	17	23	50
20-34	410	7.9	117	1	1	4	10	20	28	56
35-49	163	9.8	122	1	1	7	12	21	30	67
50-64	107	10.0	127	1	1	6	13	20	32	65
65+	82	19.5	296	3	3	17	34	85	99+	99+
GRAND TOTAL	**1443**	**9.1**	**121**	**1**	**1**	**6**	**11**	**21**	**32**	**76**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	2	<1	<1	2	3	4	6	6
20-34	10	3.1	6	<1	<1	2	4	7	8	8
35-49	8	3.3	4	1	1	3	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	26.0		26	26	26	26	26	26	26
B. *Operated*										
0-19 YRS	6	5.2	27	2	2	3	7	14	15	15
20-34	11	3.5	11	1	1	2	5	9	10	10
35-49	8	3.8	17	<1	<1	2	5	11	13	13
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	6	1	1	2	4	7	9	10
20-34	38	5.4	24	<1	1	4	7	11	16	24
35-49	20	8.3	107	<1	1	6	8	20	33	46
50-64	9	6.7	23	2	2	6	8	14	18	18
65+	12	10.6	66	1	2	11	15	45	90	99+
B. *Operated*										
0-19 YRS	32	5.4	59	1	1	3	5	12	30	32
20-34	64	4.6	110	<1	1	2	4	8	12	74
35-49	15	3.9	16	1	1	3	4	11	14	15
50-64	15	6.7	99	<1	<1	2	6	22	32	36
65+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.6	21	<1	<1	2	5	7	8	26
B. *Operated*	29	3.7	14	1	1	2	4	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	101	6.2	45	1	1	4	8	15	20	72
B. *Operated*	127	4.9	83	1	1	2	4	11	16	47
1. SINGLE DX	60	3.7	18	<1	<1	2	5	8	11	25
2. MULTIPLE DX	228	5.5	67	1	1	3	6	12	19	54
A. NOT OPERATED	132	5.6	41	<1	1	4	7	13	19	55
B. OPERATED	156	4.7	70	1	1	2	4	10	14	36
TOTAL 0-19 YRS	71	4.2	32	1	1	2	5	8	15	32
20-34	123	4.6	66	<1	1	3	5	9	12	40
35-49	51	5.5	53	1	1	3	6	12	19	46
50-64	27	6.3	62	<1	1	4	7	17	24	36
65+	16	9.9	79	1	1	10	15	30	76	99+
GRAND TOTAL	**288**	**5.1**	**57**	**1**	**1**	**3**	**6**	**11**	**16**	**42**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.2	4	<1	<1	2	2	4	7	10
20-34	119	3.4	18	<1	1	2	4	7	10	22
35-49	45	5.6	40	1	1	3	7	16	17	33
50-64	23	6.2	24	1	2	6	8	11	16	24
65+	39	8.7	128	1	1	5	11	21	34	55
B. *Operated*										
0-19 YRS	20	5.4	19	1	1	4	7	13	15	16
20-34	16	3.7	11	<1	<1	3	5	6	12	14
35-49	10	7.4	41	<1	<1	5	14	16	18	18
50-64	3	9.3	46	4	4	7	14	17	17	17
65+	5	8.0	7	4	4	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	3.2	14	<1	<1	2	4	6	10	19
20-34	242	3.4	12	<1	<1	2	4	8	11	18
35-49	137	5.4	46	1	1	3	6	11	16	45
50-64	94	6.6	36	1	2	5	9	13	23	70
65+	215	11.1	138	1	2	8	13	24	35	97
B. *Operated*										
0-19 YRS	62	5.6	53	<1	<1	4	6	12	25	40
20-34	82	8.2	66	<1	1	6	10	17	26	42
35-49	34	10.9	220	1	2	8	13	21	44	77
50-64	15	21.7	825	1	1	10	22	79	91	95
65+	15	19.9	399	2	5	15	22	46	66	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	4.0	33	<1	1	2	4	9	12	33
B. *Operated*	54	5.7	22	<1	1	4	7	14	16	18
2. MULTIPLE DX										
A. *Not Operated*	964	5.6	57	<1	1	3	7	12	18	44
B. *Operated*	208	9.7	183	<1	1	6	10	21	35	78
1. SINGLE DX	403	4.3	32	<1	1	2	5	10	14	28
2. MULTIPLE DX	1172	6.4	82	<1	1	4	8	14	21	48
A. NOT OPERATED	1313	5.2	51	<1	1	3	6	12	16	41
B. OPERATED	262	8.9	153	<1	1	5	10	18	27	77
TOTAL 0-19 YRS	481	3.3	18	<1	<1	2	4	7	10	25
20-34	459	4.3	26	<1	1	2	5	9	14	29
35-49	226	6.4	74	1	1	4	8	14	18	48
50-64	135	8.2	139	1	2	5	9	16	28	96
65+	274	11.2	152	1	2	8	13	24	41	90
GRAND TOTAL	**1575**	**5.8**	**70**	**<1**	**1**	**3**	**7**	**13**	**19**	**46**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	1.6	4	<1	1	1	2	3	4	7
20-34	200	2.8	10	<1	1	2	3	6	8	18
35-49	64	3.2	10	<1	1	2	4	8	10	14
50-64	36	4.5	13	<1	1	4	6	8	13	15
65+	45	8.0	124	1	2	4	9	18	22	70
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1358	3.1	29	<1	1	2	3	6	10	32
20-34	1394	5.3	89	<1	1	2	5	12	22	52
35-49	739	5.8	75	1	1	3	6	14	23	45
50-64	441	7.6	95	1	1	4	10	18	26	59
65+	532	8.9	77	1	2	6	11	19	25	44
B. *Operated*										
0-19 YRS	11	8.2	89	1	1	4	11	24	31	32
20-34	42	12.7	225	1	2	7	17	30	50	69
35-49	25	21.6	588	2	6	12	50	98	99+	99+
50-64	21	17.1	173	1	3	14	24	37	43	51
65+	43	17.7	163	3	4	13	25	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	2.5	15	<1	1	1	3	5	8	19
B. *Operated*	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	4464	5.4	71	<1	1	2	6	13	20	45
B. *Operated*	142	16.1	259	1	2	12	22	48	62	99+
1. SINGLE DX	816	2.5	15	<1	1	1	3	5	8	19
2. MULTIPLE DX	4606	5.7	80	<1	1	3	6	14	22	50
A. NOT OPERATED	5278	5.0	64	<1	1	2	5	11	19	44
B. OPERATED	144	15.9	257	1	2	11	22	48	62	99+
TOTAL 0-19 YRS	1839	2.8	24	<1	1	1	3	5	8	26
20-34	1637	5.2	85	<1	1	2	5	11	22	50
35-49	828	6.1	93	1	1	3	6	14	24	62
50-64	498	7.8	97	1	1	4	10	18	27	58
65+	620	9.5	91	1	2	6	12	20	29	52
GRAND TOTAL	**5422**	**5.2**	**72**	**<1**	**1**	**2**	**5**	**12**	**20**	**48**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	1.5	1	<1	1	1	2	3	4	5
20-34	57	2.2	5	<1	<1	1	3	5	7	13
35-49	30	1.5	1	<1	<1	1	2	3	3	4
50-64	18	1.6	2	<1	1	1	2	3	5	6
65+	11	2.5	6	<1	<1	1	4	6	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	1.6	3	<1	<1	1	2	3	4	7
20-34	211	3.4	51	<1	<1	1	3	6	12	37
35-49	106	3.3	24	1	1	2	3	7	13	27
50-64	91	5.9	80	1	1	2	6	15	26	49
65+	44	6.3	107	1	1	3	7	10	26	57
B. *Operated*										
0-19 YRS	3	5.3	44	1	1	2	10	13	13	13
20-34	7	16.3	639	1	2	7	11	61	73	73
35-49	3	5.7	10	2	2	7	8	8	8	8
50-64	6	3.7	3	2	2	3	4	7	7	7
65+	4	14.5	214	1	1	11	25	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	1.6	2	<1	<1	1	2	3	4	9
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	780	3.1	36	<1	1	1	3	6	10	33
B. *Operated*	23	9.9	242	1	1	6	9	20	48	73
1. SINGLE DX	357	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	803	3.3	43	<1	1	1	3	6	12	34
A. NOT OPERATED	1136	2.6	26	<1	1	1	2	5	7	27
B. OPERATED	24	9.6	233	1	1	5	9	19	46	73
TOTAL 0-19 YRS	571	1.6	2	<1	<1	1	2	3	4	7
20-34	275	3.5	59	<1	<1	1	3	6	11	40
35-49	140	3.0	19	<1	1	1	3	7	11	21
50-64	115	5.1	66	1	1	2	4	14	20	48
65+	59	6.2	99	1	1	3	6	11	27	56
GRAND TOTAL	**1160**	**2.8**	**31**	**<1**	**1**	**1**	**2**	**5**	**8**	**32**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	3.5	16	1	1	2	4	8	13	21
20-34	76	2.3	8	<1	<1	2	3	5	6	19
35-49	48	2.3	4	<1	<1	2	3	5	5	12
50-64	31	8.9	336	1	1	3	8	17	36	99
65+	41	4.6	18	1	1	3	6	10	14	20
B. *Operated*										
0-19 YRS	2	24.0	288	12	12	24	36	36	36	36
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	4	41.3	1796	8	8	29	73	99	99	99+
65+	1	41.0		41	41	70	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.6	39	<1	1	2	5	13	18	36
20-34	203	5.1	50	<1	1	3	6	12	20	39
35-49	133	5.2	30	1	1	3	7	13	15	27
50-64	128	8.7	127	1	1	5	11	19	25	98
65+	185	8.5	126	1	2	5	10	18	25	66
B. *Operated*										
0-19 YRS	8	12.5	411	1	1	6	9	46	62	62
20-34	13	24.4	719	<1	<1	27	48	99+	99+	99+
35-49	15	21.4	530	2	3	26	39	99+	99+	99+
50-64	31	18.4	185	4	4	16	28	48	92	99+
65+	33	20.2	394	1	2	16	32	53	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	3.7	44	<1	1	2	4	8	12	23
B. *Operated*	8	32.3	1002	4	6	36	60	99+	99+	99+
2 MULTIPLE DX										
A. *Not Operated*	906	6.2	73	1	1	3	7	14	20	41
B. *Operated*	100	19.8	383	1	2	16	34	78	99+	99+
1. SINGLE DX	349	4.4	81	<1	1	2	4	9	14	47
2. MULTIPLE DX	1006	7.5	120	1	1	4	9	19	32	97
A. NOT OPERATED	1247	5.5	66	<1	1	3	6	13	19	38
B. OPERATED	108	20.7	431	1	2	16	36	87	99+	99+
TOTAL 0-19 YRS	412	4.5	41	<1	1	2	5	11	15	36
20-34	293	5.2	85	<1	1	2	5	12	23	73
35-49	196	5.7	81	<1	1	3	6	14	29	99+
50-64	194	10.9	225	1	1	6	14	27	43	99+
65+	260	9.5	164	1	1	5	11	21	36	96
GRAND TOTAL	**1355**	**6.7**	**112**	**<1**	**1**	**3**	**7**	**16**	**27**	**96**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	17	1	1	3	4	11	13	13
20-34	31	2.4	6	<1	<1	1	3	5	7	12
35-49	6	4.3	9	2	2	3	7	9	9	9
50-64	12	7.7	30	1	2	6	12	16	17	17
65+	10	5.2	12	<1	<1	5	8	10	10	10
B. *Operated*										
0-19 YRS	32	5.8	33	<1	1	4	8	13	17	27
20-34	135	3.7	15	<1	1	2	5	10	13	17
35-49	67	6.8	128	<1	1	3	7	14	23	63
50-64	91	12.0	152	1	2	9	16	26	42	63
65+	134	10.8	139	1	2	7	14	23	31	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	6.9	50	<1	1	5	9	16	22	36
20-34	92	5.9	67	<1	1	4	6	11	20	51
35-49	48	8.0	57	1	2	5	11	16	21	36
50-64	67	11.6	158	1	1	7	14	32	40	55
65+	116	10.8	111	1	2	8	14	24	35	79
B. *Operated*										
0-19 YRS	188	10.3	180	1	2	6	12	22	40	99+
20-34	379	7.3	121	<1	<1	4	8	18	25	67
35-49	290	10.2	121	1	1	7	14	23	29	56
50-64	513	14.3	229	1	2	10	18	31	51	99
65+	683	15.0	197	2	2	11	21	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.1	16	<1	<1	3	6	10	13	17
B. *Operated*	459	8.0	107	1	1	5	10	17	25	60
2. MULTIPLE DX										
A. *Not Operated*	391	8.8	96	1	1	6	11	20	32	52
B. *Operated*	2053	12.3	187	1	2	8	17	29	41	96
1. SINGLE DX	525	7.5	97	<1	1	4	10	17	24	56
2. MULTIPLE DX	2444	11.7	174	1	2	8	16	27	38	89
A. NOT OPERATED	457	8.1	87	1	1	5	10	18	29	49
B. OPERATED	2512	11.5	175	1	1	7	15	27	38	89
TOTAL 0-19 YRS	295	8.9	133	1	1	5	11	20	28	93
20-34	637	6.1	88	<1	<1	3	7	14	21	49
35-49	411	9.3	115	1	1	6	12	21	28	60
50-64	683	13.7	209	1	2	10	18	31	47	93
65+	943	13.8	180	2	2	10	19	33	43	99+
GRAND TOTAL	**2969**	**11.0**	**163**	**1**	**1**	**7**	**14**	**26**	**37**	**84**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.2	2	<1	1	2	3	4	6	7
20-34	134	3.0	6	1	1	2	4	5	7	12
35-49	61	3.3	7	1	1	2	4	7	10	12
50-64	34	3.6	6	<1	1	3	5	6	8	13
65+	40	4.4	12	1	1	4	6	8	9	20
B. *Operated*										
0-19 YRS	28	3.0	6	1	1	2	3	6	9	12
20-34	85	3.6	7	<1	1	3	5	8	9	12
35-49	37	3.6	5	1	1	3	5	7	8	10
50-64	15	3.5	2	1	2	3	5	5	6	6
65+	13	4.8	11	1	2	4	6	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	2.4	7	1	1	2	3	5	6	17
20-34	162	2.9	6	<1	1	2	4	5	7	14
35-49	78	3.7	7	1	1	3	5	7	10	12
50-64	64	4.0	20	1	1	3	5	6	10	31
65+	103	5.4	15	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	37	2.7	6	1	1	2	3	6	8	13
20-34	119	4.1	10	1	1	3	5	8	12	14
35-49	49	5.4	38	1	1	3	7	12	17	36
50-64	38	7.9	59	1	1	6	11	16	25	36
65+	55	10.0	99	1	2	7	12	21	39	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.1	6	1	1	2	4	6	8	12
B. *Operated*	178	3.6	6	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	492	3.6	11	1	1	3	4	7	10	18
B. *Operated*	298	5.7	42	1	1	3	7	12	15	38
1. SINGLE DX	540	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX	790	4.4	24	1	1	3	5	9	12	29
A. NOT OPERATED	854	3.4	9	1	1	3	4	7	9	15
B. OPERATED	476	4.9	30	1	1	3	6	10	13	36
TOTAL 0-19 YRS	243	2.4	5	1	1	2	3	5	6	12
20-34	500	3.3	7	1	1	3	4	7	9	13
35-49	225	3.9	14	1	1	3	5	8	11	18
50-64	151	4.9	28	1	1	4	6	9	13	34
65+	211	6.4	40	1	2	5	8	12	16	41
GRAND TOTAL	**1330**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	5.2	9	2	2	4	8	10	11	12
20-34	85	6.1	23	2	2	5	7	10	15	30
35-49	55	7.5	57	2	2	6	8	13	24	40
50-64	59	9.5	66	3	3	6	13	19	25	45
65+	33	10.4	67	3	3	8	12	21	30	37
B. *Operated*										
0-19 YRS	14	7.7	12	3	3	7	11	12	14	15
20-34	33	8.9	55	1	2	8	12	17	29	31
35-49	17	10.4	196	1	1	5	9	35	47	52
50-64	18	12.4	123	2	4	10	15	19	39	52
65+	10	10.5	58	2	2	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	5.9	17	1	1	5	8	12	14	19
20-34	140	7.0	36	1	2	5	9	13	18	31
35-49	114	7.6	27	2	3	6	10	14	17	26
50-64	116	10.3	64	2	3	8	14	19	23	42
65+	91	12.6	146	3	4	9	15	25	39	66
B. *Operated*										
0-19 YRS	47	13.9	215	2	3	10	17	32	45	78
20-34	96	12.3	177	2	3	8	16	25	35	76
35-49	76	10.0	95	1	2	8	14	22	30	88
50-64	75	16.5	235	2	3	10	23	40	52	95
65+	61	21.0	387	3	4	14	33	49	73	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	7.4	44	2	3	5	9	14	21	37
B. *Operated*	92	9.9	87	1	2	7	12	18	30	52
2. MULTIPLE DX										
A. *Not Operated*	548	8.6	60	2	2	6	11	17	21	42
B. *Operated*	355	14.4	224	2	3	9	19	36	47	97
1. SINGLE DX	374	8.0	55	2	3	6	10	16	22	40
2. MULTIPLE DX	903	10.9	133	2	3	7	13	23	36	68
A. NOT OPERATED	830	8.2	55	2	2	6	10	16	21	41
B. OPERATED	447	13.5	199	2	3	9	17	32	44	90
TOTAL 0-19 YRS	198	7.8	73	1	2	6	10	14	20	46
20-34	354	8.4	79	2	2	6	10	17	24	44
35-49	262	8.5	64	2	3	6	10	17	24	52
50-64	268	12.0	123	2	3	9	15	24	39	57
65+	195	14.8	220	3	3	9	19	36	46	86
GRAND TOTAL	**1277**	**10.0**	**112**	**2**	**3**	**7**	**12**	**21**	**32**	**57**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	4	1	1	2	3	6	7	7
20-34	25	9.3	203	1	2	5	10	16	33	73
35-49	30	6.3	23	1	2	4	9	14	16	18
50-64	25	5.6	18	1	2	5	7	12	15	18
65+	9	8.2	13	3	3	10	11	12	12	12
B. *Operated*										
0-19 YRS	10	6.2	23	<1	1	5	8	14	15	15
20-34	28	4.9	17	1	1	4	6	10	13	19
35-49	26	11.3	295	1	1	5	12	24	56	79
50-64	33	9.6	144	1	1	3	12	33	37	44
65+	23	7.6	33	1	2	6	12	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.7	49	<1	1	3	5	8	11	48
20-34	151	5.1	31	1	1	4	6	10	15	35
35-49	108	5.9	36	1	1	4	8	11	20	29
50-64	126	9.4	138	1	2	6	11	19	27	72
65+	146	9.9	123	1	2	6	13	24	33	83
B. *Operated*										
0-19 YRS	61	7.4	118	1	1	4	10	13	25	70
20-34	138	10.3	93	1	2	7	14	23	30	45
35-49	141	11.1	128	1	2	8	15	24	34	99+
50-64	180	14.5	202	2	3	10	20	35	45	76
65+	198	14.2	299	1	2	8	18	39	50	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	6.8	68	1	2	5	9	14	16	49
B. *Operated*	120	8.2	118	1	1	5	10	17	29	59
2. MULTIPLE DX										
A. *Not Operated*	593	7.3	84	1	1	5	9	16	24	49
B. *Operated*	718	12.3	191	1	2	8	16	29	43	88
1. SINGLE DX	216	7.6	96	1	1	5	10	15	21	58
2. MULTIPLE DX	1311	10.1	148	1	1	6	12	24	35	80
A. NOT OPERATED	689	7.2	81	1	1	5	9	16	22	49
B. OPERATED	838	11.7	182	1	2	7	15	27	41	86
TOTAL 0-19 YRS	140	5.9	77	1	1	3	7	11	14	53
20-34	342	7.5	73	1	1	5	9	16	24	43
35-49	305	8.8	104	1	1	6	11	20	25	79
50-64	364	11.7	170	1	2	7	14	29	40	70
65+	376	12.0	213	1	2	7	15	30	44	93
GRAND TOTAL	**1527**	**9.7**	**142**	**1**	**1**	**6**	**12**	**22**	**34**	**79**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	<1	1	2	3	5	7	7
20-34	5	3.2	15	1	1	2	4	10	10	10
35-49	3	4.0	27	1	1	1	8	10	10	10
50-64	2	18.5	221	8	8	18	29	29	29	29
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.8	119	1	1	3	5	12	23	67
20-34	8	2.9	8	1	1	2	2	8	10	10
35-49	11	4.7	41	1	1	2	5	13	22	23
50-64	12	6.0	57	<1	<1	4	7	15	26	28
65+	14	6.1	66	1	1	2	9	16	27	30
B. *Operated*										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	7	6.3	4	4	4	6	8	9	9	9
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	5	18.0	397	1	1	13	30	50	50	50
65+	10	21.9	313	2	4	19	32	48	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.1	36	<1	1	2	4	10	16	29
B. *Operated*	2	13.5	313	1	1	26	81	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	87	5.5	80	1	1	2	6	11	23	53
B. *Operated*	25	16.8	283	2	3	9	24	50	52	59
1. SINGLE DX	26	4.8	52	<1	1	2	6	23	40	99+
2. MULTIPLE DX	112	8.0	146	1	1	3	8	23	32	62
A. NOT OPERATED	111	5.2	71	1	1	2	6	10	23	44
B. OPERATED	27	16.5	274	1	2	9	26	50	63	99+
TOTAL 0-19 YRS	56	6.3	134	1	1	3	5	14	25	66
20-34	20	4.2	10	1	1	2	7	9	10	10
35-49	16	5.0	36	1	1	3	6	13	20	23
50-64	20	10.0	167	<1	1	6	11	28	39	50
65+	26	11.8	215	1	1	8	21	37	65	99+
GRAND TOTAL	**138**	**7.4**	**129**	**1**	**1**	**3**	**8**	**23**	**31**	**71**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	14	1.9	3	<1	<1	1	3	4	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.5	3	<1	<1	2	3	5	6	8
20-34	3886	2.3	2	<1	<1	2	3	4	4	6
35-49	1195	2.2	1	<1	<1	2	3	4	4	6
50-64	10	1.7		<1	<1	2	2	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	27	<1	<1	1	8	10	10	10
20-34	47	1.6	2	<1	<1	1	1	3	4	7
35-49	24	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.8	4	1	2	4	4	6	8	9
20-34	1632	3.1	5	<1	1	3	4	5	7	10
35-49	702	3.0	3	<1	<1	3	4	5	7	9
50-64	8	3.3	5	1	1	3	5	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.9	2	<1	<1	1	3	4	5	6
B. *Operated*	5119	2.3	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	74	1.6	2	<1	<1	1	1	3	4	9
B. *Operated*	2356	3.1	4	<1	<1	3	4	5	7	10
1. SINGLE DX	5137	2.3	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	2430	3.0	4	<1	<1	3	4	5	7	10
A. NOT OPERATED	92	1.6	2	<1	<1	1	1	3	4	9
B. OPERATED	7475	2.5	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	45	2.9	5	<1	<1	2	4	5	8	10
20-34	5579	2.5	3	<1	<1	2	3	4	5	8
35-49	1922	2.5	2	<1	<1	2	3	4	5	8
50-64	18	2.4	3	<1	<1	2	3	5	7	7
65+	3	2.3	2	<1	<1	2	3	4	4	4
GRAND TOTAL	**7567**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	9.3	6	7	7	9	11	12	12	12
1000-1499	1	7.0		7	7	7	7	7	7	7
1500-1749	2	20.5	13	18	18	20	23	23	23	23
1750-2499	365	5.8	11	3	3	5	7	10	13	20
2500+	39952	4.4	3	2	3	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	8	5.4	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	14	60.4	1139	8	9	80	89	99	99+	99+
1000-1499	131	50.1	300	21	27	51	61	74	79	95
1500-1749	137	33.4	160	16	19	33	38	49	57	84
1750-2499	2175	11.1	67	3	4	8	15	21	26	38
2500+	38759	5.0	6	3	3	5	6	7	8	14
B. *Operated*										
1-999 G	9	91.3	34	82	85	98	99+	99+	99+	99+
1000-1499	39	65.0	275	41	44	70	86	99+	99+	99+
1500-1749	21	42.2	390	21	22	41	60	99+	99+	99+
1750-2499	79	23.4	185	7	8	22	31	51	59	99+
2500+	305	8.4	56	3	4	6	9	15	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40323	4.4	3	2	3	4	5	6	7	10
B. *Operated*	8	5.4	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	41216	5.6	23	3	3	5	6	8	11	25
B. *Operated*	453	19.1	502	3	4	9	28	72	96	99+
1. SINGLE DX	40331	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	41669	5.7	30	3	3	5	6	8	11	29
A. NOT OPERATED	81539	5.0	13	2	3	4	5	7	8	18
B. OPERATED	461	18.9	496	3	4	9	27	70	96	99+
TOTAL 1-999 G	26	65.2	1237	8	9	89	99+	99+	99+	99+
1000-1499	171	53.2	343	23	30	54	68	84	96	99+
1500-1749	160	34.4	198	17	20	33	40	55	79	99+
1750-2499	2619	10.7	71	3	4	7	15	21	27	43
2500+	79024	4.7	5	2	3	4	5	7	8	12
GRAND TOTAL	**82000**	**5.1**	**17**	**2**	**3**	**4**	**6**	**7**	**9**	**20**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	29.0		29	29	29	29	29	29	29
1500-1749										
1750-2499	69	8.3	20	4	4	7	9	16	20	22
2500+	403	5.9	8	3	3	5	7	8	10	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	90.0	43	83	83	90	95	97	97	97
1000-1499	40	52.3	248	30	33	55	68	75	86	99+
1500-1749	41	28.7	92	16	18	26	36	41	48	53
1750-2499	379	12.8	67	5	5	10	17	24	28	40
2500+	434	7.0	9	4	4	6	8	10	13	18
B. *Operated*										
1-999 G	2	86.0	18	83	83	99+	99+	99+	99+	99+
1000-1499	12	54.3	200	32	38	63	89	99+	99+	99+
1500-1749	9	42.0	297	12	19	40	55	65	72	72
1750-2499	7	26.7	113	15	15	27	37	41	41	41
2500+	5	24.0	301	6	6	17	42	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	6.3	11	3	3	6	7	9	11	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	898	12.8	172	4	5	8	15	26	40	74
B. *Operated*	35	43.1	452	12	15	46	72	99+	99+	99+
1. SINGLE DX	473	6.3	11	3	3	6	7	9	11	20
2. MULTIPLE DX	933	14.0	215	4	5	8	16	33	52	97
A. NOT OPERATED	1371	10.6	126	4	4	7	10	21	31	69
B. OPERATED	35	43.1	452	12	15	46	72	99+	99+	99+
TOTAL 1-999 G	6	88.7	34	83	83	94	99+	99+	99+	99+
1000-1499	53	52.3	240	29	33	55	69	91	99+	99+
1500-1749	50	31.1	150	16	18	28	38	48	55	72
1750-2499	455	12.4	66	4	5	9	16	24	28	40
2500+	842	6.5	12	3	4	6	7	10	12	17
GRAND TOTAL	**1406**	**11.4**	**159**	**4**	**4**	**7**	**11**	**25**	**40**	**83**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	3.0	2	2	2	3	4	4	4	4
2500+	78	3.8	4	1	2	3	5	6	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	56.5	481	41	41	56	72	72	72	72
1500-1749	2	25.0	18	22	22	25	28	28	28	28
1750-2499	10	16.3	58	5	5	16	22	26	30	30
2500+	60	5.0	10	2	3	4	6	7	11	19
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.8	4	1	2	3	5	6	8	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	74	8.5	111	2	3	5	7	19	27	65
B. *Operated*										
1. SINGLE DX	80	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX	74	8.5	111	2	3	5	7	19	27	65
A. NOT OPERATED	154	6.0	60	1	2	4	6	12	19	41
B. OPERATED										
TOTAL 1-999 G										
1000-1499	2	56.5	481	41	41	56	72	72	72	72
1500-1749	2	25.0	18	22	22	25	28	28	28	28
1750-2499	12	14.1	74	2	3	15	20	25	29	30
2500+	138	4.3	7	1	2	4	5	7	8	17
GRAND TOTAL	**154**	**6.0**	**60**	**1**	**2**	**4**	**6**	**12**	**19**	**41**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	17	3	3	4	5	12	15	15
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	181	3.1	14	1	1	2	3	5	7	19
20-34	332	2.7	5	<1	1	2	3	5	5	8
35-49	112	3.4	7	<1	1	3	4	7	9	13
50-64	76	4.1	17	1	1	3	5	8	11	23
65+	59	4.7	19	1	2	3	5	10	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	38	5.6	42	1	2	3	5	17	22	28
20-34	60	4.8	23	<1	1	3	5	12	17	23
35-49	43	5.8	122	<1	1	4	5	9	13	74
50-64	35	3.9	5	1	2	3	5	8	9	9
65+	25	8.6	117	1	2	7	9	12	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.5	13	<1	<1	3	5	8	12	15
B. *Operated*	760	3.2	10	<1	1	2	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	4	<1	<1	2	3	6	7	7
B. *Operated*	201	5.5	57	1	1	3	6	10	17	42
1. SINGLE DX	779	3.2	10	<1	1	2	4	5	8	17
2. MULTIPLE DX	213	5.3	54	1	1	3	5	9	16	38
A. NOT OPERATED	31	3.0	10	<1	<1	2	4	7	9	15
B. OPERATED	961	3.7	21	<1	1	3	4	7	9	22
TOTAL 0-19 YRS	230	3.6	19	1	1	3	3	6	11	24
20-34	403	3.0	8	<1	1	2	3	5	6	17
35-49	158	4.1	39	<1	1	3	4	8	10	14
50-64	114	4.1	13	1	1	3	5	8	9	21
65+	87	5.8	49	1	2	4	7	11	17	43
GRAND TOTAL	**992**	**3.7**	**20**	**<1**	**1**	**3**	**4**	**7**	**9**	**21**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.4	1	2	2	2	3	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	11	1.8	2	1	1	1	2	4	6	6
35-49	11	3.5	13	<1	<1	2	5	9	13	13
50-64	41	1.8	8	1	1	1	1	3	6	18
65+	103	1.4	2	1	1	1	1	1	4	9
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	22.3	125	7	7	25	30	32	32	32
35-49	5	21.0	95	13	13	18	28	36	36	36
50-64	8	14.0	206	2	2	7	23	38	42	42
65+	10	18.9	219	<1	<1	19	24	40	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	1	1	1	2	2	4	4	4
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	169	1.6	4	1	1	1	1	3	5	12
B. *Operated*	28	17.8	171	1	2	18	26	35	43	50
1. SINGLE DX	8	2.9	4	1	1	2	3	6	7	7
2. MULTIPLE DX	197	3.9	59	1	1	1	2	12	22	39
A. NOT OPERATED	175	1.7	4	1	1	1	1	3	5	12
B. OPERATED	30	17.0	170	1	2	17	25	34	42	50
TOTAL 0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	22	6.0	82	1	1	2	6	23	30	32
35-49	16	8.9	104	<1	1	4	13	24	33	36
50-64	50	3.7	57	1	1	1	2	7	18	42
65+	113	2.9	45	1	1	1	1	5	18	37
GRAND TOTAL	**205**	**3.9**	**57**	**1**	**1**	**1**	**2**	**10**	**21**	**39**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1555	3.4	15	<1	1	2	4	7	9	21
20-34	1183	2.8	20	<1	<1	2	3	5	7	16
35-49	272	3.9	48	<1	<1	2	3	10	17	43
50-64	220	5.8	55	<1	1	3	6	16	22	33
65+	251	8.4	164	1	1	4	10	26	38	99+
B. *Operated*										
0-19 YRS	308	2.9	7	<1	<1	2	3	5	8	16
20-34	1034	3.2	9	<1	<1	2	4	6	8	12
35-49	349	4.4	18	<1	<1	3	5	9	12	19
50-64	223	4.7	37	<1	1	3	5	10	13	34
65+	290	4.0	20	<1	1	2	4	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1061	5.5	74	<1	<1	3	6	13	20	46
20-34	894	4.7	48	<1	1	3	5	10	17	34
35-49	762	4.9	53	<1	1	2	5	10	17	37
50-64	1646	5.4	67	1	1	3	5	13	21	79
65+	1640	9.2	168	1	1	4	12	25	44	99+
B. *Operated*										
0-19 YRS	217	8.1	166	<1	1	4	8	19	42	74
20-34	772	5.1	47	<1	<1	4	6	10	13	38
35-49	565	6.8	72	<1	1	4	9	13	22	46
50-64	858	6.3	65	<1	1	3	8	14	20	40
65+	1015	6.5	78	<1	1	3	8	16	24	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3481	3.7	35	<1	<1	2	4	7	12	32
B. *Operated*	2204	3.6	15	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	6003	6.3	94	<1	1	3	7	16	25	80
B. *Operated*	3427	6.3	73	<1	1	3	8	14	21	51
1. SINGLE DX	5685	3.7	27	<1	<1	2	4	7	11	27
2. MULTIPLE DX	9430	6.3	87	<1	1	3	7	15	24	69
A. NOT OPERATED	9484	5.4	74	<1	1	3	5	13	21	66
B. OPERATED	5631	5.2	52	<1	<1	3	6	11	16	40
TOTAL 0-19 YRS	3141	4.4	47	<1	<1	2	5	9	14	37
20-34	3883	3.8	30	<1	<1	2	4	7	11	26
35-49	1948	5.2	53	<1	1	3	6	11	16	37
50-64	2947	5.7	63	1	1	3	6	13	21	55
65+	3196	7.8	129	1	1	4	9	21	34	99+
GRAND TOTAL	**15115**	**5.3**	**66**	**<1**	**1**	**3**	**6**	**12**	**19**	**54**

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever